

AD-A263 603

NTATION PAGE

Form Approved  
OMB No 0704-0188

2



ated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, reviewing the collection of information, Send comments regarding this burden estimate or any other aspect of this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AUTHOR		2. DATE 2-15-93	3. REPORT TYPE AND DATES COVERED Final 15 May 89 - 14 Nov 92	
4. TITLE AND SUBTITLE Nonequilibrium Screening and Exciton Dynamics Probed by Femtosecond Laser Pulses			5. FUNDING NUMBERS DAA03-89-K-0100	
6. AUTHOR(S) N. Pevghambarian and S. W. Koch			93-09481  7408	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Optical Sciences Center University of Arizona Tucson, AZ 85721			DTIC ELECTE MAY 05 1993 S E D	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P. O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING/MONITORING AGENCY REPORT NUMBER ARO 26974.15-8H	
11. SUPPLEMENTARY NOTES The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Our efforts were aimed at the study of nonequilibrium properties of a high-density electron-hole-pair system, which was generated resonantly by femtosecond laser excitation. The investigation consisted of joint theoretical and experimental approaches. Using state of the art femtosecond experimental techniques, we studied extremely rapid physical phenomena. We have succeeded not only in completing the proposed tasks, but have also initiated some new projects and obtained very interesting results. During the last three years in this program, we have published three Physical Review Letters, nine Physical Reviews, several other papers in good journals such as Appl. Phys. Lett., J. Opt. Soc. Am., etc., nineteen invited presentations at important conferences, and several contributed papers at international conferences. The list of publications is given in the next section. Here, we summarize the highlights of our achievements during the last three years of this contract. 93 09481 7				
14. SUBJECT TERMS adiabatic following, semiconductors, carrier relaxation, Rabi oscillations, type-II quantum wells, photon echo, confinement-induced valence-band mixing, coherent interaction			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

**NONEQUILIBRIUM SCREENING AND EXCITON DYNAMICS  
PROBED BY FEMTOSECOND LASER PULSES**

**FINAL REPORT**

**N. PEYGHAMBARIAN AND S. W. KOCH**

**2/15/93**

**U.S. ARMY RESEARCH OFFICE**

**DAAL03-89-K-0100**

**UNIVERSITY OF ARIZONA**

**APPROVED FOR PUBLIC RELEASE;  
DISTRIBUTION UNLIMITED**

## Table of Contents

A. Statement of the Problem Studies . . . . .	1
B. Summary of Results . . . . .	1
1. Adiabatic Following in Semiconductors . . . . .	1
2. Femtosecond Nonequilibrium Carrier Relaxation in Bulk CdSe . . . . .	4
3. Rabi Oscillations in Semiconductors . . . . .	7
4. Femtosecond Dynamics of Type-II Quantum Wells . . . . .	10
5. Photon Echo in Semiconductors . . . . .	13
6. Coherent Interaction of Ultrafast Pulses in Semiconductors . . . . .	14
7. Confinement-Induced Valence-Band Mixing in Semiconductor Quantum Dots . . . . .	16
C. Publications . . . . .	18
D. List of Participating Scientific Personnel and Degrees Earned . . . . .	20
E. Bibliography . . . . .	22
1. N. Peyghambarian . . . . .	22
2. S. W. Koch . . . . .	44

DTIC QUALITY INSPECTED 8

Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification .....	
By .....	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

## A. STATEMENT OF THE PROBLEM STUDIED

Our efforts were aimed at the study of *nonequilibrium* properties of a high-density electron-hole-pair system, which was generated resonantly by femtosecond laser excitation. The investigation consisted of joint theoretical and experimental approaches. Using state of the art femtosecond experimental techniques, we studied extremely rapid physical phenomena. We have succeeded not only in completing the proposed tasks, but have also initiated some new projects and obtained very interesting results. During the last three years in this program, we have published three Physical Review Letters, nine Physical Reviews, several other papers in good journals such as Appl. Phys. Lett., J. Opt. Soc. Am., etc., nineteen invited presentations at important conferences, and several contributed papers at international conferences. The list of publications is given in the next section. Here, we summarize the highlights of our achievements during the last three years of this contract.

## B. SUMMARY OF RESULTS

### 1. Adiabatic Following in Semiconductors

Adiabatic following is an off-resonant effect which occurs when the duration of a light pulse is less than the phase relaxation time  $T_2$  and the magnitude of the pulse detuning is greater than its inhomogeneous linewidth. Under these conditions, the quantities in the optical Bloch equations which describe the system, namely the inversion and polarization, have a time dependence determined by the instantaneous amplitude of the light-pulse envelope, i.e., they follow the field.

The above conditions on the pulse duration and detuning can be satisfied in a semiconductor using fs laser systems. This is most easily achieved for the exciton resonance in GaAs multiple-quantum-well structures (MQWs), which has a coherence time approaching one picosecond. The response of the exciton to a nonresonant light pulse can be described by the inversion and interband polarization of the system using the semiconductor Bloch equations, which include the many-body Coulomb effects in time-dependent Hartree-Fock approximation. The numerical solution of these coupled equations not only explains the Stark shift, as shown previously, but also indicates that the system's inversion adiabatically follows the field. This aspect of the ultrafast response is manifested experimentally in the time-resolved absorption measurements as a fast bleaching recovery of the exciton line.



Time-resolved pump-probe experiments were carried out using a synchronously pumped mode-locked dye laser with an average output power of 25 mW, 82 MHz repetition rate, and center wavelength tunable from 850 to 870 nm for room-temperature experiments. A colliding pulse mode-locked (CPM) dye laser amplified by copper vapor lasers (CVL) in cascade operating

in 750-800 nm was employed for low-temperature ( $\approx 10$  K) experiments. For this purpose, we first generated a continuum using CPM pulses amplified by the CVL, and then the near-IR pulses were obtained by re-amplifying the desired portion of the generated continuum using a second CVL. The autocorrelation of the pump pulse and the cross correlation of the pump and probe pulses in this case were 200 and 300 fs, respectively. The samples were molecular-beam epitaxy (MBE) grown GaAs/Al<sub>x</sub>Ga<sub>1-x</sub>As multiple-quantum-well and multiple-coupled-quantum-well structures (MQWs and MCQWs) with various well widths and barriers. In all room-temperature measurements the laser center wavelength was adjusted so as to be detuned between four and five  $E_R$  below the heavy-hole exciton. Here  $E_R$  is the bulk GaAs Rydberg energy, i.e., 4.2 meV. The detunings for low-temperature measurements were smaller. The spectral transmission of the probe through the sample for different time delays between pump and probe was measured by an optical multichannel analyzer at the output of a spectrometer.


Figure 1(a) shows the low-temperature absorption spectrum of a GaAs MCQW sample for pumping below the exciton resonance and for different time delays,  $t_p$ , where  $t_p = t(\text{probe}) - t(\text{pump})$ . The solid curve represents the linear absorption, while the dotted spectrum corresponds to  $t_p \neq 0$ . It clearly shows that the heavy-hole exciton has been blue shifted and bleached. The dashed curve in Fig. 1(a), which corresponds to  $t_p = 500$  fs, demonstrates that the blue shift and bleaching are mostly recovered. The complete recovery takes nanoseconds as a result of carrier generation caused mainly by the spectral overlap of the pump and the sample's absorption spectrum. The transient exciton blue shift is the manifestation of the optical Stark effect. This bleaching recovery is the signature of the transient adiabatic following.

For the analysis of our experiments, we used the semiconductor Bloch equations, i.e., the coupled equations of motion of the expectation value of the population of the state  $k$  and the interband polarization. We solved these equations numerically for different time delays, assuming constant dephasing and carrier-relaxation rates. The calculated spectrum for comparison with the experimental data of Fig. 1(a) is shown in Fig. 1(b). As in the experiment, the pump-pulse duration and detuning satisfied the adiabatic following conditions mentioned earlier. The temporal behavior of the exciton in Fig. 1(b) shows good qualitative agreement with the data. That is, the exciton both bleaches and shifts at negative time delays. The Stark shift, which reaches a maximum at a negative time, fully recovers after several hundred fs, while the bleaching, which is maximized at  $t_p = 0$ , does not quite completely recover.

Figure 2 shows the temporal behavior of the created carrier density along with the pump-pulse intensity. Note that similar to the experiments, there is a fast component of the density, which follows the pump, and a small long-lasting tail due to the incoherent component of the real carrier generation. The fast component is a result of the coherent response of the carrier density. It is the transient presence of this density which is responsible for the fast bleaching recovery. We assign this behavior to the ultrafast adiabatic following in semiconductors.



**Fig. 1. (a) Measured absorption spectra of a GaAs-AlGaAs MCQW at  $T = 10$  K at different time delays. (b) Calculated absorption spectra for comparison with Fig. 1(a).**



*Fig. 2. Calculated temporal behavior of the carrier density generated by pump pulse.*

## 2. Femtosecond Nonequilibrium Carrier Relaxation in Bulk CdSe

A femtosecond spectral hole-burning technique was employed to study the relaxation of nonequilibrium carriers via carrier-carrier (CCS) and carrier-LO phonon (CPS) scattering. Excitation by 70-fs laser pulses several LO phonon energies above the exciton resonance at 10 K in CdSe results in a transient spectral hole that disappears in less than 100 fs. At the onset of the pump pulse we observed a nonthermal distribution that essentially extended from the pump energy of 1.99 eV to lower energies, indicating participation of both CCS and CPS as expected. The experiments were performed with 70-fs pulses generated at 1.99 eV from an amplified colliding pulse mode-locked dye laser. Figure 3(a) shows the linear absorption spectrum of the sample at 10 K. The two excitonic peaks labeled A and B originate from the heavy-hole and light-hole valence bands split by the crystal field interaction. Absorption changes,  $-\Delta\alpha$ , following excitation by the pump pulse were measured as a function of time delay between the pump and probe pulses. Figure 4(a) shows  $-\Delta\alpha$  spectra in 50-fs intervals. The 0-fs and 50-fs spectra show the presence of a hot nonthermal spectral hole, as indicated by the hatched area, on the high-energy side of A and B exciton bleaching. As the nonthermal distribution thermalizes, the spectral hole washes out and only the bleached excitons remain.




Fig. 3. (a) The measured linear absorption of our CdSe platelet at 10 K. (b) The calculated linear absorption.

Our theoretical analysis was based on the semiconductor Bloch equations. CCS and CPS were included in the carrier collision rates, and screening was treated quasi-statically. Results of our theory are presented in Figs. 3(b) and 4(b). Figure 3(b) shows the calculated linear absorption spectrum, consisting of the A and B excitons. The 0-fs spectrum in Fig. 4(b) clearly displays the spectral hole peaked at the pump position  $12 E_R$ , where  $E_R = 15.75$  meV, the A-exciton Rydberg energy. The two excitons are completely bleached. The hole has a tail extending to






Fig. 4. (a) The measured change in the absorption coefficient observed under the 1.99 eV excitation at 10 K. The time delay of each spectrum is shown in the figure. The hatched area shows the nonthermalized distribution of hot carriers. (b) Calculated pump-induced absorption for various time delays between the pump and probe pulses.

low energies with respect to pump energy, as was observed in Fig. 4(a), in good agreement with the experiment. The theory also shows that the spectral hole washes out by 100 fs, but the excitons stay bleached for longer times, indicating very large carrier-carrier scattering rates. Our analysis shows that the screening by nonequilibrium carriers yields an almost instantaneous bleaching of both the exciton resonance and the Coulomb enhancement of the lower continuum states. Since the LO-phonon emission processes are essentially as fast as the CCS, the Pauli blocking (spectral hole) primarily affects the low-energy side of the pump frequency. After approximately a hundred femtoseconds, the phase-space blocking is similar to that of a high-temperature thermal plasma where, in this case, the temperature range is essentially given by the LO-phonon energy. This is a result of both CPS and CCS, where the CPS reduces the mean kinetic energy of the plasma, and the CCS yields a quasi-thermal distribution where even the

states below  $\hbar\omega_{LO}$  are filled. In this investigation, the experimental results seem to be well-explained within the assumption of equilibrium phonon distributions. An enhanced temporal resolution might, however, prove the significance of nonequilibrium and/or coherent phonon effects.

### 3. Rabi Oscillations in Semiconductors

We theoretically investigated the case of exciton resonant excitation where many-body effects play a significant role in the ultrafast response of the semiconductor. It should be recalled that in the case of resonant excitation in discrete atomic systems, the dipole-coupled level populations undergo Rabi oscillations. For the case of semiconductors, we have solved the semiconductor Bloch equations for laser pulses with durations  $\Delta t$ , much smaller than the polarization decay ( $T_2$ ) time;  $\Delta t \ll T_2$ . As an illustrative example, Fig. 5 shows the time dependence of the semiconductor density for a  $2.2\text{-}\pi$  pulse, i.e.,  $(2/\hbar)\int dt \mu E(t) = 2.2\pi$ , exciting the system at the exciton resonance or at slightly detuned frequencies. There is no real "on-resonant" condition in semiconductors, in contrast to an atomic two-level system, since the exciton involves a large number of different  $k$  states, each of which has a slightly different detuning from the pump pulse. Different detunings imply different Rabi frequencies of the individual states, which might lead to pronounced interference effects, eventually even completely destructive interference, and the absence of Rabi oscillations. However, as Fig. 5 shows, when excited at or above the exciton resonance, the semiconductor carrier density clearly exhibits temporal oscillations. Moreover, the number of Rabi flops is basically twice that expected for a two-level system. Figure 5 also demonstrates that the amplitude of the Rabi oscillations is significantly reduced for the relatively small detuning of  $-0.4E_R$  (see the long-dashed curve in Fig. 5). A careful analysis shows that the Coulomb exchange effect renormalizes the field, and thus, accounts for the doubling of the Rabi flops under the assumed conditions.

We have started experiments to verify the above predictions. A thin film of bulk CdSe was chosen as the medium to observe Rabi oscillations because the presence of a sharp exciton resonance in this material leads to the required long  $T_2$  time. The calculated Rabi oscillation for the case of CdSe is shown in Fig. 6 for two values of dephasing rates. The exciton density is plotted versus the excitation field magnitude. For small dephasing rates, the density is expected to show an oscillatory behavior, while for larger dephasing rates, oscillations are expected to disappear. These Rabi oscillations were calculated for an excitation pulse of 200-fs duration. The field strength of 1 Rydberg on the horizontal axis corresponds to  $\approx 1.3\text{ GW/cm}^2$  light intensity. These parameters are easily achievable for our femtosecond laser systems. The pump-pulse frequency was tuned inside the exciton to fulfill the resonant excitation condition. In order to monitor the exciton density, we decided to measure the exciton absorption strength as a function of laser intensity. Figure 7 shows the measured exciton absorption change as a function




Fig. 5. Excited carrier density in units of  $a_B^{-2}$ , where  $a_B$  is the exciton Bohr radius for bulk GaAs for various excitation frequencies:  $\hbar\omega_0 = E_g - E_R$  (solid line),  $\hbar\omega_0 = E_g - 1.4E_R$  (long-dashed line), and  $\hbar\omega_0 = E_g - 0.6E_R$  (short-dashed line). Inset: Pump field as a function of time for a pulse with an area of  $2.2\pi$ .





Fig. 6. Calculated exciton density versus applied field strength (in Rydberg energy) for the case of CdSe with 200-fs laser pulse resonant excitation. The two curves correspond to two dephasing rates of  $\gamma = 0$  and  $\gamma = 1.0 E_R$ . The field strength of  $1 E_R$  on the horizontal axis corresponds to a laser intensity of  $1.3 \text{ GW/cm}^2$ .

of pump intensity for a 150-fs delay between the pump and probe pulses. The lack of oscillations in this figure points out that exciton absorption strength is not a good monitor of the exciton density, presumably because of its quick saturation. Therefore, one needs to use a different monitor for the carrier density, such as possibly luminescence and four-wave mixing. We will discuss this subject further in the project description section.



*Fig. 7. Measured exciton absorption change in a CdSe thin film at  $T = 10$  K as a function of resonant pump intensity. The maximum power used was  $0.2 \text{ GW/cm}^2$  for this case.*

We performed similar measurements on  $\text{BiI}_3$ , a layered semiconductor with two-dimensional excitons trapped by stacking faults. These excitons, labeled as R, S, and T, are extremely sharp, with long  $T_2$  times, as shown in Fig. 8. Monitoring the absorption change at the peaks of R, S, and T excitons resulted in an interesting observation shown in Fig. 9. An oscillatory signal is detected not only at the R, S, and T peaks, but also at a wavelength of 630 nm, which is in the transparency region of the semiconductor. We verified that these oscillations are *not* the result of Rabi flopping because of the presence of the signal at 630 nm, and also because the signal lasts for  $\approx 30$  ps. They cannot be the result of quantum beats between the excitons either because the frequency of oscillations does not correspond to the energy separation of any of the excitons. The energy separation of  $\approx 14.3$  meV observed in these oscillations precisely matches the TO phonon frequency in  $\text{BiI}_3$ . Thus, we concluded that our data arise from a coherent excitation of TO phonons in the medium, presumably by impulse stimulated Raman scattering process. The  $\approx 30$ -ps decay time for the oscillations is then due to the vibrational dephasing as a result of coupling with incoherent phonons in this two-dimensional system.




Fig. 8. Linear absorption spectrum of  $\text{BiI}_3$  at  $T = 10$  K. R, S, and T correspond to the three stacking-fault excitons in this layered semiconductor.




Fig. 9. The measured change in absorption for the R, S, and T excitons and the transparency region at 630 nm of the  $\text{BiI}_3$  sample of Fig. 8.

#### 4. Femtosecond Dynamics of Type II Quantum Wells

We did not originally propose this project. However, we have decided to pursue it as an additional task since it provides an interesting medium to investigate the dynamics of many-body effects associated with a one-component plasma. In the projects discussed in Sections 1 and 2 of this report, the many-body effects associated with a two-component plasma, i.e., electrons and holes, are being studied. In type-II quantum wells, on the other hand, the electrons are removed

from the holes, and the dynamics of holes or electrons can be investigated separately. For example, when the GaAs layer thickness is less than 35 Å and the AlAs layer thickness is greater than 16 Å, the lowest  $\Gamma$ -electron state of the GaAs well lies energetically above the X-minimum of the AlAs barrier, whereas the lowest energy hole state is still in the GaAs layer (see the inset of Fig. 10). As a result of such a band alignment, optical excitation of electron-hole pairs in the GaAs layer is followed by a spatial separation of the two plasma components; electrons scatter from the  $\Gamma$ -state in GaAs to the X-state in AlAs. This allows the measurement of the dynamics of the hole relaxation in the GaAs layer where they are spatially separated from the electrons in the AlAs layer. We have made such measurements at  $T = 10$  K using 130-fs laser pulses, tuned resonantly inside the heavy-hole exciton peak of a type-II quantum-well structure consisting of  $\approx 28$ -Å-thick GaAs (10 monolayers) and  $\approx 57$ -Å-thick AlAs (20 monolayers) layers.




Fig. 10. Absorption spectra at different time delays for resonant heavy-hole exciton pumping in a GaAs-AlAs type-II quantum well. The inset shows the energy level diagram for the sample.

Figure 10 displays the absorption spectra of the sample at various time delays between the pump and probe pulses together with the pump spectrum. A bleaching and blue shift of the absorption spectrum at both the light-hole and the heavy-hole excitons is clearly observed for the zero-ps time delay. Blocking of the conduction and heavy-hole states by the electrons, which have not yet left the GaAs layer, is responsible for this effect. In the 3-ps spectrum, the light-hole exciton blue shift is completely recovered, while the heavy hole is still bleached and shifted. This behavior is caused by the fact that the  $\Gamma$ -X electron scattering has already taken place and only the  $\Gamma$ -point heavy-hole phase-space filling is left. The relaxation (cooling) of the heavy

holes contributes to the behavior of the 100-ps trace. Also, we observe a complete recovery of the light-hole exciton peak due to decreased screening of "cool" heavy holes. As the holes relax to the lowest energy states, the bleaching of the spectral region on the low-energy side of the heavy-hole exciton (see the region around  $\lambda \simeq 670$  nm) is increased, while the bleaching of the high-energy side of the heavy-hole exciton (see the region around  $\lambda \simeq 660$  nm) is recovered.




Fig. 11. Computed absorption spectra for type-I and type-II quantum wells with GaAs well thickness of 30 Å. The spectra are for the plasma densities  $na_0^3 = 0.2$  (short dashed), 0.4 (medium dashed), and 0.8 (long-short dashed). The linear spectra are shown as solid lines, and  $a_0$  is the bulk-exciton Bohr radius. (a) Type-II, plasma temperature  $T = 30$  K; (b) Type-II,  $T = 100$  K; (c) Type-I,  $T = 30$  K.

In our theoretical analysis of the many-body effects in the band-edge absorption spectra of highly excited type-I and type-II semiconductor quantum-well structures, we assumed perfect electron-hole charge separation, so that only the  $\Gamma$ -point holes contribute to phase-space filling of the GaAs exciton states. We numerically solved the interband polarization equation, including inhomogeneous broadening due to well-width fluctuations by averaging the spectra over a distribution of well thicknesses.

Figure 11 shows computed quasi-equilibrium absorption spectra for different plasma densities. In the low-temperature spectra of Fig. 11(a), saturation and blue shifting of the HH exciton and a slight red shift of the LH exciton can be seen. For elevated plasma temperatures, Fig. 11(b) shows that the exciton blue shift is substantially reduced, since the holes' distributions involve more band states, substantially reducing Coulomb enhancement and Pauli blocking effects. The type-I results in Fig. 11(c) also show HH exciton saturation and blue shift, along with a blue shift of the LH exciton due to phase-space filling by the electrons.

There is no gain in the type-II spectra, whereas clear regions of negative absorption develop in the type-I spectra. This absence of gain in moderately excited ideal type-II structures is a direct consequence of the spatial-electron and hole-plasma separation. The gain part of a type-I spectrum is replaced by a zero-absorption region in type-II structures where the quasi-chemical potential coincides with the onset of absorption for sufficiently high densities.

## 5. Photon Echo in Semiconductors

We began the theoretical study of the photon echo in semiconductors using the semiconductor Bloch equations. For the photon echo case, we assumed a configuration where the two exciting pulses are incident under an angle. We took the first pulse to be weak so that we could assume linear response. The strong second pulse was treated in all orders. The center frequencies of both pulses were at the 1s exciton resonance, assuming pulse separation of  $\tau = 400$  fs. Figure 12 shows that for the case of a weak first pulse, an almost instantaneous signal and no photon echo at +400 ps occurs. Our analytical calculations proved that this signal is due solely to the exchange correlation between the excited excitons. For higher pulse intensities, we see the gradual development of an echo signal, which coexists with the instantaneous signal for intermediate intensities.

To analyze the origin of this scenario, Fig. 13 plots the time dependence of the renormalized bandgap for the excitation conditions of Fig. 12. Comparing Figs. 12 and 13 reveals that the echo contribution in the time-resolved signal occurs as soon as the continuum states are shifted into resonance during the presence of the first pulse (bandgap shift below  $-1E_R$  in Fig. 13). Consequently, direct continuum excitation is possible, which yields a photon echo signal at 400 fs because of the intrinsic inhomogeneous broadening of the electron-hole continuum states.






Fig. 12. Time-resolved signal in the photon-echo direction for increasing strength of the first pulse,  $E_1$ . Excitation occurs at the exciton resonance. The dephasing time 200 fs, the time delay  $\tau = 400$  fs, and the pulse FWHM is 100 fs for both pulses. The peak value of the dipole coupling energy of the second pulse is  $d_{cv}$ ,  $E_1 = 0.1 E_R$ , where the exciton binding energy  $E_R = 16$  meV in CdSe. The corresponding peak amplitudes of the first pulse are shown with increasing dash length for  $d_{cv}$ ,  $E_1 = 0.01 E_R$ ,  $0.03 E_R$ ,  $0.05 E_R$ ,  $0.07 E_R$ , and for  $0.1 E_R$  (solid line).





Fig. 13. Renormalized band edge as a function time.  $E_c^0$  is the unrenormalized band edge. The different curves are  $d_{cv}$ ,  $E_1 = 0.01 E_R$ ,  $0.03 E_R$ ,  $0.05 E_R$ ,  $0.07 E_R$ , and  $0.1 E_R$ , from top to bottom, respectively. All parameters are the same as in Fig. 12.

## 6. Coherent Interaction of Ultrafast Pulses in Semiconductors

It is well known in atomic media that the time-dependent density of a resonantly excited two-level system exhibits oscillations, or Rabi-flops, between dipole-coupled states. We predicted earlier that this coherent phenomenon also occurs in semiconductors under resonant

femtosecond laser excitation. We have obtained preliminary experimental and theoretical results that give the first confirmations of the off-resonant Rabi-flopping in a GaAs MQW waveguide. Femtosecond laser pulses with various intensities were launched into a waveguide structure, and transmitted pulse shapes were measured using cross-correlation techniques. The results were compared with our numerical solutions of the semiconductor Bloch equations and the wave equation for the electromagnetic field.



*Fig. 14. (a) and (c) are measured cross correlations of transmitted, for high and low intensity, pulses for the 0.37-mm-long sample, respectively. (b) and (d) are calculated output pulse shapes corresponding to (a) and (c) with pulse areas of  $6\pi$  and  $1.5\pi$ , respectively.*

The experimental setup was as follows: Each pulse was split into two parts. One part traveled directly to a frequency doubling crystal that was aligned for background-free second-harmonic generation, while the other part passed through a variable attenuator and the 100-Å multiple quantum well (MQW), single strip-loaded waveguide sample before it reached the doubling crystal. In Fig. 14(a) and (c) the cross-correlation signal is plotted for a 100-fs full width at half maximum (FWHM),  $\lambda = 870$  nm, pulse at two different intensities. Pulse breakup was not present at low intensities [Fig. 14(c)]; we observed two distinct peaks only at high intensities [Fig. 14(a)].

Due to the nonresonant excitation in the adiabatic following regime ( $\lambda_{\text{exciton}} = 845$  nm and  $\lambda_{\text{laser}} = 870$  nm), only few real carriers were generated. Since carriers are of minor influence under these conditions, we neglected exchange effects and treated the semiconductor in the low excitation regime. The wave equation was treated in the slowly varying envelope approximation. Figure 14(b) and (d) shows calculated cross correlations for high and low intensity inputs, respectively, with similar parameters to those in the experiment. The calculations incorporated the effects of group velocity, group velocity dispersion, and the effects of chirp and asymmetry of the input pulse.

A common feature of the experimental and theoretical results is the dip in the transmitted pulses. This is a direct result of off-resonant Rabi oscillations in the carrier density, a coherent effect. These results are therefore of great significance, since they display for the first time the effects of coherent transients on the propagation of ultrashort pulses in semiconductors.

## 7. Confinement-Induced Valence-Band Mixing in Semiconductor Quantum Dots

We have obtained experimental and theoretical results that clearly demonstrate the effects of confinement-induced valence-band mixing and Coulomb interaction in a semiconductor quantum dot sample. The experiments, which cannot be explained by a theory that assumes independent parabolic valence bands, provide strong evidence for the mixing of valence bands caused by the spherical confinement potential of the small semiconducting particles.

Quantum-confined structures are expected to lead to devices with better performances. For example, quantum dot and wire lasers and optical nonlinear devices utilizing confinement effects are considered promising for practical applications. From a fundamental point of view, these confined structures also represent an intriguing system comprising both the discrete nature of isolated elements and the band nature of large-ordered systems. The confinement of electron-hole pairs in semiconductor microstructures can result in discrete optical transitions that are usually assigned to quantum-confined states based on a simple model which assumes parabolic valence and conduction bands. However, recent theoretical work indicates that this simple model needs to be modified to account for the mixing of the valence bands caused by the spherical confining potential of the quantum dots.

In our experiment, both one- and two-photon absorption measurements were performed and compared for samples containing CdS microcrystallites in a glass matrix. An example of one- and two-photon spectra measured for a sample with an average quantum dot radius between 1 and 2 nm is shown in Fig. 15(a). It is apparent that the one- and two-photon absorption peaks occur at the same energies. Similar spectra were measured for other quantum dot samples with different average sizes. The corresponding calculated spectra in the parabolic mass approximation regime are displayed in Fig. 15(b), clearly showing the presence of a shift between the one- and two-photon absorption peaks that is not seen in the experiments. The poor agreement between the experimental spectra in Fig. 15(a) and the theoretical spectra in Fig. 15(b) shows that the independent parabolic valence-band approximation is insufficient to explain the optical transitions of CdS quantum dots.





Fig. 15. (a) Experimental results of one-photon (solid line) and two-photon (dots) absorption spectra for a quantum dot sample heat treated at 640°C for 1 hour. No observable differences are seen in the transition energies between the one- and two-photon spectra. (b) theoretical calculation of one- and two-photon absorption based on a parabolic band model.

To improve the model, we performed a theoretical analysis which includes mixing of the heavy- and light-hole valence bands induced by the spherical confining potential in the Luttinger Hamiltonian calculations. These calculations show that the confinement-induced mixing of the valence bands results in near degeneracy of the lowest energy-hole states for the case of CdS quantum dots, which leads to the near alignment of the one- and two-photon transition energies. This can be easily seen in Fig. 16, where the calculated energies of the two lowest hole states are plotted as a function of the coupling constant for a quantum dot radius equal to half of the bulk exciton radius. In the vicinity of  $\mu = 0.75$ , which is appropriate for CdS, we see that the curves nearly touch, suggesting near degeneracy caused by the confinement-induced modification of the original heavy- and light-hole states.



*Fig. 16. Normalized energies of the two lowest valence-band states when the mixing of the light- and heavy-hole valence bands are included in the Luttinger Hamiltonian calculation.*

### C. PUBLICATIONS

1. N. Peyghambarian, H. M. Gibbs, G. Khitrova, S. W. Koch, and E. M. Wright, *Optics and Photonics News* 3, 16 (1992).
2. N. Peyghambarian, S. W. Koch, M. Lindberg, B. Fluegel, and M. Joffe, "Dynamic Stark effect of excitons and continuum states in CdS," *Phys. Rev. Lett.* **62**, 1185 (1989).
3. R. Binder, S. W. Koch, M. Lindberg, N. Peyghambarian, and W. Schäfer, "Ultrafast adiabatic following in semiconductors," *Phys. Rev. Lett.* **65**, 899 (1990).
4. G. R. Olbright, W. S. Fu, A. Owyound, J. F. Klem, R. Binder, I. Galbraith, and S. W. Koch, "CW and Femtosecond Optical Nonlinearities of Type-II Quantum Wells," *Phys. Rev. Lett.* **66**, 1358 (1991).
5. P. A. Harten, A. Knorr, J. P. Sokoloff, F. de Colstoun, S. G. Lee, R. Jin, E. M. Wright, G. Khitrova, H. M. Gibbs, S. W. Koch, and N. Peyghambarian, "Propagation-Induced Escape from Adiabatic Following in a Semiconductor," *Phys. Rev. Lett.* **69**, 852 (1992).
6. D. C. Scott, R. Binder, and S. W. Koch, "Ultrafast Dephasing Through Acoustic Plasmon Enhancement in Nonequilibrium Electron-Hole Plasmas," *Phys. Rev. Lett.* **69**, 347 (1992).
7. S. G. Lee, P. A. Harten, R. Jin, B. Fluegel, K. E. Meissner, C. L. Chuang, R. Binder, S. W. Koch, G. Khitrova, H. M. Gibbs, and N. Peyghambarian, "Femtosecond excitonic bleaching recovery in the optical Stark effect of GaAs-AlGaAs MQWs and directional couplers," *Phys. Rev. B* **43**, 1719 (1991).

8. R. Binder, S. W. Koch, M. Lindberg, W. Schäfer, and F. Jahnke, "Transient Many-Body Effects in the Semiconductor Optical Stark Effect: A Numerical Study," *Phys. Rev. B* **43**, 6520 (1991).
9. D. Bennhardt, P. Thomas, A. Weller, M. Lindberg, and S. W. Koch, "Influence of Coulomb Interaction on the Photon Echo in Disordered Semiconductors," *Phys. Rev. B* **43**, 8934 (1991).
10. Y. Masumoto, B. Fluegel, K. Meissner, S. W. Koch, R. Binder, A. Paul, and N. Peyghambarian, "Bandgap Renormalization and Optical Gain Formation in Highly Excited CdSe," *J. Crystal Growth* **117**, 732 (1992).
11. A. E. Paul, R. P. Binder, and S. W. Koch, "Spectral Hole Burning and Light-Induced Band Splitting in the Gain Region of Highly Excited Semiconductors," *Phys. Rev. B* **45**, 5879 (1992).
12. R. Binder, D. Scott, A. E. Paul, M. Lindberg, K. Henneberger, and S. W. Koch, "Carrier-Carrier Scattering and Optical Dephasing in Highly Excited Semiconductors," *Phys. Rev. B* **45**, 1107 (1992).
13. B. D. Fluegel, A. Paul, K. Meissner, R. Binder, S. W. Koch, N. Peyghambarian, F. Sasaki, T. Mishina, and Y. Masumoto, "Experimental and Theoretical Investigation of Femtosecond Carrier Relaxation in CdSe," *Solid State Comm.* **83**, 17 (1992).
14. K. Meissner, B. Fluegel, R. Binder, S. W. Koch, G. Khitrova, and N. Peyghambarian, "Comparison of optical nonlinearities of type II and type I quantum wells," *Appl. Phys. Lett.* **59**, 259 (1991).
15. G. R. Olbright, W. S. Fu, J. F. Klem, H. M. Gibbs, G. Khitrova, R. Pon, B. Fluegel, K. Meissner, N. Peyghambarian, R. Binder, I. Galbraith, and S. W. Koch, "Nonlinear optical properties of type II quantum wells," *Phys. Rev. B* **44**, 3043 (1991).
16. M. Lindberg, R. Binder, and S. W. Koch, "Theory of the Semiconductor Photon Echo," *Phys. Rev. A* **45**, 1865 (1992).
17. B. McGinnis, E. Wright, S. W. Koch, and N. Peyghambarian, "Observation of new scattering orders in degenerate four-wave mixing with semiconductors," *Phys. Rev. A* **41**, 523 (1990).
18. B. D. Fluegel, M. Joffe, S. H. Park, R. Morgan, Y. Z. Hu, M. Lindberg, S. W. Koch, D. Hulin, A. Migus, A. Antonetti, and N. Peyghambarian, "Ultrafast optical nonlinearities in II-VI compounds," *J. Crystal Growth* **101**, 643 (1990).
19. D. Richardson, B. P. McGinnis, E. M. Wright, N. Peyghambarian, and S. W. Koch, "Time-dependent theory and experiment of Raman-Nath degenerate four-wave mixing in semiconductors," *Phys. Rev. A* **44**, 628 (1991).
20. T. Mishina, Y. Masumoto, B. Fluegel, K. Meissner, and N. Peyghambarian, "Observation of coherent optical phonons in BiI<sub>3</sub>," *Phys. Rev. B* **46**, 4229 (1992).

21. P. A. Harten, S. G. Lee, J. P. Sokoloff, J. R. Salcedo, and N. Peyghambarian, "Noise in a dual dye jet hybridly mode-locked near infrared femtosecond laser," *Opt. Commun.* **91**, 465 (1992).
22. S. W. Koch, N. Peyghambarian, M. Lindberg, and B. D. Fluegel, "Femtosecond Dynamics of Semiconductor Nonlinearities: Theory and Experiments," in *Optical Switching in Low-Dimensional Systems*, ed. by H. Haug and L. Banyai (Academic Press, 1989).
23. K. Kang, B. P. McGinnis, Sandalphon, Y. Z. Hu, S. W. Koch, N. Peyghambarian, A. Mysyrowicz, L. C. Liu, and S. H. Risbud, *Phys. Rev. B* **45**, 3465 (1992).

#### **Text Books**

1. H. Haug and S. W. Koch, *Quantum Theory of the Optical and Electronic Properties of Semiconductors*, (World Scientific Publ., Singapore, 1990, Second Edition, 1993).
2. N. Peyghambarian, S. W. Koch, A. Mysyrowicz, *Introduction to Semiconductor Optics* (Prentice Hall, to be published Feb. 1993).

#### **Research Books**

1. N. Peyghambarian, ed., *Nonlinear Optical Materials and Devices for Photonic Switching*, SPIE, vol. 1216, 1990.
2. H. M. Gibbs, G. Khitrova, and N. Peyghambarian, ed. *Nonlinear Photonics* (Springer-Verlag, Berlin, 1990).

#### **Book Chapters**

1. N. Peyghambarian and S. W. Koch, "Semiconductor Nonlinear Materials," in *Nonlinear Photonics*, eds. H. Gibbs, G. Khitrova, and N. Peyghambarian, Springer-Verlag, 1990.

In addition to these publications, we have had nineteen invited papers and many contributed papers at international conferences.

#### **D. LIST OF PARTICIPATING SCIENTIFIC PERSONNEL**

Paul Harten, PhD, 1992

Andy Paul, PhD, 1992

Brian Fluegel, PhD, 1992

Y. Z. Hu, PhD, 1991

In addition to these individuals, the following students participated in the program and they will get their degrees later.

Sandalphon

Ken Meissner



## CURRICULUM VITA

### NASSER PEYGHAMBARIAN

Optical Sciences Center  
University of Arizona  
Tucson, AZ 85721

Citizenship U.S.A.

Social Security No.: [REDACTED]

Date of birth [REDACTED]

#### Educational background

Indiana University	PhD Physics	completed-1981; degree granted-1982
Indiana University	MS Physics	1979
Pahlavi University	BS Physics	1976

#### Employment history

University of Arizona, Optical Sciences Center	Professor	1991-date
Optical Circuitry Cooperative	Director	1991-date
NTT, Japan	Visiting Professor	7/1/90-9/1/90
University of Arizona, Optical Sciences Center	Associate Professor	1988-1991
	Assistant Professor	1985-1988
	Research Assistant Professor	1983-1985
	Postdoctoral Fellow	1982-1983
Indiana University, Physics Department	Postdoctoral Fellow	1981-1982
	Research Assistant	1977-1981

#### Fields of major current interest

Femtosecond dynamics of optical phenomena in semiconductors. Nonlinear photonics and high speed optical switching. Characterization of optical materials in terms of speed and nonlinearities. Excitonic and biexcitonic optical nonlinearities of semiconductors. Optical bistability and optical logic. Laser spectroscopy of semiconductors using nanosecond and femtosecond light pulses. Optical signal processing and parallel processing. Quantum dot and quantum well research. Phase conjugation and four-wave mixing studies in solids. Second order nonlinear effects in solids. Characterization of organic polymers. Construction and application of femtosecond laser systems. Photonic switches such as nonlinear directional couplers, etalons, and waveguides.

#### Professional Activities

- Topical Editor of Optics Letters, 1992-1995 (for the nonlinear optics section).
- Program Chair of the Interdisciplinary Laser Science (ILS) Conference, Toronto, 1993.
- Member of the program committee of Conference on Lasers and Electro-optics (CLEO), subcommittee on Ultrafast Optics and Optoelectronics, Baltimore, Maryland, May 1993.

- Vice Chair of the "Ultrafast Phenomena" section of the OSA Annual Meeting - 1992
- Vice Program Chair and Chair of the subcommittee on "Nonlinear Optics and Ultrafast Phenomena" of the ILS Conference, Albuquerque, New Mexico, Sept. 21-26, 1992.
- Member of the Editorial Board of the "Nonlinear Optics" journal, Nov. 1991-present.
- Member of the Program Committee of the International Quantum Electronic Conference, IQEC'92, Vienna, Austria, June 14-19, 1992.
- U.S. member of the Program Committee of the Third International Workshop on Nonlinear Optics and Excitation Kinetics in Semiconductors, May 18-21, 1992, Bonn-Bad Honnef, Germany.
- Chairman of the symposium on "Nonlinear Optics" of the Electrochemical Society Meeting, Oct. 11-16, 1992, Toronto, Canada.
- Chairman of the subcommittee on "Applications of Nonlinear Optics and Laser Spectroscopy," Conference on Lasers and Electro-Optics (CLEO), Baltimore, Maryland, May 13-17, 1991.
- Member of the Program Committee of the Quantum Electronics and Laser Science Conference (QELS), Baltimore, Maryland, May 11-17, 1991.
- Chairman of the Subcommittee on "Nonlinear Optics and Ultrafast Phenomena" of the International Laser Science Conference (organized by the American Physical Society), Monterey, California, Sept. 22-26, 1991.
- Member of the Program Committee of the SPIE Conference on Nonlinear Optics and Materials, Jan. 19-24, 1992, Los Angeles, California.
- Member of the Steering Committee of the Photonic Research Center at the United States Military Academy, West Point, 1989-present.
- Member of the Program Committee of SPIE Conference on *Devices for Optical Processing*, July, 1991, San Diego, California.
- Member of the Advisory Committee of the Conference on Nonlinear Dynamics of Optical Systems, Afton, Oklahoma, June 4-8, 1990.
- Chairman of SPIE Conference on *Nonlinear Optical Materials and Devices for Photonic Switching*, Los Angeles, CA, January 16-17, 1990.
- U.S. Chairman of *Optical Bistability IV* Conference, Aussois, France, March 1988.
- Member of the Program Committee of the International Quantum Electronics Conference (IQEC), Anaheim, California, May 21-25, 1990.
- Member of the Program Committee of CLEO, Anaheim, California, May 21-25, 1990.
- Member of the Program Committee of QELS Conference, Baltimore, MD, 1989.
- Member of the Program Committee of CLEO, 1989, Baltimore, MD.
- Member of the Program Committee of the IQEC, Baltimore, Maryland, April 28-May 1, 1987.
- Chairman of SPIE Conference on *Optical Computing and Nonlinear Materials*, Los Angeles, CA, Jan. 11-13, 1987.
- CoChairman of NSF Meeting on *Light Wave Technologies*, Tucson, Arizona, May 22-23, 1986.
- U.S. Program Chairman of *Optical Bistability 3* Conference, Tucson, Arizona, December 2-4, 1985.
- CoChairman of SPIE Conference on *Digital Optical Computing*, Los Angeles, California, January 11-17, 1987.
- Member of the Program Committee of CLEO, Baltimore, Maryland, April 28-May 1, 1987.
- Member of the Program Committee of CLEO, Anaheim, CA, April 25-29, 1988.
- Member of the Organization and Program Committee of the International Meeting on "Optical Nonlinearity of Semiconductors," Berlin, German Democratic Republic, Aug. 22-25, 1988.
- Session Chairman of many Conferences including, 1987 Gordon Conference on Nonlinear Optics and Lasers (Wolfboro, New Hampshire), CLEO 1988, CLEO 1987, IQEC 1988, IQEC 1987, QELS 1989, CLEO 1989, OSA Annual Meeting 1988, etc.

- Member of Coordinating Committee of the Optical Society of America, 1985.
- Member of Review Panel of the National Science Foundation, 1986, 1989.
- Guest Editor of special issue of Optical Engineering on Optical Computing, January 1987.
- Referee, National Science Foundation, Physical Review Letters, Physical Review B, Optics Letters, Applied Physics Letters, Journal of the Optical Society of America, Applied Optics, IEEE Journal of Quantum Electronics, Optics Communications, Electronics Letters.
- Member of the Graduate College Committee on Graduate Studies at the University of Arizona.
- Member of the PhD preliminary examination committee of the Optical Sciences Center.

#### **Honors**

- TRW Young Faculty Award, 1989-1990
- 3M Company's Young Faculty Award, 1987-1988 and 1988-1989.
- Outstanding graduate student in research, Physics Department, Indiana University, 1981.

#### **Consulting**

- US Army Advanced Research & Development Command, 1986-1987
- Honeywell Corporation, 1985-present
- Celenese Company, 1988-1989

#### **Professional Society Affiliations**

- American Physical Society
- Optical Society of America
- SPIE, Society of Optical Engineers

#### **Publications**

- N. Peyghambarian, H. M. Gibbs, G. Khitrova, S. W. Koch, and E. M. Wright, Optics and Photonics News 3, 16 (1992).
- P. Harten, A. Knorr, J. P. Sokoloff, F. Brown de Colstoun, S. G. Lee, R. Jin., E. M. Wright, G. Khitrova, S. W. Koch, and N. Peyghambarian, "Propagation induced escape from adiabatic following in semiconductors," Phys. Rev. Lett. 69, 852 (1992).
- B. Fluegel, A. Paul, K. Meissner, R. Binder, S. W. Koch, N. Peyghambarian, F. Sasaki, T. Mishina, and Y. Masumoto, "Experimental and theoretical investigation of femtosecond carrier relaxation in CdSe," Solid State Commun. 83, 17 (1992).
- R. Jin, D. Boggavarapu, G. Khitrova, H. M. Gibbs, Y. Z. Hu, S. W. Koch, and N. Peyghambarian, "The linewidth broadening factor of a microcavity semiconductor laser," Appl. Phys. Lett. 61, 1883 (1992).
- M. F. Krol, T. Ohtsuki, G. Khitrova, R. K. Boncek, B. P. McGinnis, H. M. Gibbs, and N. Peyghambarian, "All-optical high contrast GaAlInAs multiple quantum well asymmetric reflection modulator at 1.3  $\mu\text{m}$ ," submitted to Appl. Phys. Lett.
- B. Kippelen, K. Tamura, N. Peyghambarian, A. B. Padias, and H. K. Hall, Jr., "Photorefractive effect in a poled polymer containing the tricyanovinylcarbazole group," submitted to Appl. Phys. Lett., Nov. 1992.

- D. Guo, S. Mazumdar, S. N. Dixit, F. Kajzar, F. Jarka, Y. Kawabe, and N. Peyghambarian, "The role of the conduction band in electroabsorption, two-photon absorption, and third-harmonic generation in  $\pi$ -conjugated polymers," submitted to Phys. Rev. B.
- D. Neher, G. I. Stegeman, F. A. Tinker, and N. Peyghambarian, "Nonlinear optical response of  $C_{60}$  and  $C_{70}$ ," Opt. Lett. 17, 1491 (1992).
- R. Jin, K. Okada, G. Khitrova, H. M. Gibbs, M. Pereira, S. W. Koch, and N. Peyghambarian, "Optical nonlinearities in strained-layer InGaAs/GaAs multiple quantum wells," Appl. Phys. Lett. 61, 1745 (1992).
- K. I. Kang, B. McGinnis, Sandalphon, Y. Z. Hu, S. W. Koch, N. Peyghambarian, A. Mysyrowicz, L. C. Liu, and S. H. Risbud, "Investigation of confinement-induced valence band mixing in CdS quantum dots by two-photon spectroscopy," Phys. Rev. B 45, 3465 (1992).
- V. Esch, K. Kang, B. Fluegel, Y. Z. Hu, G. Khitrova, H. M. Gibbs, S. W. Koch, and N. Peyghambarian, "Optical properties of CdTe and CdS quantum dots in glass," Int. J. Nonlinear Opt. Phys. 1, 25 (1992).
- Y. Masumoto, B. Fluegel, K. Meissner, S. W. Koch, R. Binder, A. Paul, and N. Peyghambarian, "Band-gap renormalization and optical gain formation in highly excited CdSe," J. Cryst. Growth 117, 732 (1992).
- K. Tamura, A. B. Padias, H. K. Hall, Jr., and N. Peyghambarian, "A new polymeric material containing the tricyanovinylcarbazole group for photorefractive applications," Appl. Phys. Lett. 60, 1803 (1992).
- S. W. Koch, Y. Z. Hu, B. Fluegel, and N. Peyghambarian, "Coulomb effects and optical properties of semiconductor quantum dots," J. Cryst. Growth 117, 592 (1992).
- P. A. Harten, S. G. Lee, J. P. Sokoloff, J. R. Salcedo, and N. Peyghambarian, "Noise in a dual dye jet hybridly mode-locked near infrared femtosecond laser," Opt. Commun. 91, 465 (1992).
- V. S. Williams, J. P. Sokoloff, Z. Z. Ho, C. Arbour, N. R. Armstrong, and N. Peyghambarian, "Ultrafast polarization-dependent spectral hole burning in a nearly amorphous fluoro-aluminum phthalocyanine thin film," Chem. Phys. Lett. 193, 317 (1992).
- V. S. Williams, S. Mazumdar, N. R. Armstrong, Z. Z. Ho, and N. Peyghambarian, "Femtosecond excited state dynamics in fluoro- and chloro-aluminum phthalocyanine thin films," J. Phys. Chem. 96, 4500 (1992).
- C. L. Chuang, R. Jin, J. Xu, P. A. Harten, G. Khitrova, H. M. Gibbs, S. G. Lee, J. P. Sokoloff, N. Peyghambarian, R. Fu, and C. S. Hong, "GaAs/AlGaAs multiple quantum well nonlinear optical directional couplers," Int. J. Nonlinear Opt. Phys. 1, Oct. 1992.
- T. Mishina, Y. Masumoto, B. Fluegel, K. Meissner, and N. Peyghambarian, "Observation of coherent optical phonons in  $BiI_3$ ," Phys. Rev. B 46, 4229 (1992).
- F. Sasaki, T. Mishina, Y. Masumoto, B. Fluegel, K. Meissner, and N. Peyghambarian, "Femtosecond optical nonlinearities under resonant excitation of excitons in CdSe," J. Crystal Growth 117, 768 (1992).

- F. Sasaki, T. Mishina, Y. Masumoto, B. Fluegel, K. Meissner, and N. Peyghambarian, "Non-equilibrium distribution of hot carriers in a CdSe thin film," *Semicond. Sci. Technol.* **7**, B160 (1992).
- K. Meissner, B. Fluegel, R. Binder, S. W. Koch, G. Khitrova, and N. Peyghambarian, "Comparison of optical nonlinearities of type II and type I quantum wells," *Appl. Phys. Lett.* **59**, 259 (1991).
- G. R. Olbright, W. S. Fu, J. F. Klem, H. M. Gibbs, G. Khitrova, R. Pon, B. Fluegel, K. Meissner, N. Peyghambarian, R. Binder, I. Galbraith, and S. W. Koch, "Nonlinear optical properties of type II quantum wells," *Phys. Rev. B* **44**, 3043 (1991).
- R. Jin, G. Khitrova, H. M. Gibbs, C. Lowry, and N. Peyghambarian, "High contrast, submilliwatt power InGaAs/GaAs strained-layer multiple quantum well asymmetric reflection modulator," *Appl. Phys. Lett.* **59**, 3216 (1991).
- C. C. Hsu, B. P. McGinnis, J. P. Sokoloff, G. Khitrova, H. M. Gibbs, N. Peyghambarian, S. T. Johns, and M. F. Krol, "Room-temperature optical nonlinearities of GaInAs/AlInAs and GaAlInAs/AlInAs multiple quantum wells and integrated-mirror etalons at 1.3  $\mu\text{m}$ ," *J. Appl. Phys.* **70**, 5615 (1991).
- S. G. Lee, P. A. Harten, R. Jin, B. Fluegel, K. E. Meissner, C. L. Chuang, R. Binder, S. W. Koch, G. Khitrova, H. M. Gibbs, and N. Peyghambarian, "Femtosecond excitonic bleaching recovery in the optical Stark effect of GaAs-AlGaAs MQWs and directional couplers," *Phys. Rev. B* **43**, 1719 (1991).
- Y. Kawabe, F. Jarka, N. Peyghambarian, D. Guo, S. Mazumdar, S. W. Dixit, and F. Kajzar, "Roles of band states and two-photon transitions in the electro-absorption of a polydiacetylene," *Phys. Rev. B Rapid Commun.* **44**, 6530 (1991).
- D. Richardson, B. P. McGinnis, E. M. Wright, N. Peyghambarian, and S. W. Koch, "Time-dependent theory and experiment of Raman-Nath degenerate four-wave mixing in semiconductors," *Phys. Rev. A* **44**, 628 (1991).
- Y. Z. Hu, S. W. Koch, M. Lindberg, N. Peyghambarian, E. L. Pollock, and F. F. Abraham, "Biexcitons in semiconductor quantum dots," *Phys. Rev. Lett.* **64**, 1805 (1990).
- R. Binder, S. W. Koch, M. Lindberg, N. Peyghambarian, and W. Schäfer, "Ultrafast adiabatic following in semiconductors," *Phys. Rev. Lett.* **65**, 899 (1990).
- N. Peyghambarian, S. W. Koch, M. Lindberg, B. Fluegel and M. Joffre, "Dynamic Stark effect of excitons and continuum states in CdS," *Phys. Rev. Lett.* **62**, 1185 (1989).
- R. Jin, J. P. Sokoloff, P. A. Harten, C. L. Chuang, S. G. Lee, M. Warren, H. M. Gibbs, N. Peyghambarian, J. N. Polky, and G. A. Pubnaz, "Subpicosecond all-optical modulation using the optical Stark effect in a nonlinear directional coupler," *Appl. Phys. Lett.* **56**, 993 (1990).
- N. Peyghambarian, B. Fluegel, M. Lindberg, S. W. Koch, D. Hulin, A. Migus, M. Joffre, and A. Antonetti, "Femtosecond spectral hole burning in CdSe quantum dots," *Special Issue on Ultrafast Phenomena, IEEE Journ. of Q. Elect.* **25**, 2516 (1989).
- B. McGinnis, E. Wright, S. W. Koch, and N. Peyghambarian, "Observation of new scattering orders in degenerate four-wave mixing with semiconductors," *Phys. Rev. A* **41**, 523 (1990).

- S. H. Park, R. A. Morgan, S. W. Koch, and N. Peyghambarian, "Nonlinear Optical Properties of Quantum Confined CdSe Microcrystallites in Glass," *J. Opt. Soc. Am. B* **7**, 2097 (1990).
- V. Esch, B. Fluegel, G. Khitrova, H. M. Gibbs, Xu Jiajin, K. Kang, S. W. Koch, L. C. Liu, S. H. Risbud, and N. Peyghambarian, "State-filling, Coulomb, and trapping effects in the optical nonlinearities of CdTe quantum dots in glass," *Phys. Rev. B* **42**, 7450 (1990).
- Y. Z. Hu, S. W. Koch, M. Lindberg, and N. Peyghambarian, "Theoretical and experimental results on Coulomb effects in semiconductor quantum dots," *Phys. Stat. Sol. (b)* **159**, 249 (1990).
- B. McGinnis, E. Wright, S. W. Koch, and N. Peyghambarian, "Formation of Ring Structures in Increasing Absorption Optical Bistability," *Opt. Lett.* **15**, 258 (1990).
- C. C. Hsu, Y. Kawabe, Z. Z. Ho, N. Peyghambarian, J. N. Polky, W. Krug, and E. Miao, "Comparison of the  $\chi^{(3)}$  values in the crystalline and amorphous thin films of 4-BCMU polydiacetylene at 1.06  $\mu\text{m}$  and 1.3  $\mu\text{m}$ ," *J. Appl. Phys.* **67**, 7199 (1990).
- B. D. Fluegel, M. Joffre, S. H. Park, R. Morgan, Y. Z. Hu, M. Lindberg, S. W. Koch, D. Hulin, A. Migus, A. Antonetti, and N. Peyghambarian, "Ultrafast optical nonlinearities in II-VI compounds," *J. Crystal Growth* **101**, 643 (1990).
- R. A. Morgan, S. H. Park, S. W. Koch, and N. Peyghambarian, "Experimental studies of the nonlinear optical properties of CdSe quantum confined microcrystallites," *Semicond. Sci. Technol* **5**, 544 (1990).
- V. Williams, Z. Z. Ho, N. Peyghambarian, W. M. Gibbons, R. P. Grasso, M. K. O'Brien, P. J. Shannon, and S. T. Sun, "Picosecond all-optical logic gate in a nonlinear organic etalon," *Appl. Phys. Lett.* **57**, 2399 (1990).
- R. A. Stolzenberger, C. C. Hsu, N. Peyghambarian, J. J. E. Reid, and R. A. Morgan, "Type II sum frequency generation in flux and hydrothermally grown KTP at 1.319 and 1.338  $\mu\text{m}$ ," *IEEE Photonics Tech. Lett.* **1**, 446 (1989).
- R. Jin, C. Hanson, A. Chavez-Pirson, H. M. Gibbs, G. Khitrova, N. Peyghambarian, T. Bowen, F. Y. Juang, P. K. Bhattacharya, D. A. Weinberger, K. Evans, C. E. Stutz, and R. L. Jones, "Direct fiber-etalon-fiber interfacing," *Opt. Eng.* **28**, 348 (1989).
- N. Peyghambarian, S. H. Park, R. A. Morgan, B. Fluegel, Y. Z. Hu, M. Lindberg, S. W. Koch, D. Hulin, A. Migus, J. Etchepare, M. Joffre, G. Grillon, A. Antonetti, D. W. Hall, and N. F. Borrelli, "Optical nonlinearities and femtosecond dynamics of quantum confined CdSe microcrystallites," in *Optical Switching in Low Dimensional Systems*, ed. by H. Haug and L. Banyai (Academic Press, 1989).
- S. W. Koch, N. Peyghambarian, M. Lindberg, and B. D. Fluegel, "Femtosecond Dynamics of Semiconductor Nonlinearities: Theory and Experiments," in *Optical Switching in Low-Dimensional Systems*, ed. by H. Haug, and L. Banyai (Academic Press, 1989).
- J. P. Sokoloff, M. Joffre, B. Fluegel, D. Hulin, M. Lindberg, S. W. Koch, A. Migus, A. Antonetti, and N. Peyghambarian, "Transient oscillations in the vicinity of excitons and in the band of semiconductors," *Phys. Rev. B* **38**, 7615 (1988).

- M. Joffre, D. Hulin, A. Migus, A. Antonetti, C. Benoit a la Guillaume, N. Peyghambarian, M. Lindberg, and S. W. Koch, "Coherent effects in pump-probe spectroscopy of excitons," *Opt. Lett.* **13**, 276 (1988).
- N. Peyghambarian, S. H. Park, S. W. Park, A. Jeffery, J. E. Potts and H. Cheng, "Room-temperature excitonic optical nonlinearities of molecular beam epitaxially grown ZnSe thin films," *Appl. Phys. Lett.* **52**, 182 (1988).
- S. H. Park, J. F. Morhange, A. D. Jeffery, R. A. Morgan, A. Chavez-Pirson, H. M. Gibbs, S. W. Koch, N. Peyghambarian, M. Derstine, A. C. Gossard, J. H. English, and W. Weigmann, "Measurements of room-temperature band-gap-resonant optical nonlinearities of GaAs/AlGaAs multiple quantum wells and bulk GaAs," *Appl. Phys. Lett.* **52**, 1201 (1988).
- S. W. Koch, N. Peyghambarian, and H. M. Gibbs, "Band-edge nonlinearities in direct-gap semiconductors and their application to optical bistability and optical computing," *J. Appl. Phys.* **63**, R1 (1988) (invited review article).
- S. W. Koch, N. Peyghambarian and M. Lindberg, "Transient and steady state optical nonlinearities in semiconductors," *J. Phys. C., Solid State Phys.* **21**, 5229 (1988) (invited review article).
- Z. Z. Ho, and N. Peyghambarian, "Femtosecond dynamics in organic thin films of polycrystalline fluoro-aluminum phthalocyanine," *Chem. Phys. Lett.* **148**, 107 (1988).
- N. Peyghambarian, B. Fluegel, S. W. Koch, J. Sokoloff, M. Lindberg, M. Joffre, D. Hulin, A. Migus, and A. Antonetti, "Femtosecond transient and dynamic Stark effect in semiconductors," in *Ultrafast Phenomena VI*, ed. by T. Yajima and C. B. Harris (Springer-Verlag, Berlin, 1988).
- R. Jin, C. Hanson, M. Warren, D. Richardson, H. M. Gibbs, N. Peyghambarian, G. Khitrova, and S. W. Koch, "Room-temperature single-wavelength optical latching circuits using GaAs bistable devices as logic gates," *Appl. Phys. B* **45**, 1 (1988).
- V. S. Williams, G. R. Olbright, S. W. Koch, B. D. Fluegel, and N. Peyghambarian, "Optical nonlinearities and ultrafast carrier dynamics in semiconductor doped glasses," *J. Mod. Opt.* **35**, 1979 (1988) (invited review article).
- S. H. Park, B. D. Fluegel, R. Morgan, M. Joffre, S. W. Koch, J. Sokoloff, N. Peyghambarian, J. E. Potts, and H. Cheng, "Steady-state and time-resolved excitonic optical nonlinearities in MBE-grown ZnSe," in *Optical Bistability IV*, ed. W. Firth, N. Peyghambarian, and A. Tallet, page c2-185 (Edition d' Physique, Paris, 1988).
- B. D. Fluegel, J. P. Sokoloff, F. Jarka, S. W. Koch, M. Lindberg, N. Peyghambarian, M. Joffre, D. Hulin, A. Migus, A. Antonetti, C. Ell, L. Banyai, and H. Haug, "Measurements of Ultrafast Optical Nonlinearities in Semiconductors," *Phys. Stat. Sol. (b)* **150**, 3571 (1988).
- G. R. Olbright, N. Peyghambarian, S. W. Koch and L. Banyai, "Optical nonlinearities of glasses doped with semiconductor microcrystallites," *Opt. Lett.* **12**, 413 (1987).
- N. Peyghambarian and S. W. Koch, "Femtosecond and coherent effects in bulk CdSe and  $\text{CdSe}_x\text{S}_{1-x}$  doped glasses," *Revue de Physique Appliquée* **22**, 61 (1987).

- N. Peyghambarian, "Optical Computing and Nonlinear Optical Signal Processing," Guest Editorial, *Opt. Eng.* 26, 1 (1987).
- R. A. Morgan, F. Hopf and N. Peyghambarian, "A dual-frequency Nd:YAG laser for the study and application of nonlinear optical crystals," *Opt. Eng.* 26, 1240 (1987).
- R. A. Morgan, K. I. Kang, C. C. Hsu, C. L. Koliopoulos and N. Peyghambarian, "Measurement of the thermal diffusivity of nonlinear anisotropic crystals using optical interferometry," *Appl Opt.*, 1987.
- B. Fluegel, N. Peyghambarian, G. Olbright, M. Lindberg, S. W. Koch, M. Joffre, D. Hulin, A. Migus and A. Antonetti, "Femtosecond studies of coherent transients in semiconductors," *Phys. Rev. Lett.* 59, 2588 (1987).
- C. Bowden, M. Dagenais, E. M. Garmire, F. J. Leonberger, N. Peyghambarian, G. I. Stegeman and P. A. Wolf, "Research on nonlinear optical materials: bulk semiconductors," *Appl. Opt.* 26, 211 (1987).
- M. T. Tsao, L. Wang, R. Jin, R. W. Sprague, G. Gigioli, H. M. Kulcke, Y. D. Li, H. M. Chou, H. M. Gibbs and N. Peyghambarian, "Symbolic substitution using ZnS interference filters," *Opt. Eng.* 26, 41 (1987).
- N. Peyghambarian, "A new class of materials for nonlinear optics and nonlinear optical devices," *Opt. News* 12, (12), 14 (1986). This was one of the twelve papers in the section on "Optics in 1986."
- G. R. Olbright and N. Peyghambarian, "Interferometric measurement of the nonlinear index of refraction,  $n_2$ , of  $\text{CdS}_x\text{Se}_{1-x}$  doped glasses," *Appl. Phys. Lett.* 48, 1184 (1986).
- G. R. Olbright and N. Peyghambarian, "Epitaxial growth and x-ray diffraction analysis of single-crystal thin films of  $\text{CuCl}$ ," *Solid State Commun.* 58, 337 (1986).
- G. R. Olbright, B. D. Fluegel, S. W. Koch, and N. Peyghambarian, "Femtosecond dynamics of electron-hole plasma in semiconductor microcrystallite doped glasses," in *Ultrafast Phenomena*, eds. G. R. Fleming and A. E. Siegman (Springer-Verlag, New York, 1986).
- N. Peyghambarian and G. R. Olbright, "Optical nonlinearities of glasses doped with  $\text{CdS}_x\text{Se}_{1-x}$ ," in *Optical Bistability 3*, edited by H. M. Gibbs, P. Mandel, N. Peyghambarian, and S. D. Smith (Springer-Verlag, New York, 1986).
- Y. H. Lee, A. Chavez-Pirson, S. W. Koch, H. M. Gibbs, S. H. Park, J. Morhange, A. Jeffery, N. Peyghambarian, L. Banyai, A. C. Gossard, and W. Wiegmann, "Room-temperature optical nonlinearities in GaAs," *Phys. Rev. Lett.* 57, 2446 (1986).
- D. Hulin, A. Mysyrowicz, A. Antonetti, A. Migus, W. T. Masselink, H. Morkoc, H. M. Gibbs, and N. Peyghambarian, "Well size dependence of exciton blue shift in GaAs multiple quantum well structures," *Phys. Rev. B, Rapid Commun.* 33, 4389 (1986).
- D. Hulin, A. Mysyrowicz, A. Antonetti, A. Migus, W. T. Masselink, H. Morkoc, H. M. Gibbs, and N. Peyghambarian, "An ultrafast all-optical gate with subpicosecond on and off response time," *Appl. Phys. Lett.* 49, 749 (1986).



- S. W. Koch, Y. H. Lee, H. M. Gibbs and N. Peyghambarian, "Origin of room-temperature optical nonlinearities in GaAs," *Opt. News* 12, (12), 12 (1986).
- N. Peyghambarian and H. M. Gibbs, "Bistable optical devices and logic gates," *IEEE Electro-Technology Review* 1986, P. 106.
- N. Peyghambarian and H. M. Gibbs, "Array of picosecond GaAs optical gates," *Physics Today*, Vol. 39, No. 1, p. S-57, Jan. 1986, in section on "Physics News in 1985."
- T. Venkatesan, B. Wilkens, M. Warren, Y. H. Lee, G. Olbright, H. M. Gibbs, N. Peyghambarian, J. S. Smith and A. Yariv, "Fabrication of arrays of GaAs optical bistable devices," *Appl. Phys. Lett.* 48, 145 (1986).
- Y. H. Lee, M. Warren, G. R. Olbright, H. M. Gibbs, N. Peyghambarian, T. Venkatesan, J. S. Smith and A. Yariv, "200-ps recovery of an optical gate in a windowless GaAs etalon array," *Appl. Phys. Lett.* 48, 754 (1986).
- N. Peyghambarian, G. R. Olbright, D. A. Weinberger, H. M. Gibbs, and B. D. Fluegel, "Resonant two-proton absorption and emission in single-crystal thin films of CuCl," *J. Luminescence* 35, 241 (1986).
- N. Peyghambarian and H. M. Gibbs, "Nonlinear optical devices," invited article for the 6th edition of *Encyclopedia of Science and Technology* (McGraw-Hill, New York, 1985).
- H. M. Gibbs, U. J. Gibson, N. Peyghambarian, D. Sarid, C. Seaton, G. Stegeman, and M. Warren, "Optical circuitry," invited article for *The Encyclopedia of Physical Sciences and Technology* (Academic Press, San Diego, CA, 1985).
- N. Peyghambarian, H. M. Gibbs, J. L. Jewell, A. Migus, A. Antonetti, D. Hulin, and A. Mysyrowicz, "A study of exciton and carrier dynamics and a demonstration of one-picosecond optical NOR gate operation of a GaAs-AlGaAs device," in *Picosecond Electronics and Optoelectronics*, edited by G. A. Mourou, D. M. Bloom, and C. H. Lee (Springer-Verlag, New York, 1985).
- D. Sarid, N. Peyghambarian, and B. P. McGinnis, "Optical bistability in the presence of spatial dispersion," *IEEE Journal of Quantum Electronics* QE-21, 1379 (1985).
- K. Tai, H. M. Gibbs, N. Peyghambarian, and A. Mysyrowicz, "Cross-trapping optical bistability using counterpropagating beams in sodium vapor," *Opt. Lett.* 10, 220 (1985).
- H. M. Gibbs, G. R. Olbright, N. Peyghambarian, and H. Haug, "Kinks: Longitudinal excitation discontinuities arising from partial sample switching in increasing absorption optical bistability," *Phys. Rev. A. Rapid Commun.* 32, 692 (1985).
- S. Ovadia, H. M. Gibbs, J. L. Jewell, D. Sarid, and N. Peyghambarian, "Evidence that room-temperature GaAs optical bistability is excitonic," *Opt. Eng.* 24, 565 (1985).
- J. L. Jewell, Y. H. Lee, M. Warren, H. M. Gibbs, N. Peyghambarian, A. C. Gossard, and W. Wiegmann, "Three-picojoule 82-MHz optical logic gates in a room-temperature GaAs-AlGaAs multiple-quantum-well etalon," *Appl. Phys. Lett.* 46, 918 (1985).
- N. Peyghambarian and H. M. Gibbs, "Optical nonlinearity bistability and signal processing in semiconductors," *J. Opt. Soc. Am. B.* 2, 1215 (1985), invited paper for the special issue on excitonic optical nonlinearities in semiconductors.

- A. Migus, A. Antonetti, D. Hulin, A. Mysyrowicz, H. M. Gibbs, N. Peyghambarian, and J. L. Jewell, "One-picosecond optical NOR gate at room-temperature with a GaAs-AlGaAs multiple-quantum-well nonlinear Fabry-Perot etalon," *Appl. Phys. Lett.* **46**, 70 (1985).
- N. Peyghambarian and H. M. Gibbs, "Optical bistability for signal processing and computing," *Opt. Eng.* **24**, 68 (1985), invited paper in the special issue on optical computing.
- N. Peyghambarian and H. M. Gibbs, "Array of picosecond GaAs optical gates," *Optics News* **11**, No. 12, 7 (1985).
- D. Sarid, N. Peyghambarian, and H. M. Gibbs, "Local field effects in the biexciton system in CuCl," *Phys. Rev. B* **31**, 4031 (1985).
- G. R. Olbright, N. Peyghambarian, H. M. Gibbs, H. A. Macleod, and F. Van Milligen, "Microsecond room-temperature optical bistability and crosstalk studies in ZnS and ZnSe interference filters with visible light and milliwatt powers," *Appl. Phys. Lett.* **45**, 1031 (1984).
- N. Peyghambarian, H. M. Gibbs, J. L. Jewell, A. Antonetti, A. Migus, D. Hulin, and A. Mysyrowicz, "Blue shift of the exciton resonance due to exciton-exciton interaction in a multiple-quantum-well structure," *Phys. Rev. Lett.* **53**, 2433 (1984).
- K. Tai, H. M. Gibbs, M. C. Rushford, N. Peyghambarian, J. S. Satchell, M. G. Boshier, W. J. Sandle, M. Leberre, E. Ressayre, A. Tallet, J. Teichmann, F. P. Mattar, and P. D. Drummond, "Observation of CW on-resonance on-axis enhancement," *Optics Lett.* **9**, 243 (1984).
- M. Leberre, E. Ressayre, A. Tallet, K. Tai, H. M. Gibbs, M. C. Rushford, and N. Peyghambarian, "CW off-resonance rings and on-resonance enhancement," *J. Opt. Soc. Am. B* **1**, 591 (1984).
- N. Peyghambarian, D. Sarid, H. M. Gibbs, L. L. Chase, and A. Mysyrowicz, "Collision broadening model for the biexciton resonance in CuCl," *Opt. Commun.* **49**, 125 (1984).
- S. S. Tarng, H. M. Gibbs, J. L. Jewell, and N. Peyghambarian, "Use of laser diode to observe room-temperature, low-power optical bistability in a GaAs-AlGaAs etalon," *Appl. Phys. Lett.* **44**, 360 (1984).
- H. M. Gibbs and N. Peyghambarian, "Advances in semiconductor optical bistability," *Optics News* **9**, No. 6, 21 (1983).
- N. Peyghambarian, H. M. Gibbs, D. A. Weinberger, and M. C. Rushford, "Observation of biexcitonic bistability and optical limiting in CuCl," *Phys. Rev. Lett.* **51**, 1692 (1983).
- D. Sarid, N. Peyghambarian, and H. M. Gibbs, "Analysis of biexcitonic optical bistability in CuCl in the presence of collision broadening," *Phys. Rev. B, Rapid Commun.* **28**, 1184 (1983).
- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Bose-Einstein statistical properties and condensation of excitonic molecules in CuCl," *Phys. Rev. B* **27**, 2325 (1983).
- N. Peyghambarian, "A study of the energy and momentum distribution of excitonic particles at high densities in CuCl," Ph.D. Thesis, Indiana University, 1982.

- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Lineshape analysis of the biexciton luminescence in CuCl," *Compt. Rend.* **295**, 849 (1982).
- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Biexciton resonance linewidth in CuCl: collision broadening or not?" *Optics Commun.* **42**, 51 (1982).
- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Momentum space condensation of biexcitons in CuCl," *Optics Commun.* **41**, 178 (1982).
- L. L. Chase, N. Peyghambarian, G. Grynberg, and A. Mysyrowicz, "Direct creation of a high density of biexcitons at  $K = 0$  in CuCl," *Optics Commun.* **28**, 189 (1979).
- L. L. Chase, N. Peyghambarian, G. Grynberg, and A. Mysyrowicz, "Evidence for a Bose-Einstein condensation of biexcitons in CuCl," *Phys. Rev. Lett.* **42**, 1231 (1979).

### **Text Book**

- N. Peyghambarian, S. W. Koch, A. Mysyrowicz, *Introduction to Semiconductor Optics*, Prentice Hall, to be published in 1993.

### **Research Books**

- N. Peyghambarian, ed., *Nonlinear Optical Materials and Devices for Photonic Switching*, SPIE, vol. 1216, 1990.
- H. M. Gibbs, G. Khitrova and N. Peyghambarian, ed. *Nonlinear Photonics*, Springer-Verlag, Berlin, 1990.
- W. Firth, N. Peyghambarian and A. Tallet, ed., *Optical Bistability IV*, Edition d' Physique, Paris, France 1988.
- N. Peyghambarian, ed., *Optical Computing and Nonlinear Materials*, SPIE Vol. 881, 1988.
- N. Peyghambarian, ed. *NSF Workshop on Optical Nonlinearities. Fast Phenomena and Signal Processing*, (University of Arizona, 1986).
- H. M. Gibbs, N. Peyghambarian, P. Mandel, and S. D. Smith, eds., *Optical Bistability 3* (Springer-Verlag, Berlin, 1986).

### **Book Chapters**

- N. Peyghambarian and S. W. Koch, "Semiconductor Nonlinear Materials," in *Nonlinear Photonics*, eds. H. Gibbs, G. Khitrova, and N. Peyghambarian, Springer-Verlag, 1990.
- N. Peyghambarian and J. L. Jewell, "Optical bistable devices and logic gates," in *Optical Computing: Digital and Symbolic*, R. Arrathoon, ed. (Marcel Dekker series on Optical Engineering, 1989) pages 41-64.

- H. M. Gibbs, U. J. Gibson, N. Peyghambarian, D. Sarid, C. T. Seaton, G. I. Stegeman, and M. Warren, "Optical Circuits," in *Encyclopedia of Telecommunications*, ed., R. A. Meyers (Academic Press, Inc., 1989).
- N. Peyghambarian and H. M. Gibbs, "Semiconductor optical nonlinearities and applications to optical devices and bistability," in *Optical Nonlinearities and Instabilities in Semiconductors*, H. Haug, ed. (Academic Press, New York, 1988).
- N. Peyghambarian and H. M. Gibbs, "Optical nonlinearity and bistability in semiconductors," in *Nonlinear Phenomena in Solids--Modern Topics*, M. Borissov, ed. (World Scientific, Singapore, 1985).
- N. Peyghambarian, S. W. Koch, H. M. Gibbs, and H. Haug, "Optical nonlinearities of semiconductors," in *Nonlinear Optics and Optical Computing*, eds. A. Chester and A. Martelluci (Academic Press, 1989).

#### **Invited Presentations**

- N. Peyghambarian, "Ultrahigh speed nonlinear optical devices and materials," Proceedings of the Science and Technology Conference in Manila, Philippines, Jan. 30 - Feb. 4, 1989. The talk was given as a member of US delegation headed by Science Advisor to the President of the United States.
- N. Peyghambarian, Quantum Electronics Laser Science Conference, May 2-7, 1993, Baltimore, Maryland.
- (keynote address) N. Peyghambarian, "The application of nonlinear optical materials based on ultrafine particles," International Workshop on *Ultrafine Particles in Glass*, Nov. 10-11, 1992, Osaka, Japan.
- (overview) N. Peyghambarian, "Materials for future optical applications," SPIE Conference, July 19-24, 1992, San Diego, CA.
- N. Peyghambarian, Conference on Nonlinear and Quantum Optics, Rio de Janeiro, Brazil, October, 19-23, 1992.
- N. Peyghambarian, S. Mazumdar, H. K. Hall, and N. Armstrong, "Photorefractive, electro-optical, and nonlinear optical properties of conjugated polymers," Material Research Society (MRS) spring meeting, San Francisco, CA, April 27 - May 2, 1992.
- N. Peyghambarian and S. Mazumdar, "Nonlinear and electro-optical properties of conjugated organic thin films," the MRS Meeting, Boston, December 1-6, 1991.
- N. Peyghambarian, S. W. Koch, B. P. McGinnis, K. Kang, Sandalphon, Y. Z. Hu, A. Mysyrowicz, S. Risbud, and L. C. Liu, "Hole-state mixing and nonlinear optical properties of semiconductor quantum dots," the VII International Laser Science Conference, Sept. 22-26, 1991, Monterey, CA.

- N. Peyghambarian and S. W. Koch, "Optical Nonlinearities of Semiconductor Quantum Dots Probed by Femtosecond Laser Pulses." USA - USSR binational symposium on *The Physics of Optical Phenomena and Their Uses as Probes of Matter*, Jan. 22-26, 1990, Irvine, California.
- S. W. Koch, Y. Z. Hu, and N. Peyghambarian, "Biexcitons in quantum dots," International Meeting on Optics of Excitons in Confined Systems, Sept. 24-27, 1991, Sicily, Italy.
- N. Peyghambarian, International Conference on Nonlinear Optical Materials, Oct. 6-9, 1991, Nagoya, Japan.
- N. Peyghambarian, National Colloquium on "Recent Advances in the Uses of Light in Physics, Chemistry, and Medicine," June 19-21, 1991, The City College, New York.
- N. Peyghambarian, International Symposium on "Science and Technology of Mesoscopic Structures," Nov. 6-8, 1991, Nara, Japan.
- (keynote lecture) N. Peyghambarian, "Physics and Nonlinear Device Applications of Quantum Confined Microstructures," Workshop on *Quantum-Well Optical Device Physics*, Kobe, Japan, July 17, 1989.
- S. W. Koch, Y. Z. Hu, and N. Peyghambarian, "Coulomb effects and nonlinear optical properties of semiconductor quantum dots," the 5th International Conference on II-VI Compounds, Sept. 8-13, 1991, Tamano, Japan.
- N. Peyghambarian, "Femtosecond excitonic dynamics in quantum microstructures," International Conference on Solid State Devices and Materials, Aug. 22-24, 1990, Sendai, Japan.
- N. Peyghambarian and S. W. Koch, "Optical Properties of Semiconductor Quantum Dots: Experiment," Electrochemical Society Meeting, Oct. 15-19, 1990, Seattle, WA.
- S. W. Koch and N. Peyghambarian, "Optical Properties of Semiconductor Quantum Dots: Theory," Electrochemical Society Meeting, Oct. 15-19, 1990, Seattle, WA.
- S. W. Koch, Y. Z. Hu, M. Lindberg, and N. Peyghambarian, "Coulomb effects in semiconductor quantum dots," IQEC Conference, May 21-25, 1990, Anaheim, California, paper QTUA1.
- N. Peyghambarian, R. Binder, C. L. Chuang, H. M. Gibbs, P. A. Harten, R. Jin, G. Khitrova, S. W. Koch, S. G. Lee, and J. P. Sokoloff, "Optical nonlinearities and switching in multiple quantum well waveguides," International Laser Science Conference, Bull. Am. Phys. Soc. 35, 1529 (1990).
- D. Hulin, M. Joffre, A. Migus, A. Antonetti, N. Peyghambarian, B. Fluegel, and S. W. Koch, "Ultrafast optical nonlinearities of CdSe quantum dots," IQEC Conference, May 21-25, 1990, Anaheim, California, paper QWE2.
- N. Peyghambarian, "Ultrafast optical nonlinearities in II-VI compounds," 4th International Conference on II-VI Compounds, West Berlin, Sept. 17-22, 1989.
- N. Peyghambarian, Conference on "Physical Concepts of Materials for Novel Optoelectronic Device Applications," Oct. 29-Nov. 2, 1990, Aachen, Federal Republic Germany.

- N. Peyghambarian, "Ultrafast optical nonlinearities of II-IV semiconductor quantum dots," invited paper, ThEE 3, Conference on Quantum Electronics and Laser Science (QELS) April 1989, Baltimore, Maryland.
- N. Peyghambarian, "Semiconductor nonlinearities for high-speed switching," SPIE Conference on *Nonlinear Optical Properties of Materials*, Aug. 6-11, 1989, San Diego, CA.
- N. Peyghambarian and S. W. Koch, "Nonlinear optical properties of quantum confined transitions in semiconductor-doped glasses," The American Ceramic Society Meeting, Buena Vista, Florida, Sept. 17-20, 1989.
- S. W. Koch, Y. Z. Hu, M. Lindberg, N. Peyghambarian, E. L. Pollock, and F. F. Abraham, "Coulomb effects in semiconductor dots," Second International Workshop on Nonlinear Optics and Excitation Kinetics in Semiconductors, Nov. 27 - Dec. 2, 1989, Badstuer, GDR.
- S. W. Koch, H. Haug, M. Sargent III and N. Peyghambarian, "Optical nonlinearities in bulk and quantum-well simiconductors and semiconductor quantum dots," Fifth Laser Science Conference, Palo Alto, CA, Aug. 27-31, 1989.
- (keynote lecture) N. Peyghambarian, "Optical nonlinearities of semiconductor superlattices and microstructures : key to high speed switching and photonic applications," 4th International Conference on Superlattices, Microstructures and Microdevices, and 5th Trieste Semiconductor Symposium, Trieste, Italy, Aug. 8-12, 1988.
- N. Peyghambarian, "Optical nonlinearities of semiconductors," International School of Quantum Electronics on "Nonlinear Optics and Optical Computing," May 11-19, 1988, Erice, Italy.
- (invited overview talk) N. Peyghambarian, "Measurements of ultrafast optical nonlinearities in semiconductors," International Conference on Optical Nonlinearity and Bistability of Semiconductors, Berlin, G.D.R., Aug. 22-25, 1988.
- N. Peyghambarian, B. Fluegel, S. W. Koch, J. Sokoloff, M. Lindberg, M. Joffre, D. Hulin, A. Migus, and A. Antonetti, "Femtosecond transients and dynamic Stark shift of excitons in semiconductors," Sixth International Conference on Ultrafast Phenomena, Mt. Hiei, Kyoto, Japan, July 12-15, 1988.
- N. Peyghambarian, C. L. Chuang, P. A. Harten, R. Jin, G. Khitrova, S. G. Lee, J. N. Polky, G. A. Pubanz, and J. P. Sokoloff, "Optical nonlinearities in multiple quantum well waveguides," Sixth Interdisciplinary Laser Science Conference, Sept. 16-19, 1990, Minneapolis, Minnesota.
- J. P. Sokoloff, M. Lindberg, B. Fluegel, M. Joffre, D. Hulin, S. W. Koch, A. Migus, A. Antonetti, and N. Peyghambarian, "Transient oscillations in semiconductor differential transmission spectra," SPIE conference, March, 1988, Newport, CA.
- J. E. Potts, H. Cheng, S. H. Park, B. Fluegel, M. Joffre, S. W. Koch, and N. Peyghambarian, "Excitonic optical nonlinearities in ZnSe epitaxial films," SPIE Conference on Optical Computing and Nonlinear Materials, Jan. 11-13, 1988, Los Angeles, CA.
- D. Hulin, M. Joffre, A. Migus, N. Peyghambarian, B. Fluegel, and S. W. Koch, "Femtosecond spectroscopy of CdSe quantum dots," International Conference on Optical Sciences and Engineering, March 12-15, 1990, The Hague, The Netherlands.

- M. Derstine, D. E. Grider, J. A. Lehman, P. P. Ruden, and N. Peyghambarian, "Determination of third order nonlinearity as a function of quantum well width in GaAs/AlGaAs multiple quantum wells," SPIE, 1988, *ibid*.
- N. Peyghambarian, "Use of nonlinear etalons for optical computing," Asilomar Conference on Signal System and Computing, IEEE Naval Post Graduate School, Monterey, CA, Nov. 2-4, 1987.
- N. Peyghambarian and S. W. Koch, "Experimental and theoretical studies of coherent and nonthermal processes in semiconductors probed by femtosecond laser techniques," United States-Japan Symposium, July 21-24, 1987, Monterey, California.
- N. Peyghambarian, "Femtosecond studies of excitons and carriers in semiconductor quantum microstructures," Annual Meeting of the American Physical Society, March 1987, New York, NY, *Bull. Am. Phys. Soc.* 32, 392 (1987).
- N. Peyghambarian, "Femtosecond transients and nonlinear phenomena in semiconductors," NSF Workshop on High Speed Optical Processes and Optoelectronic Devices Based on Compound Semiconductors, held in Ann Arbor, MI, May 1987.
- N. Peyghambarian, "Femtosecond transients and nonlinear optical effects in  $\text{CdSe}_x\text{S}_{1-x}$  glasses," SPIE Conference on Ultrafast Lasers Probe Phenomena in Bulk and Microstructure Semiconductors, Bay Point, Florida, March 25-26, 1987.
- H. M. Gibbs, G. Khitrova, S. Koch, N. Peyghambarian, D. Sarid, A. Chavez-Pirson, W. Gibbons, A. Jeffery, K. Komatsu, Y. H. Lee, D. Hendricks, J. Morhange, S. H. Park, M. Warren, A. C. Gossard, W. Wiegmann, and M. Sugimoto, "GaAs etalons and waveguides: bulk versus multiple-quantum-well material," People's Republic of China Meeting on Optical Bistability, Beijing, August, 1987.
- G. Khitrova, H. Gibbs, and N. Peyghambarian, "Optical computing with nonlinear optics," p. 1 in *Proceedings of the International Commission for Optics*, Quebec, August 24-28, 1987.
- N. Peyghambarian, "Recent advances in optical bistability," *Fiber and Integ. Opt.* 6, 117 (1987).
- N. Peyghambarian, "Recent advances in optical bistability," Conference on Lasers and Electro-Optics (CLEO), June 9-13, 1986, San Francisco.
- N. Peyghambarian, "Nonlinear optical materials for bistability and optical computing," SPIE Institute on Optical Bistability in Digital Optical Computing, November 11-13, 1986, Huntsville, Alabama.
- N. Peyghambarian, "An overview of optical bistability and optical gating," Annual Meeting of Electro-Chemical Society, October 20-24, 1986, San Diego, California.
- N. Peyghambarian, "An overview of the research on direct band-gap semiconductors," Workshop on Nonlinear Optical Material, April 28-29, 1986, Annapolis, Maryland.
- N. Peyghambarian, "Femtosecond transient optical nonlinear effects in semiconductors," proceedings of the NSF Workshop on Light Wave Technologies, May 22-23, 1986, Tucson, Arizona.

- N. Peyghambarian, "Transient and nonlinear effects in GaAs-AlGaAs multiple quantum wells and  $\text{CdS}_x\text{Se}_{1-x}$  doped glasses," Annual Meeting of Electro-Chemical Society, October 20-24, 1986, San Diego, California.
- N. Peyghambarian, "An overview of optical bistability and optical gating using semiconductors," Workshop on Optical Pre-Processing, Oct. 27-28, 1986, Seattle, Washington.
- N. Peyghambarian, H. M. Gibbs, D. Hulin, A. Antonetti, A. Migus, and A. Mysyrowicz, "Overview of optical switching and bistability," proceedings of the High Speed Electronics Meeting, August 7-9, 1986 Stockholm, Sweden, published by Springer-Verlag., ed. B. Kallback and H. Beneking, *High Speed Electronics*, 1986.
- D. Hulin, A. Antonetti, A. Migus, A. Mysyrowicz, H. M. Gibbs, N. Peyghambarian, W. T. Masselink, and H. Morkoc, "Subpicosecond optical nonlinearities in GaAs multiple quantum well structures," proceedings of the Ultrafast Phenomena Meeting, Snowmass, Colorado, June 16-19, 1986.
- N. Peyghambarian, "Femtosecond high density exciton phenomena," 1985 Gordon Conference on Nonlinear Optics and Lasers, July 29-August 2, 1985, Wolfeboro, New Hampshire.
- N. Peyghambarian, "Optical bistability and optical gating in semiconductors," Annual Meeting of the American Association of Physics Teachers, June 17-21, 1985, Flagstaff, Arizona.
- N. Peyghambarian and H. M. Gibbs, "Material requirements for optical logic and bistable devices," proceedings of the APS Topical Meeting on Basic Properties of Optical Materials, May 7-9, 1985, Gaithersburg, Maryland.
- N. Peyghambarian and H. M. Gibbs, "Optical logic with nonlinear etalons," proceedings of NSF workshop on optical communication systems, June 25-26, 1985, Ithaca, New York.
- N. Peyghambarian, "Optical bistability: a novel approach to optical signal processing and communications," proceedings of Optical Information Processing Conference II, Hampton, Virginia, August 1983; NASA publication CP-2296 *NASA Aircraft Control Research 1983*, compiler, Gary P. Basley, Feb. 1984.
- M. LeBerre, E. Ressayre, A. Tallet, H. M. Gibbs, N. Peyghambarian, M. C. Rushford, and K. Tai, "The physics of the formation of spatial rings," proceedings of the International Conference on Lasers '83, edited by R. C. Powell, 1984.
- N. Peyghambarian and H. M. Gibbs, "Optical nonlinearity and bistability in semiconductors," proceedings of the International School on Nonlinear Phenomena in Solids, September 21-29, 1984, Varna.
- N. Peyghambarian, H. M. Gibbs, M. C. Rushford, D. Sarid, and D. A. Weinberger, "Experimental and theoretical investigations of the biexciton optical nonlinearity and bistability in CuCl," *Optics News* 9, No. 5, 52 (1983); Optical Society of America Annual Meeting, New Orleans, Louisiana, October 1983.



## Published Proceedings

- (invited paper) N. Peyghambarian, H. M. Gibbs, G. Khitrova, and S. W. Koch, "Femtosecond laser investigation of semiconductor quantum structures and application to nonlinear devices," *proc. of Intl. Conf. on Nonlinear Optical Materials*, Oct. 6-9, 1991, Nagoya, Japan.
- M. F. Krol, S. T. Johns, R. K. Boncek, T. Ohtsuki, B. P. McGinnis, C. C. Hsu, G. Khitrova, H. M. Gibbs, and N. Peyghambarian, "Nonlinear GaAlInAs/AlInAs multiple quantum well materials and devices at 1.3  $\mu\text{m}$  for ultrafast TDMA interconnects," *proceedings of SPIE Conference*, Boston, MA, Sept. 1992.
- S. W. Koch, Y. Z. Hu, B. Fluegel, and N. Peyghambarian, "Excitons, biexcitons and optical nonlinearities in semiconductor quantum dots," *Inst. Phys. Conf. Ser. No. 123* (1992) p. 139, *Proc. Int. Conf. on Optics of Excitons in Confined Systems*, Giardini Naxos, Italy, 1991.
- (invited paper) N. Peyghambarian, S. W. Koch, B. McGinnis, K. Kang, S. H. Risbud, L. C. Liu, A. Mysyrowicz, and D. Hulin, "Hole-state mixing and nonlinear optical properties of semiconductor quantum dots," *proc. of International Symposium on Science and Technology of Mesoscopic Structures*, Nov. 6-8, 1991, Nara, Japan.
- K. Kang, B. P. McGinnis, Sandalphon, Y. Z. Hu, S. W. Koch, N. Peyghambarian, A. Mysyrowicz, L. C. Liu, and S. R. Risbud, "Two-photon spectroscopy of CdS quantum dots," *proc. of Optics of Excitons in Confined Systems conference*, Giardini Naxos, Italy, Sept. 24-27, 1991.
- (invited paper) P. Harten, A. Knorr, J. P. Sokoloff, F. de Colstoun, S. G. Lee, R. Jin, E. M. Wright, G. Khitrova, H. M. Gibbs, S. W. Koch, and N. Peyghambarian, "Optical switching and propagation effects in nonlinear GaAs MQW waveguides," submitted to *proc. of SPIE conference on Nonlinear Optics*, vol. 1626.
- W. M. Gibbons, R. P. Grasso, M. K. O'Brien, P. J. Shannon, S. T. Sun, V. S. Williams, Z. Z. Ho, and N. Peyghambarian, "Femtosecond optical characterization of nonlinear organic materials and etalon logic gates," *proceedings of SPIE Conference*, vol. 1337, 1990.
- N. Peyghambarian, S. W. Koch, and B. O. Seraphin, "Dynamic Stark effect in semiconductors: high-speed modulation," *proc. SPIE conference on Modulation Spectroscopy*, ed. F. H. Pollak, M. Cardona, and D. E. Aspnes, vol. 1286, p. 376, 1991.
- R. Binder, S. W. Koch, N. Peyghambarian, "Femtosecond exciton bleaching recovery in the optical Stark effect," *proceedings of SPIE Conference*, vol. 1216, ed. N. Peyghambarian, Los Angeles, CA, 1990.
- Y. Z. Hu, M. Lindberg, S. W. Koch, N. Peyghambarian, "Coulomb effects in semiconductor quantum dots," *ibid.*
- B. Fluegel, M. Lindberg, S. W. Koch, N. Peyghambarian, D. Hulin, A. Migus, M. Joffre, and A. Antonetti, "Femtosecond hole burning and nonlinear dynamics of quantum confined semiconductor-doped glasses," *ibid.*
- C. Chuang, R. Jin, M. E. Warren, H. M. Gibbs, J. P. Sokoloff, P. A. Harten, N. Peyghambarian, J. N. Polky, and G. A. Pubanz, "Fabrication and performance of GaAs-MQW nonlinear directional couplers," *ibid.*

- J. P. Sokoloff, P. A. Harten, R. Jin, C. L. Chuang, M. Warren, H. M. Gibbs, S. G. Lee, and N. Peyghambarian, "Subpicosecond all-optical modulation using the optical Stark effect in a nonlinear directional coupler," SPIE vol. 1148, p. 13, 1989.
- Z. Z. Ho, V. Williams, B. Fluegel, N. Peyghambarian, and W. M. Hetherington, "Femtosecond dynamics of fluoro-aluminum phthalocyanine and linear alkane molecules," proc. of SPIE 971, 51 (1988).
- H. M. Gibbs, G. Khitrova, S. Koch, N. Peyghambarian, D. Sarid, A. Chavez-Pirson, W. Gibbons, A. Jeffery, K. Komatsu, Y. H. Lee, D. Hendricks, J. Morhange, S. H. Park, M. Warren, A. C. Gossard, W. Wiegmann, and M. Sugimoto, "GaAs etalons and waveguides: bulk versus multiple-quantum-well material," USA-USSR Symposium on Laser Optics of Condensed Matter, Leningrad, June, 1987. Also p. 449 in *Laser Optics in Condensed Matter*, J. L. Birman, H. Z. Cummins, and A. A. Kaplyanskii, eds. (Plenum Press, New York, 1988).
- N. Peyghambarian, "Femtosecond transients and nonlinear optical effects in  $\text{CdSe}_x\text{S}_{1-x}$  glasses," SPIE Proceedings, Vol. 793, page 147, 1987.
- L. Wang, H. M. Chou, H. M. Gibbs, G. C. Gigioli, G. Khitrova, H.-M. Kulcke, R. Jin, H. A. MacLeod, N. Peyghambarian, R. W. Sprague, and M. T. Tsao, "Symbolic substitution using ZnS interference filters," Proc. SPIE 752, 14-17 (1987).
- Y. H. Lee, H. M. Gibbs and N. Peyghambarian, "Physics and nonlinear device applications of bulk and multiple-quantum-wells of GaAs," SPIE Proceedings, Vol. 792, 1987.
- N. Peyghambarian, "Materials for fast switching and logic devices," SPIE Proceedings of the Workshop on *Optical Bistability in Digital Optical Computing*, held in Huntsville, Alabama on Nov. 9-11, 1986.
- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Momentum-space condensation of probe-injected biexcitons into a strongly pumped biexciton state in  $\text{CuCl}$ ," proceedings of the 16th International Conference on the Physics of Semiconductors, M. Balkanski, ed., Montpellier, France, 1982.

### Contributed Presentations

- N. Peyghambarian, Quantum Electronics Laser Science Conference, May 2-7, 1993, Baltimore, Maryland.
- N. Peyghambarian, Conference on Lasers and Electro-Optics (CLEO), May 2-7, 1993, Baltimore, Maryland.
- K. Okada, R. Jin, G. Khitrova, H. M. Gibbs, and N. Peyghambarian, "Optical nonlinearities and high contrast modulation in strained-layer  $\text{InGaAs/GaAs}$  multiple quantum wells," proc. CLEO '92, Anaheim, CA, May 10-15, 1992.
- K. Tamura, A. B. Padias, H. K. Hall, Jr., B. Kippelen, and N. Peyghambarian, "Synthesis and electro-optical characterization of a new polymeric material for photorefractive applications," proc. CLEO '92, Anaheim, CA, May 10-15, 1992.

- V. S. Williams, N. R. Armstrong, S. Mazumdar, and N. Peyghambarian, "Ultrafast excited state dynamics in fluoro-aluminum phthalocyanine thin films," *Bull. Am. Phys. Soc.* (1992).
- V. S. Williams, Sandalphon, N. R. Armstrong, S. Mazumdar, and N. Peyghambarian, "Ultrafast sub-gap state dynamics in epitaxial versus disordered phthalocyanine organic thin films," *proc. of IQEC Conference, Vienna, Austria, June 14-19, 1992.*
- P. A. Harten, A. Knorr, J. P. Sokoloff, F. de Colstoun, S. G. Lee, R. Jin, E. M. Wright, G. Khitrova, H. M. Gibbs, S. W. Koch, and N. Peyghambarian, "Coherent pulse propagation in a semiconductor waveguide," *proc. of IQEC Conference, Vienna, Austria, June 14-19, 1992.*
- V. Williams, N. Armstrong, S. Mazumdar, and N. Peyghambarian, "Ultrafast excited state dynamics in fluoro-aluminum phthalocyanine thin films," *Materials Research Society spring meeting, San Francisco, CA, April 27 - May 2, 1992.*
- K. Kang, B. P. McGinnis, Sandalphon, Y. Z. Hu, S. W. Koch, N. Peyghambarian, A. Mysyrowicz, L. C. Liu, and S. H. Risbud, "Two-photon spectroscopy of CdS quantum dots," *proc. of Intl. Conf. on Optics of Excitons in Confined Systems, Giardini Naxos, Italy, Sept. 24-27, 1991.*
- K. Meissner, B. Fluegel, R. Binder, S. W. Koch, G. Khitrova, H. M. Gibbs, and N. Peyghambarian, "Comparison of optical nonlinearities of type I and type II quantum wells," *the VII International Laser Science Conference, Sept. 22-26. 1991, Monterey, California.*
- F. Jarka, Y. Kawabe, N. Peyghambarian, D. Guo, S. Mazumdar, S. N. Dixit, and F. Kajzar, "Electro-absorption in a polydiacetylene," *ibid.*
- V. Williams, J. P. Sokoloff, Z. Z. Ho, C. Arbour, N. R. Armstrong, and N. Peyghambarian, "Observation of polarization dependent spectral holes in an organic thin film," *proc. QELS 1991 conference, Baltimore, Maryland, May 12-17, 1991.*
- B. P. Fluegel, K. Meissner, G. Khitrova, H. M. Gibbs, and N. Peyghambarian, "Femtosecond measurements of hole relaxation in a GaAs-AlAs type II structure," *proc. QELS 1991 conference, Baltimore, Maryland, May 12-17, 1991.*
- G. Khitrova, B. Fluegel, K. Meissner, R. Pon, H. M. Gibbs, S. W. Koch, I. Galbraith, and N. Peyghambarian, "Coupled-well superlattices: transition crossing and femtosecond dynamics," *proc. QELS 1991 conference, Baltimore, Maryland, May 12-17, 1991.*
- K. Kang, Sandalphon, B. P. McGinnis, Y. Z. Hu, S. W. Koch, N. Peyghambarian, A. Mysyrowicz, L. C. Liu, and S. H. Risbud, "Two-photon absorption of CdS quantum dots in glass: experiment and theory," *proc. CLEO '91, Baltimore, Maryland, May 12-17, 1991.*
- F. Jarka, Y. Kawabe, N. Peyghambarian, D. Guo, S. Dixit, and S. Mazumdar, "Electro-absorption in a polydiacetylene thin film," *Bull. Am. Phys. Soc.* **36**, 733 (1991).
- J. P. Sokoloff, S. G. Lee, R. Jin, P. Harten, R. Binder, S. W. Koch, H. M. Gibbs, and N. Peyghambarian, "Femtosecond recovery of exciton bleaching in optical Stark effect," *proc. IQEC conference, May 21-25, 1990, Anaheim, California, paper JTUC2.*

- B. P. McGinnis, E. M. Wright, S. W. Koch, and N. Peyghambarian, "Transverse effects in increasing absorption optical bistability," *ibid*, paper QFD3.
- C. C. Hsu, N. Peyghambarian, and R. A. Morgan, "Blue light generation by frequency mixing at 1.319 and 1.338  $\mu\text{m}$  in potassium titanyl phosphate," CLEO conference, May 21-25, Anaheim, California, paper CWE3.
- P. A. Harten, R. Jin, J. P. Sokoloff, C. L. Chuang, S. G. Lee, M. Warren, H. M. Gibbs, N. Peyghambarian, J. N. Polky, and G. A. Pubanz, "Subpicosecond all-optical modulation in GaAs-AlGaAs directional coupler," *ibid*, paper CFC5.
- R. A. Morgan, S. H. Park, S. W. Koch, N. Peyghambarian, D. W. Hall, and N. F. Borrelli, "Nonlinear optical properties of quantum confined CdSe microstructures," proceedings of the Conference on Quantum Wells for Optics and Opto-Electronics, March 6-8, 1989, Salt Lake City, Utah.
- R. Jin, C. Hanson, G. Khitrova, A. Chavez-Pirson, H. M. Gibbs, N. Peyghambarian, T. Bowen, F. Y. Junag, P. K. Bhattachavya, D. A. Weinberger, "Direct fiber-etalon-fiber interfacing," proceedings of the OSA Annual Meeting, Oct. 30 - Nov. 4, 1989, Santa Clara, CA.
- H. M. Gibbs, R. Jin, P. A. Harten, J. P. Sokoloff, C. L. Chuang, S. G. Lee, M. Warren, N. Peyghambarian, J. N. Polky, and G. A. Pubanz, "Picosecond and subpicosecond switching and modulation in GaAs/AlGaAs nonlinear directional couplers," paper WH6 in topical meeting on Integrated Photonic Research, Hilton Head, S. C., March 26-28, 1990.
- L. Liu, S. H. Risbud, V. C. Esch, A. Chavez-Pirson, G. Khitrova, N. Peyghambarian, S. W. Koch, H. M. Gibbs, "Preparation and Characterization of Glass Matrices Containing Semiconductor Quantum Dots," abstract for American Ceramic Society, to be presented at the 91st Annual Meeting of the American Ceramic Society, Indianapolis, Indiana, April 23-27, 1989.
- R. Jin, C. L. Chuang, H. M. Gibbs, M. Warren, J. Sokoloff, P. Harten, N. Peyghambarian, J. N. Polky, and G. A. Pubanz, "Polarization-dependent two-beam switching in GaAs/AlGaAs nonlinear directional couplers," CLEO '89, April 25-27, Baltimore, Maryland, paper ME1.
- A. Chavez-Pirson, S. H. Park, M. Pereira, N. Peyghambarian, J. A. Lehman, P. P. Ruden, and M. K. Hibbs-Brenner, *ibid*, paper ThJ1.
- M. Joffre, B. Fluegel, and N. Peyghambarian, "Observation of optical Stark effect of continuum states in CdS," IQEC, 1988, Tokyo, Japan, July 18-21, 1988.
- R. A. Morgan, K. I. Kang, C. C. Hsu, and N. Peyghambarian, "Novel interferometric technique for measuring thermal diffusivity of nonlinear anisotropic crystals," CLEO, 1988, Anaheim, CA, April, 25-29, 1988, paper TUJ1.
- S. H. Park, B. Fluegel, R. A. Morgan, S. W. Koch, J. Sokoloff, N. Peyghambarian, M. Joffre, J. E. Potts, and H. Cheng, "Picosecond recovery of excitonic optical nonlinearities of MBE-grown ZnSe thin films," CLEO, 1988, paper TUX5.
- R. Jin, C. Hanson, H. M. Gibbs, N. Peyghambarian, G. Khitrova, M. Warren, D. Richardson, and S. W. Koch, "Room-temperature single-wavelength optical latching circuits using GaAs bistable devices as logic gates," CLEO, 1988, paper WE3.

- R. A. Morgan, F. A. Hopf, and N. Peyghambarian, "Three-wave mixing uses of a novel dual-frequency Nd:YAG laser," CLEO, 1988, paper THA1.
- Z. Z. Ho, B. Fluegel, V. Williams, and N. Peyghambarian, "Femtosecond dynamics in thin organic films of fluoroaluminume phthalocyanine," CLEO, 1988, paper FC4.
- G. R. Olbright, M. Lindberg, B. D. Fluegel, S. W. Koch, F. Jarka and N. Peyghambarian, "Coherent effects in femtosecond pump-probe spectroscopy of semiconductors," post-deadline paper PD2, IQEC '87, Baltimore, MD, April 26 - May 1, 1987.
- S. H. Park, A. Jeffery, R. A. Morgan, S. W. Koch, N. Peyghambarian, J. E. Potts and H. Cheng, "Room-temperature excitonic optical nonlinearities of MBE grown ZnSe thin films," postdeadline paper ThU13, CLEO '87, Baltimore, MD, April 26 - May 1, 1987.
- G. R. Olbright, B. D. Fluegel and N. Peyghambarian, "Femtosecond evolution of nonthermal carrier distributions in CdSe microcrystallite doped glasses," OSA Annual Meeting, Seattle, Washington, Oct. 19-24, 1986.
- N. Peyghambarian, G. R. Olbright, and B. D. Fluegel, "Femtosecond dynamics of bandgap renormalization and bandfilling in a CdSe-microcrystallite-doped glass," postdeadline paper PD20, IQEC '86, San Francisco, CA, June 9-13, 1986.
- G. R. Olbright, N. Peyghambarian, S. W. Koch, and L. Banyai, "Experimental theoretical investigations of the origin of optical nonlinearities of semiconductor-doped glasses," International Quantum Electronic Conference, TUNN2, San Francisco, CA, June 9-13, 1986.
- S. H. Park, T. Carty, G. R. Olbright, C. T. Seaton, and N. Peyghambarian, "Optimization of optical nonlinearity of semiconductor doped glasses," CLEO 86, WD4, San Francisco, CA, June 9-13, 1986.
- G. R. Olbright and N. Peyghambarian, "Experimental and theoretical investigation of the optical nonlinearities of  $\text{CdS}_x\text{Se}_{1-x}$  doped glasses," Bull. Am. Phys. Soc. 31, 657 (1986).
- S. W. Koch, Y. H. Lee, A. Chavez-Pirson, H. M. Gibbs, J. M. Morhange, S. H. Park, T. Carty, A. Jeffrey, N. Peyghambarian, B. Batdrof, L. Banyai, A. C. Gossard, and W. Wiegmann, postdeadline paper PD14, IQEC '86, San Francisco, CA, June 9-13, 1986.
- D. Hulin, A. Mysyrowicz, A. Antonetti, A. Migus, W. T. Masselink, H. Morkoc, H. M. Gibbs, and N. Peyghambarian, "Two-dimensional nature of the blue shift of the excitons in GaAs multiple-quantum-well structures," International Quantum Electronic Conference, WDD5, San Francisco, CA, June 9-13, 1986.
- N. Peyghambarian, G. R. Olbright, H. M. Gibbs, and B. Fluegel, "Resonant two photon absorption and emission in epitaxially grown single crystal thin films of CuCl," Bull. Am. Phys. Soc. 31, 658 (1986).
- J. F. Morhange, S. H. Park, N. Peyghambarian, A. Jeffery, H. M. Gibbs, Y. H. Lee, A. Chavez-Pirson, S. W. Koch, A. C. Gossard, J. H. English, M. Masselink and H. Morkoc, "Measurements of the bandedge-resonant nonlinear index of bulk and multiple-quantum-well GaAs at room-temperature," OSA Annual Meeting, Seattle, Washington, Oct. 19-24, 1986.

- N. Peyghambarian, H. M. Gibbs, J. L. Jewell, D. Hulin, A. Mysyrowicz, A. Migus, and A. Antonetti, "Femtosecond dynamics of excitons and evidence for exciton - exciton interaction in a two-dimensional superlattice of GaAs-AlGaAs," 1985 Annual Meeting of the American Physical Society, Baltimore, Maryland.
- G. Olbright and N. Peyghambarian, "Observation of band-filling optical nonlinearity in  $\text{CdS}_x\text{Se}_{1-x}$  doped glasses," OSA Annual Meeting, Washington, DC, October 1985.
- J. L. Jewell, Y. H. Lee, M. Warren, H. M. Gibbs, and N. Peyghambarian, "Low energy fast thermally stable optical NOR gate in a room-temperature GaAs etalon," Proceedings of Topical Meeting on Optical Computing, March 18-20, 1985, Lake Tahoe, Nevada.
- D. A. Weinberger, N. Peyghambarian, M. C. Rushford, and H. M. Gibbs, "Observation of biexciton lasing in a thin CuCl etalon," OSA Annual Meeting, San Diego, California, October 1984.
- D. Sarid and N. Peyghambarian, "Optical bistability and spatial dispersion in exciton-polariton systems," OSA Annual Meeting, San Diego, California, October 1984.
- D. Sarid, N. Peyghambarian, and H. M. Gibbs, "Comments on the local field effect in the biexciton system in CuCl," J. Opt. Soc. Am. 73, 1385 (1983); proceedings of the 4th International Conference on Dynamical Processes in Excited States of Solids, Stanford, California, July 1983.
- N. Peyghambarian, H. M. Gibbs, M. C. Rushford, D. A. Weinberger, and D. Sarid, "Optical bistability using the biexciton two-photon resonance in CuCl," J. Opt. Soc. Am. 73, 1385 (1983); proceedings of the 4th International Conference on Dynamical Processes in Excited States of Solids, Stanford, California, July 1983.
- N. Peyghambarian, D. Sarid, and H. M. Gibbs, "Collision broadening of the biexciton resonance and its effects on optical bistability in CuCl," Bull. Am. Phys. Soc. 28, 537 (1983).
- L. L. Chase, N. Peyghambarian, and A. Mysyrowicz, "Collision broadening of the biexciton resonance in CuCl," Bull. Am. Phys. Soc. 27, 415 (1982).
- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Attraction of probe biexcitons into a Bose-condensate in CuCl," Bull. Am. Phys. Soc. 27, 415 (1982).
- N. Peyghambarian, L. L. Chase, and A. Mysyrowicz, "Optical gain and probe studies of biexcitons at high densities in CuCl," Bull. Am. Phys. Soc. 26, 354 (1981).
- L. L. Chase, N. Peyghambarian, and A. Mysyrowicz, "Two photon production of excitonic molecules at  $K=0$ , in CuCl," Bull. Am. Phys. Soc. 23 302 (1978).

**STEPHAN W. KOCH--Professor****Date and place of birth:** [REDACTED]**Citizenship:** Fed. Rep. Germany, permanent U.S. resident**Social Security No.** [REDACTED]**Educational background:**

University Frankfurt	Habilitation Theoretical Physics	1983
University Frankfurt	PhD (Dr. phil. nat.) Physics	1979
University Frankfurt	MS (diploma), Physics	1977

**Employment history:**

University of Arizona Optical Sciences and Physics	Professor	1989-date
University Frankfurt	Associate Professor	1986-1989
IBM Research, CA	Heisenberg Fellow	1985-1986
Sonderforschungsbereich 65 Frankfurt	Visiting Scientist	1983
IBM Research, CA	Post-doc Fellow	1982-1984
University Frankfurt	Post-doc Fellow	1981-1982
	Research Assistant	
	Post-doc Fellow	1977-1981

**Fields of major current interest:**

Condensed matter theory, optical properties of semiconductors, many-body effects, quantum confinement in solids, coherent and ultrafast phenomena, semiconductor laser theory, optical instabilities and nonlinearities. Statistical physics, nonlinear and cooperative phenomena, equilibrium and non-equilibrium phase transitions, structure formation.

**Professional society affiliations, honors, awards, and fellowships:**

Member of the Optical Society of America  
Member of the American Physical Society  
Member of the German Physical Society (DPG)  
Heisenberg Fellow of the Deutsche Forschungsgemeinschaft (DFG)  
Fritz Thyssen Fellowship for highly gifted young scientists  
Postdoctoral Fellowship, IBM Research Lab., San Jose, CA  
Student Fellowship, Studienstiftung des Deutschen Volkes

(February 1993)

### **Books:**

1. S.W. Koch, *Dynamics of First-Order Phase Transitions in Equilibrium and Nonequilibrium Systems*, Springer Lecture Notes in Physics 207, Springer Verlag, Berlin (1984).
2. H. Haug and S.W. Koch, *Quantum Theory of the Electronic and Optical Properties of Semiconductors*, World Scientific Publ., Singapore (1990); second revised edition (1993).
3. N. Peyghambarian, S.W. Koch, and A. Mysyrowicz, *Introduction to Semiconductor Optics*, Prentice Hall, Englewood Cliffs, NJ (1993).

### **Publications in Scientific Journals and Books:**

1. H. Haug and S.W. Koch, "On the Theory of Laser Action in Dense Exciton Systems," *phys. stat. sol.* **b82**, 531 (1977).
2. S.W. Koch, H. Haug, G. Schmieder, K. Bohnert, and C. Klingshirn, "Stimulated Intrinsic Recombination Processes in II-VI Compounds," *phys. stat. sol.* **b89**, 431 (1978).
3. C. Klingshirn, W. Maier, B. Hönerlage, H. Haug, and S.W. Koch, "Quantitative Investigation of the Recombination Involving Free Particle Scattering Processes in Highly Excited Blende Type II-VI Compounds," *Solid State Electronics* **21**, 1357 (1978).
4. H. Haug and S.W. Koch, "Electron-Hole Droplet Condensation - A Phase Transition in an Open System," *Physics Lett.* **69A**, 445 (1979).
5. S.W. Koch and H. Haug, "Treatment of the Electron-Hole Droplet Nucleation in the Fokker-Planck Approximation," *phys. stat. sol.* **b95**, 155 (1979).
6. S.W. Koch and H. Haug, "On the Electron-Hole-Plasma Phase Transition in Direct and Indirect Gap Semiconductors," *Physics Lett.* **77A**, 250 (1979).
7. S.W. Koch, "Comment on the Electron-Hole Droplet Condensation in Direct-Gap Semiconductors," *Solid State Comm.* **35**, 419 (1980).
8. S.W. Koch, "On the Dynamics of the Plasma Phase Transition in Highly Excited Direct Gap Semiconductors," *phys. stat. sol.* **b103**, 687 (1981).
9. S.W. Koch and H. Haug, "Two-Photon Generation of Excitonic Molecules and Optical Bistability," *Phys. Rev. Lett.* **46**, 450 (1981).
10. K. Bohnert, M. Anselment, G. Kobbe, C. Klingshirn, H. Haug, S.W. Koch, S. Schmitt-Rink, and F.F. Abraham, "Nonequilibrium Properties of the Electron-Hole Plasma in Direct Gap Semiconductors," *Z. Physik* **B42**, 1 (1981).
11. S.W. Koch, S. Schmitt-Rink, and H. Haug, "Calculation of the Intensity-Dependent Changes of the Index of Refraction in GaAs," *Solid State Comm.* **38**, 1023 (1981).
12. S.W. Koch, S. Schmitt-Rink, and H. Haug, "Theory of Optical Nonlinearities in InSb," *phys. stat. sol.* **b106**, 135 (1981).



13. H. Haug, S.W. Koch, R. März, and S. Schmitt-Rink, "Optical Nonlinearity and Bistability in Semiconductors due to Biexciton Formation," *J. Luminescence* **24/25**, 621 (1981).
14. S.W. Koch, R.C. Desai, and F.F. Abraham, "Hydrodynamic Theory of Spinodal Decomposition: The Linear Regime," *Physics Lett.* **89A**, 231 (1982).
15. S.W. Koch, R.C. Desai, and F.F. Abraham, "Spinodal Decomposition of a One-Component Fluid: Hydrodynamic Fluctuation Theory and Comparison with Computer Simulation," *Phys. Rev.* **A26**, 1015 (1982).
16. F.F. Abraham, S.W. Koch, and R.C. Desai, "Computer Simulation Dynamics of an Unstable Two-Dimensional Fluid: Time-Dependent Morphology and Scaling," *Phys. Rev. Lett.* **49**, 923 (1982).
17. F.F. Abraham, S.W. Koch, and W.E. Rudge, "A Molecular Dynamics Computer Simulation of the Weakly Incommensurate Phase of Monolayer Krypton on Graphite," *Phys. Rev. Lett.* **49**, 1830 (1982).
18. H. Haug, S.W. Koch, R. Neumann, and H.E. Schmidt, "Optical Bistability due to a Two-Photon Absorption Resonance with Fluctuations," *Z. Physik* **B49**, 79 (1982).
19. S.W. Koch and F.F. Abraham, "The Freezing Transition of Xenon on Graphite: A Computer Simulation Study," *Phys. Rev.* **B27**, 2964 (1983).
20. R.C. Desai, S.W. Koch, and F.F. Abraham, "Growth Law Dynamics in a Phase Separating Fluid," *Physica* **118A**, 136 (1983).
21. S.W. Koch, R.C. Desai, and F.F. Abraham, "Dynamics of Phase Separation in Two-Dimensional Fluids: Spinodal Decomposition," *Phys. Rev.* **A27**, 2152 (1983).
22. H.E. Schmidt, S.W. Koch and H. Haug, "Simulations of the Dynamics of Optical Bistability with Fluctuations," *Z. Physik* **B51**, 85 (1983).
23. S.W. Koch and R. Liebmann, "Comparison of Molecular Dynamics and Monte Carlo Computer Simulations of Spinodal Decomposition," *J. Stat. Phys.* **33**, 31 (1983).
24. S.W. Koch and F.F. Abraham, "Molecular Dynamics Simulations of Phase Transitions in Physisorbed Noble Gases," *Helv. Physica Acta* **56**, 755 (1983).
25. M. Schöbinger and S.W. Koch, "Soliton Theory for the Weakly Incommensurate Phase of Monolayer Krypton on Graphite," *Z. Physik* **B53**, 233 (1983).
26. H.E. Schmidt, H. Haug, and S.W. Koch, "Theoretical Explanation of the Absorptive Optical Bistability in Semiconductors due to Band-Gap Shrinkage," *Appl. Phys. Lett.* **44**, 787 (1984).
27. F.F. Abraham, W.E. Rudge, D.J. Auerbach, and S.W. Koch, "Molecular Dynamics Simulations of the Incommensurate Phase of Krypton on Graphite Using more than 100,000 Atoms," *Phys. Rev. Lett.* **52**, 445 (1984).
28. R. Neumann, S.W. Koch, H.E. Schmidt, and H. Haug, "Deterministic Chaos and Noise in Optical Bistability," *Z. Physik* **B55**, 155 (1984).

29. S. Schmitt-Rink, C. Ell, S.W. Koch, H.E. Schmidt, and H. Haug, "Optical Bistability in Semiconductor Multiple-Quantum Well Structures," *Solid State Comm.* **52**, 123 (1984).
30. S.W. Koch, W.E. Rudge, and F.F. Abraham, "The Commensurate-Incommensurate Transition of Krypton on Graphite: A Study via Computer Simulation," *Surf. Science* **145**, 329 (1984).
31. S.W. Koch, H.E. Schmidt, and H. Haug, "Optical Bistability due to Induced Absorption: Propagation Dynamics of Excitation Profiles," *Appl. Phys. Lett.* **45**, 932 (1984).
32. S.W. Koch, H.E. Schmidt, and H. Haug, "Theory of Absorptive Bistability," *J. Luminescence* **30**, 232 (1984).
33. H. Haug and S.W. Koch, "Spatial and Temporal Phase Coexistence in Optical Bistability," *IEEE J. Quantum Electron.* **QE-21**, 1385 (1985).
34. H.M. Gibbs, G.R. Olbright, N. Peyghambarian, H.E. Schmidt, S.W. Koch, and H. Haug, "Kinks: Longitudinal Excitation Discontinuities in Increasing Absorption Optical Bistability," *Phys. Rev.* **A32**, 692 (1985).
35. L. Banyai, S.W. Koch, M. Lindberg, and H. Haug, "Modified Maxwell-Bloch Equations for Systems Under Strong Optical Excitation," *J. Luminescence* **34**, 189 (1985).
36. M. Lindberg, S.W. Koch, and H. Haug, "Structure, Formation and Motion of Kinks in Increasing Absorption Optical Bistability," *Phys. Rev.* **A33**, 407 (1986).
37. M. Schöbinger, S.W. Koch, and F.F. Abraham, "Langevin-Dynamics Simulations of Phase Separation in a One Component System," *J. Stat. Phys.* **42**, 1071 (1986).
38. L. Banyai and S.W. Koch, "A Simple Theory for the Effects of Plasma Screening on the Optical Spectra of Highly Excited Semiconductors," *Z. Physik* **B63**, 283 (1986).
39. M. Lindberg, S.W. Koch, and H. Haug, "Oscillatory Instability of an Induced Absorber in a Ring Cavity," *J. Opt. Soc. Am.* **B3**, 751 (1986).
40. S.W. Koch and F.F. Abraham, "Temperature-Induced Commensurate-Incommensurate Transition of Krypton on Graphite," *Phys. Rev.* **B33**, 5884 (1986).
41. Y.H. Lee, A. Chavez-Pirson, S.W. Koch, H.M. Gibbs, S.H. Park, J. Morhange, N. Peyghambarian, L. Banyai, A. C. Gossard, and W. Wiegmann, "Room-Temperature Optical Nonlinearities in GaAs," *Phys. Rev. Lett.* **57**, 2446 (1986).
42. J. Morhange, S.H. Park, N. Peyghambarian, A. Jeffrey, H.M. Gibbs, Y.H. Lee, A. Chavez-Pirson, S.W. Koch, A. C. Gossard, J. H. English, M. Maselink, and H. Morkoc, "Measurements of the Bandgap-Resonant Nonlinear Refractive Index of Bulk and Multiple-Quantum-Well GaAs at Room Temperature," *Opt. News* **12** (9), 123 (1986).
43. S.W. Koch, Y.H. Lee, H.M. Gibbs, and N. Peyghambarian, "Origin of Room-Temperature Optical Nonlinearities in GaAs," *Opt. News* **12** (12), 12 (1986).
44. L. Banyai and S.W. Koch, "Absorption Blue-Shift in Laser-Excited Semiconductor Micro-Spheres," *Phys. Rev. Lett.* **57**, 2722 (1986).

45. M. Wegener, C. Klingshirn, S.W. Koch, and L. Banyai, "Three types of Electronic Optical Bistabilities in CdS," *Semicond. Sci. Technol.* 1, 366 (1986).
46. H. Haug, S.W. Koch, and M. Lindberg, "Optical Nonlinearities and Instabilities in Semiconductors," *Physica Scripta T13*, 178 (1986).
47. V.G. Benza and S.W. Koch, "Symmetry Breaking and Metastable Chaos in a Coherently Driven Superradiant System," *Phys. Rev. A* 35, 174 (1987).
48. S.W. Koch and E.M. Wright, "Effects of Transverse Diffusion on Increasing Absorption Bistability," *Phys. Rev. A* 35, 2542 (1987).
49. G.R. Olbright, N. Peyghambarian, S.W. Koch, and L. Banyai, "Optical Nonlinearities of Glasses Doped with Semiconductor Microcrystallites," *Opt. Lett.* 12, 413 (1987).
50. B. Fluegel, N. Peyghambarian, G.R. Olbright, M. Lindberg, S.W. Koch, M. Joffre, D. Hulin, A. Migus, and A. Antonetti, "Femtosecond Studies of Coherent Transients in Semiconductors," *Phys. Rev. Lett.* 59, 2588 (1987).
51. M.E. Warren, S.W. Koch, and H.M. Gibbs, "Optical Bistability, Logic Gating and Waveguide Operation in Semiconductor Etalons," *IEEE Computer Society Publication "Computer," ed. T.E. Bachman and E.A. Parrish, Vol. 20, No. 12, December 1987, p.68, (invited review article).*
52. N. Peyghambarian and S.W. Koch, "Femtosecond and Coherent Effects in Bulk CdSe and  $CdSe_xS_{1-x}$  Doped Glasses," *Revue Phys. Appl.* 22, 1711 (1987).
53. M. Lindberg and S.W. Koch, "Theory of Coherent Transients in Semiconductor Pump-Probe Spectroscopy," *J. Opt. Soc. Am. B* 5, 139 (1988).
54. N. Peyghambarian, S.H. Park, S.W. Koch, A. Jeffrey, J.E. Potts, and H. Cheng, "Room-Temperature Excitonic Optical Nonlinearities of MBE Grown ZnSe Thin Films," *Appl. Phys. Lett.* 52, 182 (1988).
55. L. Banyai, M. Lindberg, and S.W. Koch, "Two-Photon Absorption and Third-Order Nonlinearities in GaAs Quantum Dots," *Opt. Lett.* 13, 212 (1988).
56. S.W. Koch, N. Peyghambarian, and H.M. Gibbs, "Band-Edge Nonlinearities in Direct-Gap Semiconductors and their Application for Optical Bistability and Optical Logic Gates," *J. Appl. Phys. (Reviews)* 63, R1 (1988), (invited review article).
57. S.H. Park, R.A. Morgan, A. Chavez-Pirson, A. Jeffrey, J. Morhange, H.M. Gibbs, S.W. Koch, N. Peyghambarian, A.C. Gossard, and W. Wiegmann, "Measurements of Room-Temperature Bandgap Resonant Optical Nonlinearities of GaAs/AlGaAs Multiple Quantum Wells and Bulk GaAs," *Appl. Phys. Lett.* 52, 1201 (1988).
58. R. Jin, C. Hanson, M. Warren, D. Richardson, H.M. Gibbs, N. Peyghambarian, G. Khitrova, and S.W. Koch, "Room Temperature Single-Wavelength Optical Latching Circuits Using GaAs Bistable Devices as Logic Gates," *Appl. Phys. B* 46, 61 (1988).
59. M. Joffre, D. Hulin, A. Migus, A. Antonetti, C. Benoit a la Guillaume, N. Peyghambarian, M. Lindberg, and S.W. Koch, "Coherent Effects in Pump-Probe Spectroscopy of Excitons," *Opt. Lett.* 13, 276 (1988).

60. S.W. Koch, "Optical Instabilities in Semiconductors: Theory," in: *Optical Nonlinearities and Instabilities in Semiconductors*, ed. H. Haug, p. 273 (Academic Press, New York, 1988), (invited review article).
61. M. Lindberg and S.W. Koch, "Effective Bloch Equations for Semiconductors," *Phys. Rev. B* **38**, 3342 (1988).
62. E.M. Wright, S.W. Koch, J.E. Ehrlich, C.T. Seaton, and G. Stegeman, "Semiconductor Figure of Merit for Nonlinear Directional Couplers," *Appl. Phys. Lett.* **52**, 2127 (1988).
63. S.W. Koch, H. Haug, and M. Lindberg, "Optical Nonlinearities in Semiconductors," *Journal de Physique* **49**, C2-179 (1988).
64. S.H. Park, B.D. Fluegel, R. Morgan, M. Joffre, J. Sokoloff, S.W. Koch, N. Peyghambarian, J.E. Potts, and H. Cheng, "Steady-State and Time-Resolved Excitonic Optical Nonlinearities in MBE-Grown ZnSe," *Journal de Physique* **49**, C2-185 (1988).
65. L. Banyai, Y.Z. Hu, M. Lindberg, and S.W. Koch, "Two-Photon Optical Nonlinearities in Semiconductor Quantum Dots," *Journal de Physique* **49**, C2-225 (1988).
66. S.W. Koch, N. Peyghambarian, and M. Lindberg, "Transient and Steady-State Optical Nonlinearities in Semiconductors," *J. Phys. C: Solid State Phys.* **21**, 5229 (1988), (invited review article).
67. M. Lindberg and S.W. Koch, "Coherent Oscillations and Dynamic Stark Effect in Semiconductors," *Phys. Rev. B* **38**, 7607 (1988).
68. J. Sokoloff, B. Bluegel, M. Lindberg, S.W. Koch, N. Peyghambarian, M. Joffre, D. Hulin, and A. Migus, "Transient Oscillations in the Vicinity of Excitons and in the Band of Semiconductors," *Phys. Rev. B* **38**, 7615 (1988).
69. L. Banyai, Y.Z. Hu, M. Lindberg, and S.W. Koch, "Third-Order Optical Nonlinearities in Semiconductor Microstructures," *Phys. Rev. B* **38**, 8142 (1988).
70. V.S. Williams, G.R. Olbright, B.D. Fluegel, S.W. Koch, and N. Peyghambarian, "Optical Nonlinearities and Ultrafast Carrier Dynamics in Semiconductor Doped Glasses," *J. Mod. Opt.* **35**, 1979 (1988), (invited review article).
71. R. Jin, C.L. Chuang, H.M. Gibbs, S.W. Koch, J.N. Polky, and G.A. Pubanz, "Picosecond All-Optical Switching in a Single-Mode GaAs/AlGaAs Strip-Loaded Nonlinear Directional Coupler," *Appl. Phys. Lett.* **53**, 1791 (1988).
72. M. Sargent III, Fenglei Zhou, and S.W. Koch, "Multiwave Mixing in Semiconductor Media," *Phys. Rev. A* **38**, 4673 (1988).
73. B. Fluegel, F. Jarka, S.W. Koch, M. Lindberg, N. Peyghambarian, M. Joffre, D. Hulin, A. Migus, A. Antonetti, C. Ell, L. Banyai, and H. Haug, "Measurements of Ultrafast Optical Nonlinearities in Semiconductors," *phys. stat. sol. b* **150**, 357 (1988).
74. M. Lindberg and S.W. Koch, "Theory of the Optical Stark Effect in Semiconductors under Ultrashort-Pulse Excitation," *phys. stat. sol. b* **150**, 379 (1988).

75. E.M. Wright, D. Richardson and S.W. Koch, "Bifurcations of Scattering Orders in Degenerate Four-Wave-Mixing," *Opt. Lett.* **14**, 75 (1989).
76. R. Jin, D. Richardson, S.W. Koch, and H.M. Gibbs, "Enhancement of Dynamic Differential Gain of GaAs Etalons by Angle Tuning of the Switch Beam," *Opt. Eng.* **28**, 344 (1989).
77. N. Peyghambarian, S.W. Koch, M. Lindberg, B. Fluegel, and M. Joffre, "Dynamic Stark Effect of Exciton and Continuum States in CdS," *Phys. Rev. Lett.* **62**, 1185 (1989).
78. H. Haug and S.W. Koch, "Semiconductor Laser Theory with Many-Body Effects," *Phys. Rev. A* **39**, 1887 (1989).
79. C. Ell, H. Haug, and S.W. Koch, "Many-Body Effects in Gain and Refractive Index Spectra of Bulk and Quantum-Well Semiconductor Lasers," *Opt. Lett.* **14**, 356 (1989).
80. E.M. Wright, G. Stegeman, and S.W. Koch, "Numerical Simulations of Guided Wave Phenomena in Semiconductors," *J. Opt. Soc. Am.* **B6**, 1598 (1989).
81. S.W. Koch, "Semiconductor Heterostructures," 1989 McGraw-Hill Yearbook of Science and Technology, p. 354 (McGraw-Hill, 1989), (invited review article).
82. M. Lindberg, S. An, S.W. Koch, and M. Sargent III, "Strong-Field Modulation of Semiconductor Luminescence Spectra," *Phys. Rev.* **A40**, 4415 (1989).
83. N. Peyghambarian, B. Fluegel, D. Hulin, A. Migus, M. Joffre, A. Antonetti, S.W. Koch, and M. Lindberg, "Femtosecond Optical Nonlinearities of CdSe Quantum Dots," *IEEE J. Quant. Electron.* **25**, 2516 (1989).
84. F. Zhou, M. Sargent III, S.W. Koch, and W. Chow, "Population Pulsations and Sidemode Generation in Semiconductors," *Phys. Rev.* **A41**, 463 (1990).
85. B.P. McGinnis, E.M. Wright, S.W. Koch, and N. Peyghambarian, "Observation of New Scattering Orders in Degenerate Four-Wave Mixing with Semiconductors," *Phys. Rev.* **A41**, 523 (1990).
86. D. Richardson, E.M. Wright, and S.W. Koch, "Raman-Nath Theory of Degenerate Four-Wave Mixing in Semiconductors," *Phys. Rev.* **A41**, 1620 (1990).
87. Y.Z. Hu, M. Lindberg, S.W. Koch, and N. Peyghambarian, "Theoretical and Experimental Results on Culomb Effects in Semiconductor Quantum Dots," *phys. stat. sol.* **b159**, 249 (1990).
88. N. Peyghambarian and S.W. Koch, "Semiconductor Nonlinear Materials," in: *Nonlinear Photonics*, eds. H.M. Gibbs *et al.*, p. 7 (Springer Verlag, Berlin, 1990), (invited review article).
89. R.A. Morgan, S.H. Park, S.W. Koch, and N. Peyghambarian, "Experimental Studies of the Nonlinear Optical Properties of CdSe Quantum-Confined Microcrystallites," *Semicond. Sci. Technol.* **5**, 544 (1990).
90. B.P. McGinnis, E.M. Wright, S.W. Koch, and N. Peyghambarian, "Formation of Transverse Spatial Ring Structures in Increasing Absorption Optical Bistability," *Opt. Lett.* **15**, 258 (1990).

91. Y.Z. Hu, S.W. Koch, M. Lindberg, N. Peyghambarian, E.L. Pollock, and F.F. Abraham, "Biexcitons in Semiconductor Quantum Dots," *Phys. Rev. Lett.* **64**, 1805 (1990).
92. B. Fluegel, M. Joffre, S.H. Park, R. Morgan, Y.Z. Hu, M. Lindberg, S.W. Koch, D. Hulin, A. Migus, A. Antonetti, and N. Peyghambarian, "Ultrafast Optical Nonlinearities in II-VI Compounds," *J. Crystal Growth* **101**, 643 (1990).
93. S.W. Koch, "Halbleiter-Quantenpunkte," *Phys. Bl.* **46**, 167 (1990), (invited review article).
94. Y.Z. Hu, M. Lindberg, and S.W. Koch, "Theory of Optically Excited Intrinsic Semiconductor Quantum Dots," *Phys. Rev.* **B42**, 1713 (1990).
95. R. Binder, S.W. Koch, M. Lindberg, N. Peyghambarian, and W. Schäfer, "Ultrafast Adiabatic Following in Semiconductors," *Phys. Rev. Lett.* **65**, 899 (1990).
96. A.E. Paul, M. Lindberg, S. An, M. Sargent III, and S.W. Koch, "Quantum Theory of Nondegenerate Four-Wave Mixing in Semiconductors," *Phys. Rev.* **A42**, 1725 (1990).
97. G.R. Olbright, H.P. Hjalmarson, J. Klem, A. Owyong, T.M. Brennan, R. Binder, and S.W. Koch, "Many-Body Effects in the Luminescence of Highly Excited Indirect Superlattices," *J. Opt. Soc. Am.* **B7**, 1473 (1990).
98. W.W. Chow, S.W. Koch, and M. Sargent III, "The Effects of Electron-Hole Coulomb Interaction in Semiconductor Lasers," *IEEE J. Quant. Electron.* **26**, 1052 (1990).
99. M.F. Pereira Jr., I. Galbraith, S.W. Koch, and G. Duggan, "Exciton Binding Energies in Semiconductor Superlattices - an Anisotropic Effective Medium Approach," *Phys. Rev.* **B42**, 7084 (1990).
100. S.H. Park, R.A. Morgen, Y.Z. Hu, M. Lindberg, S.W. Koch, and N. Peyghambarian, "Nonlinear Optical Properties of Quantum-Confined CdSe Microcrystallites," *J. Opt. Soc. Am.* **B7**, 2097 (1990).
101. V. Esch, B. Fluegel, G. Khitrova, H.M. Gibbs, Xu Jiajin, K. Kang, S.W. Koch, L.C. Liu, S.H. Risbud, and N. Peyghambarian, "State Filling, Coulomb, and Trapping Effects in the Optical Nonlinearity of CdTe Quantum Dots in Glass," *Phys. Rev.* **B42**, 7450 (1990).
102. A. Uhrig, L. Banyai, Y.Z. Hu, S.W. Koch, C. Klingshirn, and N. Neuroth, "High-Excitation Photoluminescence Studies of  $CdS_xSe_{1-x}$  Quantum Dots," *Z. Physik* **B81**, 385 (1990).
103. D.B. Tran Thoai, Y.Z. Hu, and S.W. Koch, "Influence of the Confinement Potential on the Electron-Hole-Pair States in Semiconductor Microcrystallites," *Phys. Rev.* **B42**, 11261 (1990).
104. Y.Z. Hu, S.W. Koch, and D.B. Tran Thoai, "Quantum Confinement and Coulomb Effects in Semiconductor Quantum Dots," *Mod. Phys. Lett.* **B4**, 1009 (1990), (invited review).
105. W.W. Chow, S.W. Koch, M. Sargent III, and C. Ell, "Many-Body Effects on the Linewidth Enhancement Factor in Quantum-Well Lasers," *Appl. Phys. Lett.* **58**, 328 (1991).

106. D. Richardson, H.M. Gibbs, and S.W. Koch, "Computer Simulation of Fully Cascadable Picosecond All-Optical Logic Using Nonlinear Semiconductor Etalons," *IEEE J. Quant. Electron.* **27**, 804 (1991).
107. S.G. Lee, P.A. Harten, J.P. Sokoloff, R. Jin, B. Fluegel, K.E. Meissner, C.L. Chuang, R. Binder, S.W. Koch, G. Khitrova, H.M. Gibbs, N. Peyghambarian, J.N. Polky, and G.A. Pubanz, "Femtosecond Excitonic Bleaching Recovery in the Optical Stark Effect of GaAs-AlGaAs Multiple Quantum Wells and Directional Couplers," *Phys. Rev.* **B43**, 1719 (1991).
108. H.M. Gibbs, G. Khitrova, S.W. Koch, N. Peyghambarian, G.I. Stegeman, U. Gibson, C. Seaton, and M. Warren, "Optical Circuitry," in: *The Encyclopedia of Lasers and Optical Technology*, p. 395, ed. R.A. Meyers (Academic Press, Orlando, 1991), (invited review article).
109. R. Binder, S.W. Koch, M. Lindberg, W. Schäfer, and F. Jahnke, "Transient Many-Body Effects in the Semiconductor Optical Stark Effect: A Numerical Study," *Phys. Rev.* **B43**, 6520 (1991).
110. G.R. Olbright, W.S. Fu, A. Owyong, J.F. Klem, R. Binder, I. Galbraith, and S.W. Koch, "CW and Femtosecond Optical Nonlinearities of Type-II Quantum Wells," *Phys. Rev. Lett.* **66**, 1358 (1991).
111. D. Bennhardt, P. Thomas, A. Weller, M. Lindberg, and S.W. Koch, "Influence of Coulomb Interaction on the Photon Echo in Disordered Semiconductors," *Phys. Rev.* **B43**, 8934 (1991).
112. E. L. Pollock and S.W. Koch, "Path-Integral Study of Excitons and Biexcitons in Semiconductor Quantum Dots" *J. Chem. Phys.* **94**, 6776 (1991).
113. D. Richardson, B.P. McGinnis, E.M. Wright, N. Peyghambarian, and S.W. Koch, "Theoretical and Experimental Investigations of Time-Dependent Degenerate Four-Wave Mixing in Semiconductors," *Phys. Rev.* **A44**, 628 (1991).
114. K. Meissner, B. Fluegel, R. Binder, S.W. Koch, G. Khitrova, and N. Peyghambarian, "Comparison of Optical Nonlinearities of Type-II and Type-I Quantum Wells," *Appl. Phys. Lett.* **59**, 259 (1991).
115. R. Binder, I. Galbraith and S.W. Koch, "Theory of Band-Edge Optical Nonlinearities in Type-I and Type-II Quantum-Well Structures," *Phys. Rev.* **B44**, 3031 (1991).
116. G.R. Olbright, W.S. Fu, J.F. Klem, H.M. Gibbs, G. Khitrova, R. Pon, B. Fluegel, K. Meissner, N. Peyghambarian, R. Binder, I. Galbraith, and S.W. Koch, "Nonlinear Optical Properties of Type-II Quantum Wells," *Phys. Rev.* **B44**, 3043 (1991).
117. M.F. Pereira Jr., S.W. Koch, and W.W. Chow, "Many-Body Effects in the Gain Spectra of Strained Quantum Wells," *Appl. Phys. Lett.* **59**, 2941 (1991).
118. S.W. Koch, Y.Z. Hu, and N. Peyghambarian, "Coulomb Effects and Optical Properties of Semiconductor Quantum Dots," *J. Crystal Growth* **117**, 592 (1992).
119. Y. Masumoto, B. Fluegel, K. Meissner, S.W. Koch, R. Binder, A. Paul, and N. Peyghambarian, "Bandgap Renormalization and Optical Gain Formation in Highly Excited CdSe," *J. Crystal Growth* **117**, 732 (1992).

120. V. Esch, K. Kang, B. Fluegel, Y.Z. Hu, G. Khitrova, H.M. Gibbs, S.W. Koch, N. Peyghambarian, L.C. Liu, and S. Risbud, "Optical Properties of CdTe and CdS Quantum Dots in Glass," *J. Nonlin. Opt.* **1**, 25 (1992).
121. R. Binder, D. Scott, A.E. Paul, M. Lindberg, K. Henneberger, and S.W. Koch, "Carrier-Carrier Scattering and Optical Dephasing in Highly Excited Semiconductors," *Phys. Rev.* **B45**, 1107 (1992).
122. K. Henneberger, F. Herzel, S. W. Koch, R. Binder, A. E. Paul, and D. Scott, "Spectral Hole Burning and Gain Saturation in Short-Cavity Semiconductor Lasers," *Phys. Rev.* **A45**, 1853 (1992).
123. M. Lindberg, R. Binder, and S. W. Koch, "Theory of the Semiconductor Photon Echo," *Phys. Rev.* **A45**, 1865 (1992).
124. K.I. Kang, B.P. McGinnis, Sandalphon, Y.Z. Hu, S.W. Koch, N. Peyghambarian, A. Mysyrowicz, L.C. Liu, and S.H. Risbud, "Confinement-Induced Valence-Band Mixing in CdS Quantum Dots by Two-Photon Spectroscopy," *Phys. Rev.* **B45**, 3465 (1992).
125. A.E. Paul, R. P. Binder, and S. W. Koch, "Spectral Hole Burning and Light-Induced Band Splitting in the Gain Region of Highly Excited Semiconductors," *Phys. Rev.* **B45**, 5879 (1992).
126. M. Sargent III, S.W. Koch, and W.W. Chow, "Sidemode Gain in Semiconductor Lasers," *J. Opt. Soc. Am.* **B9**, 1288 (1992).
127. M. Rose, M. Lindberg, W.W. Chow, S.W. Koch, and M. Sargent III, "Composite-Cavity-Mode Approach to Single-Mode Semiconductor Laser Feedback Instabilities," *Phys. Rev.* **A46**, 603 (1992).
128. D.C. Scott, R. Binder, and S. W. Koch, "Ultrafast Dephasing Through Acoustic Plasmon Undamping in Nonequilibrium Electron-Hole Plasmas," *Phys. Rev. Lett.* **69**, 347 (1992).
129. L. Banyai, P. Gilliot, Y.Z. Hu and S. W. Koch, "Surface-Polarization Instabilities of Electron-Hole Pairs in Semiconductor Quantum Dots," *Phys. Rev.* **B45**, 14136 (1992).
130. B.D. Fluegel, A. Paul, K. Meissner, R. Binder, S.W. Koch, N. Peyghambarian, F. Sasaki, T. Mishina, and Y. Masumoto, "Experimental and Theoretical Investigation of Femtosecond Carrier Relaxation in CdSe," *Solid State Comm.* **83**, 17 (1992).
131. W.W. Chow, M.F. Pereira, and S.W. Koch, "A Many-Body Treatment of the Modulation Response in a Strained Quantum Well Semiconductor Laser Medium," *Appl. Phys. Lett.* **61**, 758 (1992).
132. P.A. Harten, A. Knorr, J.P. Sokoloff, F. de Colstoun, S.G. Lee, R. Jin, E.M. Wright, G. Khitrova, H.M. Gibbs, S.W. Koch, and N. Peyghambarian, "Propagation-Induced Escape from Adiabatic Following in a Semiconductor," *Phys. Rev. Lett.* **69**, 852 (1992).
133. N. Peyghambarian, P.A. Harten, A. Knorr, S.G. Lee, R. Jin, F. Brown de Colstoun, E.M. Wright, G. Khitrova, H.M. Gibbs, and S.W. Koch, "Coherent Pulse Breakup in Femtosecond Pulse Propagation in Semiconductors," *phys. stat. sol.* **b173**, 41 (1992).



134. S.W. Koch, A. Knorr, R. Binder, and M. Lindberg, "Microscopic Theory of Rabi Flopping, Photon Echo, and Resonant Pulse Propagation in Semiconductors," *phys. stat. sol. b* **173**, 177 (1992).
135. W.S. Fu, J.S. Harris, R. Binder, S.W. Koch, J.F. Klem, and G.R. Olbright, "Nonlinear Optical Properties and Ultrafast Response of GaAs/AlAs Type-II Quantum Wells," *IEEE J. Quantum Electron.* **28**, 2404 (1992).
136. A. Knorr, R. Binder, M. Lindberg, and S.W. Koch, "Theoretical Study of Resonant Ultrashort Pulse Propagation in Semiconductors," *Phys. Rev. A* **46**, 7179 (1992).
137. R. Jin, K. Okada, G. Khitrova, H.M. Gibbs, M. Pereira, S.W. Koch, and N. Peyghambarian, "Optical Nonlinearities in Strained Layer InGaAs/GaAs Multiple Quantum Wells," *Appl. Phys. Lett.* **61**, 1745 (1992).
138. R. Jin, D. Boggavarapu, G. Khitrova, H.M. Gibbs, Y.Z. Hu, S.W. Koch, and N. Peyghambarian, "The Linewidth Broadening Factor of a Microcavity Semiconductor Laser," *Appl. Phys. Lett.* **61**, 1883 (1992).
139. S.W. Koch, D.C. Scott, and R. Binder, "Optical Dephasing and Acoustic Plasmon Undamping in Highly Excited Semiconductors," *Opt. & Phot. News* **3** (12), 14 (1992).
140. N. Peyghambarian, H.M. Gibbs, G. Khitrova, S.W. Koch, and E.M. Wright, "Propagation Induced Escape from Adiabatic Following in a Semiconductor," *Opt. & Phot. News* **3** (12), 16 (1992).
141. S.W. Koch, Y.Z. Hu, and R. Binder, "Photon Echo and Exchange Effects in Quantum-Confined Semiconductors," *Physica B* (March 1993).
142. M.F. Pereira, S.W. Koch, and W.W. Chow, "Effects of Strain and Coulomb Interaction on the Linewidth Enhancement in Quantum Well Lasers," *JOSA B* (1993).
143. K. ElSayed, R. Binder, D.C. Scott, and S.W. Koch, "Undamping of Acoustic Plasmons in Nonequilibrium Plasmas," *Phys. Rev. B* (1993).
144. S.W. Koch and W.W. Chow, "Microscopic Theory and Modelling of Semiconductors and Semiconductor Lasers," invited article for *Trends in Optical Engineering*, publ. by Research Trends, Council of Scientific Research Integration, India (1993).
- P. Ru, J.V. Moloney, R. Indik, and S.W. Koch, "Comparison of Microscopic and Phenomenological Modelling of Bulk and Quantum Well GaAs-Based Semiconductor Lasers," *IEEE J. Quantum Electronics* (submitted December 1992).
- F. Jahnke, S.W. Koch, and K. Henneberger, "Dynamic Response of Short-Cavity Semiconductor Lasers," *Appl. Phys. Lett.* (submitted December 22, 1992).
- Y. Z. Hu, R. Binder, and S. W. Koch, "Photon Echo and Valence-Band Mixing in Semiconductor Quantum Wells," *Phys. Rev. B* (submitted December 22, 1992).
- M. Bonitz, R. Binder, and S.W. Koch, "Carrier-Acoustic Plasmon Instability in Semiconductor Quantum Wires," *Phys. Rev. Lett.* (submitted December 23, 1992).
- F. Jahnke, K. Henneberger, W. Schäfer, and S.W. Koch, "Transient Nonequilibrium and Many-Body Effects in Semiconductor Microcavity Lasers," *JOSA B* (submitted Feb. 2, 1993).

### Invited Talks and Publications in Conference Proceedings:

1. H. Haug and S.W. Koch, "Nonequilibrium Phase Transitions in Highly Excited Semiconductors," International Symposium on Synergetics, Bielefeld, Fed. Rep. Germany, September 24 - 29, 1979. Published in: *Dynamics of Synergetic Systems*, p. 57, ed. H. Haken, Springer Verlag, Berlin (1980).
2. H. Haug, S.W. Koch, R. März, and S. Schmitt-Rink, "Optical Nonlinearity and Bistability in Semiconductors due to Biexciton Formation," International Conference on Luminescence, Berlin, Fed. Rep. Germany, 1981.
3. R.C. Desai, S.W. Koch, and F.F. Abraham, "Growth-Law Dynamics in a Phase Separating Fluid," Conference on Nonlinear Fluid Behavior, Boulder, CO, June 7 - 11, 1982.
4. S.W. Koch, F.F. Abraham, and R.C. Desai, "Numerical Simulation of Spinodal Decomposition in Simple Fluids," Conference on Kinetics of Phase Change, St. Barbara, CA, March 1 - 5, 1982.
5. S.W. Koch, "Molecular Dynamics Simulation of Phase Transitions in Physisorbed Noble Gases," 3rd General Conference of the Condensed Matter Division of the EPS, Lausanne, Switzerland, March 28 - 30, 1983.
6. S.W. Koch, "Molecular Dynamics Simulations of Phase Transitions in Noble Gas Overlayers," Solid State Physics Conference, Oxford, Great Britain, December 14 - 16, 1983.
7. S.W. Koch and H. Haug, "Theory of Resonance Enhanced Optical Nonlinearities and Bistability in Semiconductors" (in German), Spring Meeting of the German Physical Society DPG, Giessen, Fed. Rep. Germany, March 19 - 23, 1984.
8. H. Haug, S.W. Koch, H.E. Schmidt, and M. Lindberg, "Soliton Structures in the Excitation due to Induced Absorption," International Conference on Instabilities and Dynamics of Lasers and Nonlinear Optical Systems, Rochester, NY, 1985.
9. S.W. Koch, H. Haug, and M. Lindberg, "Optical Nonlinearities and Instabilities in Semiconductors," 6th General Conference of the Condensed Matter Division of the EPS, Stockholm, Sweden, March 22 - 25, 1986.
10. H.M. Gibbs, N. Peyghambarian, Y. H. Lee, M. Warren, A. Chavez-Pirson, S.W. Koch, A. C. Gossard, and W. Wiegmann, "Room-Temperature Bulk GaAs: Dominant Nonlinearities, Fast-Recovery Gates, Arrays for Parallel Processing," NSF Workshop on Optical Nonlinearities, Fast Phenomena and Signal Processing, Tucson, AZ, May 22 - 23, 1986 (p. 51 in Workshop Proceedings, ed. N. Peyghambarian).
11. N. Peyghambarian, G.R. Olbright, B. D. Fluegel, and S.W. Koch, "Femtosecond Transient Optical Nonlinear Effects in Semiconductors," NSF Workshop on Optical Nonlinearities, Fast Phenomena, and Signal Processing, Tucson, AZ, May 22 - 23, 1986 (p. 281 in Workshop Proceedings, ed. N. Peyghambarian).
12. S.W. Koch, "Dynamics and Evolution of Structure During Phase Transitions on Surfaces," International Meeting on Advances in Phase Transitions and Disorder Phenomena, Amalfi, Italy, June 25 - 27, 1986. Published in: *Advances on Phase Transitions and Disorder Phenomena*, p. 72, eds. G. Busiello, L. DeCesare, F. Mancini, and M. Marinaro, World Scientific Publ., Singapore (1987).

13. H.M. Gibbs, N. Peyghambarian, Y.H. Lee, M. Warren, A. Chavez-Pirson, S.H. Park, J. Morhange, A. Jeffrey, S.W. Koch, A.C. Gossard, and W. Wiegmann, "Room-Temperature GaAs, Dominant Nonlinearities, Fast-Recovery Gates, Arrays for Parallel Processing," Int. School of Electro-Optic and Photorefractive Materials, Erice, Sicily/Italy, July 14, 1986.
14. Y.H. Lee, H.M. Gibbs, S.W. Koch, and N. Peyghambarian, "Physics and Nonlinear Device Applications of Bulk and Multiple Quantum Well GaAs," SPIE Meeting on Advances in Semiconductors and Semiconductor Structures, Bay Point, Florida, March 23 - 24, 1987. Published in: *Quantum Well and Superlattice Physics*, ed. G.H. Doehler and J.N. Schulman, Volume 792, SPIE, Washington (1987).
15. S.W. Koch, M.E. Warren, and H.M. Gibbs, "Optical Nonlinearities and Modelling of Nonlinear Optical Devices in GaAs and GaAs Microstructures," International Workshop on High-Speed Optical Processes and Opto-Electronic Devices Based on Compound Semiconductors, Ann Arbor, MI, May 27 - 29, 1987. (Paper F3 in Conference Proceedings, eds. P. Bhattacharya, H. Beneking, J. Singh, and D. Steel, University of Michigan, 1987).
16. H.M. Gibbs, G. Khitrova, S.W. Koch, N. Peyghambarian, D. Sarid, A. Chavez-Pirson, W. Gibbons, A. Jeffrey, K. Komatsu, Y.H. Lee, D. Hendricks, J. Morhange, S.H. Park, M. Warren, A.C. Gossard, W. Wiegman, and M. Sugimoto, "GaAs Etalons and Waveguides: Bulk Versus Multiple-Quantum-Well Material," USA-USSR Symposium on Laser Optics of Condensed Matter, Leningrad, USSR, June 1987.
17. N. Peyghambarian and S.W. Koch, "Experimental and Theoretical Studies of Coherent and Nonthermal Processes in Semiconductors Probed by Femtosecond Laser Techniques," US-Japan Seminar on Quantum Mechanical Aspects of Quantum Electronics, Monterey, CA, July 14 - 17, 1987 (p. 396, Conference Proceedings, ed. J.H. Shapiro and H. Takuma).
18. S.W. Koch and M. Lindberg, "Theory of Coherent Effects in Semiconductors," 1987 Nonlinear Optics and Lasers Gordon Research Conference, Wolfboro, NH, July 27 - 31, 1987.
19. H.M. Gibbs, G. Khitrova, S.W. Koch, N. Peyghambarian, D. Sarid, A. Chavez-Pirson, W. Gibbons, A. Jeffrey, K. Komatsu, Y.H. Lee, D. Hendricks, J. Morhange, S.H. Park, M. Warren, A.C. Gossard, W. Wiegman, and M. Sugimoto, "Optical Bistability in GaAs Etalons and Waveguides," Topical Meeting on Optical Bistability, Instability and Optical Computing, Beijing, People Republic of China, August 24 - 29, 1987. Published in: *Optical Bistability, Instability and Optical Computing*, ed. H.-Y. Zhang and K.K. Lee, p. 1, World Scientific Press, Singapore (1988).
20. J. Potts, N. Peyghambarian, and S.W. Koch, "Excitonic Optical Nonlinearities of ZnSe Epitaxial Films," SPIE OE-LASE'88 on Optical Computing and Nonlinear Materials, Los Angeles, CA, January 11 - 13, 1988. Published in: *Optical Computing and Nonlinear Materials*, Proceedings 881, p. 107 (SPIE, Washington, 1988).
21. H.M. Gibbs, G. Khitrova, S.W. Koch, N. Peyghambarian, D. Sarid, A. Chavez-Pirson, W. Gibbons, A. Jeffrey, K. Komatsu, Y.H. Lee, D. Hendricks, J. Morhange, S.H. Park, M. Warren, A.C. Gossard, W. Wiegman, and M. Sugimoto, "Optical Bistability in Quantum Well Devices," OFC/OFS'88, New Orleans, LA, 1988.

22. S.W. Koch and H. Haug, "Optical Nonlinearities of Semiconductors," Topical Meeting on Optical Bistability, Aussois, France, March 23 - 25, 1988.
23. J.P. Sokoloff, B. Fluegel, M. Lindberg, S.W. Koch, N. Peyghambarian, M. Joffre, D. Hulin, A. Migus, and A. Antonetti, "Coherent Transients in Semiconductor Transmission Spectra," International Conference on Ultrafast Phenomena in Bulk and Microstructure Semiconductors II, Newport Beach, CA, March 14 - 15, 1988. Published in: *Ultrafast Laser Probe Phenomena in Bulk and Microstructure Semiconductors II*, SPIE Proceedings 942 (1988).
24. N. Peyghambarian, B. Fluegel, S.W. Koch, J. Sokoloff, M. Lindberg, M. Joffre, D. Hulin, A. Migus, and A. Antonetti, "Femtosecond Transients and Dynamic Stark Shift of Excitons in Semiconductors," 6th International Conference on Ultrafast Phenomena 1988, Kyoto, Japan, July 12 - 15, 1988. Published in: *Ultrafast Phenomena VI*, p. 218, Springer Verlag, Berlin (1988).
25. S.W. Koch, M. Lindberg, and N. Peyghambarian, "Theory of Transient Optical Nonlinearities in Semiconductors," XVI International Quantum Electronics Conference IQEC'88, Tokyo, Japan, July 18 - 21, 1988.
26. S.W. Koch, "Theory of Transmission Oscillations and Optical Stark Effect in Semiconductors," International Conference on Optical Nonlinearity and Bistability of Semiconductors, Berlin, GDR, August 22 - 25, 1988.
27. N. Peyghambarian, S.W. Koch, H.M. Gibbs, and H. Haug, "Nonlinear Optical Materials and Devices," Proceeding of the International School of Quantum Electronics, eds. A. N. Chester and S. Martellucci, Academic Press (1989).
28. A. Chavez-Pirson, H.M. Gibbs, and S.W. Koch, "Room-Temperature Optical Nonlinearities in Multiple-Quantum-Well GaAs/AlGaAs and Bulk GaAs," p. 44 in: *Nonlinear Optics of Organics and Semiconductors*, ed. T. Kobayashi, Springer Verlag, Berlin (1989).
29. S.W. Koch, N. Peyghambarian, M. Lindberg, and B.D. Fluegel, "Femtosecond Dynamics of Semiconductors Nonlinearities: Theory and Experiments," International Conference on Optical Switching in Low-Dimensional Systems, Marbella, Spain, October 6 - 8, 1988. Published in: *Optical Switching in Low-Dimensional Systems*, eds. H. Haug and L. Banyai, p.139, Plenum Press, New York (1989).
30. N. Peyghambarian, S.H. Park, R.A. Morgan, B. Fluegel, Y.Z. Hu, M. Lindberg, S.W. Koch, D. Hulin, A. Migus, J. Etchepare, M. Joffre, G. Grillon, D.W. Hall, and N.F. Borrelli, "Optical Nonlinearities and Femtosecond Dynamics of Quantum Confined CdSe Microcrystallites," International Conference on Optical Switching in Low-Dimensional Systems, Marbella, Spain, October 6 - 8, 1988. Published in: *Optical Switching in Low-Dimensional Systems*, eds. H. Haug and L. Banyai, p. 191, Plenum Press, New York (1989).
31. S.W. Koch, "Many-Body Theory of Bulk and Quantum-Well Semiconductor Lasers," 17th International Symposium on Quantum Optics, Rotorua, New Zealand, Feb. 13 - 17, 1989. Published as: S.W. Koch, H. Haug, C. Ell, M. Lindberg, and M. Sargent III, "Many-Body Theory of the Electron-Hole Plasma in Bulk and Quantum-Well Semiconductor Lasers," *Quantum Optics V*, p. 235, eds. D. Walls and J.D. Harvey, Springer Verlag, Berlin (1989).

32. M. Sargent III, F. Zhou, S. An, M. Lindberg, S.W. Koch, "Theory of a Semiconductor Laser," *Quantum Optics V*, p. 246, eds. D. Walls and J.D. Harvey, Springer Verlag, Berlin (1989).
33. S.W. Koch, "Theory of Optical Nonlinearities in Bulk and Quantum-Well Semiconductor Lasers," Paper JG4, Conference on Quantum Electronics and Laser Science QELS'89, Baltimore, April 24 - 28, 1989.
34. S.W. Koch, "Theory of Linear and Nonlinear Optical Properties of Semiconductor Microcrystallites," Paper O2.4, Spring Meeting of the Materials Research Society, San Diego, CA, April 24 - 29, 1989.
35. N. Peyghambarian and S.W. Koch, "Femtosecond Hole-Burning and Nonlinear Dynamics of Quantum Confined Semiconductor Microstructures," International Conference on Quantum Well Optical Device Physics, Kobe, Japan, July 17, 1989.
36. S.W. Koch, H. Haug, M. Sargent III, and N. Peyghambarian, "Optical Nonlinearities in Bulk and Quantum-Well Semiconductors and Semiconductor Quantum Dots," Fifth Interdisciplinary Laser Science Conference ILS-V, Stanford, CA, August 28 - 31, 1989. Published in: APS Bulletin 34, 1681 (1989).
37. S.W. Koch and N. Peyghambarian, "Nonlinear Optical Properties of Quantum Confined Transitions in Semiconductor-Doped Glasses," Glass Meeting of the American Ceramics Society, Buena Vista, Florida, September 17 - 20, 1989.
38. S.W. Koch, Y.Z. Hu, S.W. Koch, M. Lindberg, N. Peyghambarian, E.L. Pollock, and F.F. Abraham, "Coulomb Effects in Semiconductor Quantum Dots," Second International Workshop on Nonlinear Optics and Excitation Kinetics in Semiconductors, Bad Stuer, GDR, Nov. 27 - Dec. 2, 1989.
39. M. Sargent III and S.W. Koch, "Multiwave Mixing in Semiconductor Media," International Conference Lasers '89, New Orleans, Dec. 4 - 7, 1989.
40. D. Richardson, S.W. Koch, and H.M. Gibbs, "Simulation of GaAs-based Devices for Fast Switching and Optical Computing," International Conference on Digital Optical Computing II, SPIE OE/LASE'90, Los Angeles, CA, Jan. 14 - 19, 1990. Published in: *Optical Computing and Nonlinear Materials*, SPIE, Washington (1990).
41. M. Sargent III, S.W. Koch, and W.W. Chow, "Theory of a Semiconductor Laser," International Conference on Nonlinear Optical Materials and Devices for Photonic Switching, SPIE OE/LASE'90, Los Angeles, CA, Jan. 14 - 19, 1990. Published in: *Nonlinear Optical Materials and Devices for Photonic Switching*, SPIE Proceedings 1216, 130, Washington (1990).
42. N. Peyghambarian, B.P. McGinnis, K.I. Kang, Sandalphon, S.W. Koch, Y.Z. Hu, M. Lindberg, B. Fluegel, G. Kojoian, L.C. Liu, and S. Risbud, "Investigation of Two-Electron-Hole Pair Resonances in Semiconductor Quantum Dots," Proceedings of the 4th Binational US/USSR Symposium, Irvine, CA, Jan. 23 - 27, 1990.

43. N. Peyghambarian, S.W. Koch, and B.O. Seraphin, "Dynamic Stark Effect in Semiconductors," SPIE Conference on Modulation Spectroscopy, San Diego, CA, Jan. 1990. Published in SPIE proceedings 126, 976 (1991), eds. F.H. Pollak, M. Cardona, and D.E. Aspnes, SPIE, Washington (1990).
44. S.W. Koch, "Optical Nonlinearities in Semiconductors," International Workshop on Space-Time Complexity in Nonlinear Optics, Tucson, AZ, March 12 - 16, 1990.
45. M. Sargent III, S.W. Koch, and W.W. Chow, "Theory of a Single-Mode Semiconductor Laser," International Workshop on Space-Time Complexity in Nonlinear Optics, Tucson, AZ, March 12 - 16, 1990.
46. S.W. Koch, Y.Z. Hu, M. Lindberg, and N. Peyghambarian, "Coulomb Effects in Quantum Dots," invited paper QTUA1, XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
47. D. Hulin, M. Joffre, A. Migus, A. Antonetti, N. Peyghambarian, B. Fluegel, and S.W. Koch, invited paper QWE2, "Ultrafast Optical Nonlinearities of CdSe Quantum Dots," XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
48. S.W. Koch, "Many-Body Coulomb Effects in SCL Media," Aspen Workshop on Physics of Semiconductor Lasers, Aspen, CO, May 28 - June 8, 1990.
49. N. Peyghambarian and S.W. Koch, "Optical Properties of Semiconductor Quantum Dots," 1990 International Conference on Solid State Devices and Materials, Sendai, Japan, Aug. 22 - 24, 1990.
50. N. Peyghambarian, R. Binder, C.L. Chuang, H.M. Gibbs, P.A. Harten, R. Jin, G. Khitrova, S.W. Koch, S.G. Lee, and J.P. Sokoloff, "Optical Nonlinearities and Switching in Multiple Quantum Well Waveguides," Sixth Interdisciplinary Laser Science Conference ILS-VI, Stanford, CA, Sept. 18 - 22, 1990. Published in: APS Bulletin 35, 1529 (1990).
51. S.W. Koch and N. Peyghambarian, "Optical Properties of Semiconductor Quantum Dots: Theory," Fall Meeting of the Electrochemical Society, Seattle, WA, Oct. 15 - 19, 1990.
52. N. Peyghambarian and S.W. Koch, "Optical Properties of Semiconductor Quantum Dots: Experiments," Fall Meeting of the Electrochemical Society, Seattle, WA, Oct. 15 - 19, 1990.
53. S.W. Koch, "Band Structure Engineering and Spectral Hole Burning in Semiconductor Lasers and Amplifiers," Twenty-First Winter Colloquium on Quantum Electronics, Snowbird, Utah, Jan. 6 - 9, 1991.
54. S.W. Koch, "Semiconductor Laser Physics," ACSM Workshop on Semiconductor Laser Dynamics, Tucson, AZ, March 8 - 9, 1991.
55. H.M. Gibbs, C.L. Chuang, R. Jin, S.G. Lee, P.A. Harten, J.P. Sokoloff, R. Binder, S.W. Koch, G. Khitrova, Xu Jiajin, N. Peyghambarian, J.N. Polky, and G.A. Pubanz, "Picosecond and Femtosecond All-Optical Switching in Single-Mode GaAs/AlGaAs Strip-Loaded Nonlinear Directional Couplers," Engineering Foundation Conference on High Speed Optoelectronics, Palm Coast, FL, March 17 - 22, 1991.

56. N. Peyghambarian, R. Binder, C.C. Chuang, F. de Colstoun Brown, B. Fluegel, H.M. Gibbs, P. Harten, R. Jin, G. Khitrova, S.W. Koch, S.G. Lee, K. Meissner, and J.P. Sokoloff, "Femtosecond Nonlinear Optics of Semiconductor Quantum Wells," proceedings of the National Colloquium on *Recent Advances in the Uses of Light in Physics, Chemistry, Engineering, and Medicine*, City College of New York, New York, June 19 - 21, 1991.
57. S.W. Koch, "Theory of Electron-Hole Excitations in Semiconductor Quantum Dots," 1991 Metals and Clusters Gordon Research Conference, Wolfeboro, NH, Aug. 5 - 9, 1991.
58. S.W. Koch, "Coulomb Effects and Nonlinear Optical Properties of Semiconductor Quantum Dots," Fifth International Conference on II-VI Compounds, Tamano, Okayama, Japan, Sept. 8 - 13, 1991.
59. N. Peyghambarian, S.W. Koch, B.P. McGinnis, K. Kang, Sandalphon, Y.Z. Hu, A. Mysyrowicz, S. Risbud, and C. Liu, "Hole-State Mixing and Nonlinear Optical Properties of Semiconductor Quantum Dots," Seventh Interdisciplinary Laser Science Conference ILS-VII, Monterey, CA, September 22 - 26, 1991. Published in: APS Bulletin 36, 1970 (1991).
60. S. W. Koch, "Biexcitons in Quantum Dots," International Meeting on Optics of Excitons in Confined Systems, Giardini Naxos, Sicily, Italy, Sept. 24 - 27, 1991. Published as: S.W. Koch, Y.Z. Hu, B. Fluegel, and N. Peyghambarian, "Excitons, Biexcitons and Optical Nonlinearities in Semiconductor Quantum Dots," p. 139 in *Optics of Excitons in Confined Systems*, Institute of Physics Conference Series 123, Inst. of Physics, Bristol (1992).
61. N. Peyghambarian, S.W. Koch, B.P. McGinnis, K. Kang, Sandalphon, Y.Z. Hu, S. Risbud, C. Liu, A. Mysyrowicz, and D. Hulin, "Hole-State Mixing and Nonlinear Optical Properties of Semiconductor Quantum Dots," Symposium on Science and Technology of Mesoscopic Structures, Nara, Japan, Nov. 5 - 8, 1991. Published in: Science and Technology of Mesoscopic Structures, eds. S. Nambe, C. Hamaguchi, and T. Ando, p. 443, Springer Verlag, Berlin (1992).
62. P.A. Harten, A. Knorr, J.P. Sokoloff, F. de Colstoun, S.G. Lee, R. Jin, E.M. Wright, G. Khitrova, H.M. Gibbs, S.W. Koch, and N. Peyghambarian, "Optical Switching and Propagation Effects in Nonlinear GaAs MQW Waveguides," SPIE Conference on Nonlinear Optics III, Los Angeles, CA, Jan. 20 - 22, 1992. [Published in SPIE proceedings 1626, (1992)].
63. S.W. Koch, "Semiconductor Bloch Equations and their Hydrodynamic Limit," ACMS Worskhop on *Computational Optics: Its Links with Computational Fluid Dynamics*, Tucson, AZ, March 18 - 21, 1992.
64. S.W. Koch, "Microscopic Theory of Rabi Flopping, Photon Echo, and Resonant Pulse Propagation in Semiconductors," Third International Workshop on Nonlinear Optics and Excitation Kinetics in Semiconductors, NOEKS III, Bonn-Bad Honnef, Germany, May 18 - 21, 1992.
65. S.W. Koch, "Kinetic Approach to Highly Excited Semiconductors and Semiconductor Lasers," Minisymposium on "The Reemergence of Kinetic Theory in Applications," SIAM 40th Anniversary Meeting, Los Angeles, July 20 - 24, 1992.

66. S.W. Koch, Y.Z. Hu, and R. Binder, "Exchange Effects and Multi-Wave Mixing in Quantum-Confined Semiconductors," NATO Advanced Research Workshop *Physics of Few-Electron Nanostructures*, Noordwijk aan Zee, Netherlands, Sept. 23 - 26, 1992.
67. S.W. Koch, "Theory of Linear and Nonlinear Optical Properties of Semiconductor Quantum Dots," 182nd Meeting of the Electrochemical Society, Toronto, Canada, Oct. 11 - 16, 1992.
68. S.W. Koch, "Microscopic Theory of Semiconductor Microlasers," March Meeting of the APS, Seattle, Washington, March 22 - 26, 1993.
69. S.W. Koch, Institute of Physics Annual Conference, Brighton, UK, April 19 - 22, 1993.
70. S.W. Koch and R. Binder, "Optical Nonlinearities in Quantum Confined Semiconductors," workshop on Optical Properties of Mesoscopic Semiconductor Structures, Snowbird, Utah, April 20 - 23, 1993.
71. S.W. Koch, "Coherence and Intra-Band Interaction in  $D$ -Dimensional Semiconductors," Workshop *Semiconductor Optics*, Marubrg, Germany, May 14 - 18, 1993.
72. W.W. Chow and S.W. Koch, "The Use of the Semiconductor Gain Medium as an Experimental Variable in the Study of Laser Instabilities," SPIE Annual Meeting, San Diego, CA, July 11- 16, 1993.
73. S.W. Koch, Nato Advanced Research Workshop on Coherent Optical Interactions in Semiconductors, Cambridge, UK, August 11 - 14, 1993.
74. S.W. Koch, "Femtosecond Coherent Effects in Semiconductors," ILS/OSA Meeting, Toronto, Canada, 1993.
75. S.W. Koch, "Coherent Effects in Semiconductors,"  $VII^h$  International Symposium on Quantum Optics, Rotorua, New Zealand, Jan. 24 - 28, 1994.

#### **Contributed Talks and Publications in Conference Proceedings:**

1. S.W. Koch and H. Haug, "On the Theory of Stimulated Emission in Highly Excited Semiconductors" (in German), Spring Meeting of the German Physical Society DPG, Münster, FRG, 1977.
2. C. Klingshirn, W. Maier, B. Hönerlage, H. Haug, and S.W. Koch, "Quantitative Investigations on the Recombination Involving Free Particle Scattering Processes in Highly Excited Blende Type II-VI Compounds," International Conference on Recombination in Semiconductors, Southampton, Great Britain, 1978.
3. S.W. Koch and H. Haug, "On the Electron-Hole Droplet Nucleation in Highly Excited Semiconductors" (in German), Spring Meeting of the German Physical Society DPG, Münster, FRG, 1979.
4. S.W. Koch, "On the Electron-Hole-Droplet Nucleation in Indirect and Direct-Gap Semiconductors" (in German), DPG-Round Table Discussion on Excitonic Polaritons and Highly Excited Semiconductors, Reimsburg/Ulm, FRG, 1979.



5. S.W. Koch, "On the Electron-Hole-Plasma Phase Transition in Highly Excited Direct-Gap Semiconductors," 1980 Annual Conference of the Condensed Matter Division of the EPS, Antwerpen, Belgium, 1980. Published as: S.W. Koch, "On the Hydrodynamics of the Electron-Hole Plasma Phase Transition in Highly Excited Semiconductors," in: *Recent Developments in Condensed Matter Physics, Vol. 3*, p. 249, Plenum Publ., New York (1981).
6. J.P. Löwenau and S.W. Koch, "Formation and Decay of Electron-Hole-Droplets in Highly Excited Germanium" (in German), Spring Meeting of the German Physical Society DPG, Münster, FRG, 1981.
7. R. März, H. Haug, S.W. Koch, and S. Schmitt-Rink, "Nonlinearity of the Dielectric Function due to Formation of Biexcitons and Optical Bistability" (in German), Spring Meeting of the German Physical Society DPG, Münster, FRG, 1981.
8. H. Haug, S.W. Koch, R. März, and S. Schmitt-Rink, "Optical Nonlinearity and Instability in Semiconductors due to Biexciton Formation," International Conference on Excited States and Multiresonant Nonlinear Optical Processes in Solids, Aussois, France, March 18 - 20, 1981.
9. S.W. Koch, R.C. Desai, and F.F. Abraham, "Spinodal Decomposition of a One-Component Fluid: Hydrodynamics," 9th Midwest Solid State Theory Symposium, Argonne, IL, November 2 - 3, 1981.
10. H.E. Schmidt, R. Neumann, H. Haug, and S.W. Koch, "Influence of Noise on the Optical Bistability of a Two-Photon Resonance" (in German), Spring Meeting of the German Physical Society DPG, Freudenstadt, FRG, 1983.
11. S.W. Koch, H.E. Schmidt, and H. Haug, "Simulations of the Stochastic Dynamics of Switching for Optical Bistability," Topical Meeting on Optical Bistability, Rochester, NY, 1983. Published in: *Optical Bistability 2*, p. 205, Plenum Publ., New York (1984).
12. H.E. Schmidt, H. Haug, and S.W. Koch, "Absorptive Optical Bistability in Semiconductors due to Band-Gap Reduction" (in German), Spring Meeting of the German Physical Society DPG, Giessen, FRG, 1984.
13. S.W. Koch, H.E. Schmidt, and H. Haug, "Theory of Absorptive Bistability," 3rd Trieste ICTP-IUPAP Semiconductor Symposium on High Excitation and Short Pulse Phenomena, Trieste, Italy, July 2 - 6, 1984.
14. C. Ell, S. Schmitt-Rink, S.W. Koch, H.E. Schmidt, and H. Haug, "Theory of Optical Properties of Semiconductor Quantum-Well Structures," 5th General Conference of the Condensed Matter Division of the EPS, Berlin, Fed. Rep. Germany, March 18 - 22, 1985.
15. S.W. Koch, H. Haug, and H.E. Schmidt, "Spatial Two-Phase Coexistence in Optical Bistability," 5th General Conference of the Condensed Matter Division of the EPS, Berlin, Fed. Rep. Germany, March 18 - 22, 1985.
16. M. Schöbinger and S.W. Koch, "Scaling Laws for a Phase Separating Fluid," 5th General Conference of the Condensed Matter Division of the EPS, Berlin, Fed. Rep. Germany, March 18 - 22, 1985.

17. M. Lindberg, S.W. Koch, and H. Haug, "Instabilities of a Semiconductor with Induced Absorption in a Ring Resonator," Topical Meeting on Optical Bistability, Tucson, AZ, December 2 - 4, 1985. Published in: *Springer Proceedings in Physics 8. Optical Bistability 3*, p. 331, Springer-Verlag, Berlin (1986).
18. G.R. Olbright, H.M. Gibbs, N. Peyghambarian, H.E. Schmidt, S.W. Koch, and H. Haug, "Longitudinal Effects in Increasing Absorption Optical Bistability," Topical Meeting on Optical Bistability, Tucson, AZ, December 2 - 4, 1985. Published in: *Springer Proceedings in Physics 8. Optical Bistability 3*, p. 186, Springer Verlag, Berlin (1986).
19. D. Sarid, W.M. Gibbons, H.M. Gibbs, M.E. Warren, S.W. Koch, and L. Banyai, "Optical Waveguides in Bulk and MQW Structures," Topical Meeting on Optical Bistability, Tucson, AZ, December 2 - 4, 1985. Published in: *Springer Proceedings in Physics 8. Optical Bistability 3*, p. 91, Springer-Verlag, Berlin (1986).
20. G.R. Olbright, N. Peyghambarian, S.W. Koch, and L. Banyai, "Experimental and Theoretical Investigation of the Optical Nonlinearities of  $\text{CdS}_x\text{Se}_{1-x}$  Doped Glass," March Meeting of the APS, Las Vegas, NEV, 1986. Published in: *Bull. Am. Phys. Soc.* 31, 657 (1986).
21. L. Banyai and S.W. Koch, "Plasma Theory for the Optical Nonlinearities of Highly Excited Semiconductors" (in German), Spring Meeting of the Condensed Matter Division of the German Physical Society DPG, Freudenstadt, FRG, April 7 - 11, 1986.
22. M. Lindberg, S.W. Koch, and H. Haug, "Self-Excited Oscillations of an Induced Absorber in a Resonator," Spring Meeting of the Quantum Optics Division of the German Physical Society DPG, Heidelberg, FRG, 1986.
23. G.R. Olbright, N. Peyghambarian, S.W. Koch, and L. Banyai, "Experimental and Theoretical Investigations of the Origin of Optical Nonlinearities of Semiconductor-Doped Glasses," IQEC'86 XIV International Quantum Electronics Conference, San Francisco, CA, June 1986.
24. S.W. Koch, Y. H. Lee, A. Chavez-Pirson, H.M. Gibbs, J. Morhange, S.H. Park, T. Carty, A. Jeffrey, N. Peyghambarian, B. Batdorf, L. Banyai, A.C. Gossard, and W. Wiegmann, "Room-Temperature Optical Nonlinearities in GaAs," postdeadline paper PD-14, IQEC'86 XIV International Quantum Electronics Conference, San Francisco, CA, June 1986.
25. N. Peyghambarian, G.R. Olbright, B.D. Fluegel, and S.W. Koch, "Femtosecond Dynamics of Bandgap Renormalization and Bandfilling in a CdSe-Microcrystallite-Doped Glass," postdeadline paper PD-20, IQEC'86 XIV International Quantum Electronics Conference, San Francisco, CA, June 1986.
26. G.R. Olbright, B.D. Fluegel, S.W. Koch, and N. Peyghambarian, "Femtosecond Dynamics of Electron-Hole Plasma in Semiconductor Microcrystallite Doped Glass," postdeadline paper at the International Conference on Ultrafast Phenomena, Snowmass, COL, 1986. Published in: *Ultrafast Phenomena*, eds. G.R. Fleming and A.E. Siegman, Springer Verlag, Berlin (1986).

27. J. Morhange, S.H. Park, N. Peyghambarian, A. Jeffrey, H.M. Gibbs, Y.H. Lee, A. Chavez-Pirson, S.W. Koch, A.C. Gossard, J.H. English, M. Maselink, and H. Morkoc, "Measurements of the Bandgap-Resonant Nonlinear Refractive Index of Bulk and Multiple-Quantum-Well GaAs at Room Temperature," 1986 OSA Annual Meeting, Seattle/Washington, October 1986.
28. M.E. Warren, S.W. Koch, and H.M. Gibbs, "Theory of All-Optical GaAs Logic Devices," Second Topical Meeting on Optical Computing, Lake Tahoe/NV, March 16 - 18, 1987.
29. L. Banyai and S.W. Koch, "Absorption Blue-Shift in Laser Excited Semiconductor Microspheres," International Meeting on Excitons in Confined Systems, Roma, Italy, April 13 - 16, 1987.
30. S.W. Koch and E.M. Wright, "Transverse Beam Profile Variations in an Induced Absorber," XV International Quantum Electronics Conference IQEC'87, Baltimore/MD, April 27 - May 1, 1987. Published in: J. Opt. Soc. Am. B4, P230 (1987).
31. G.R. Olbright, M. Lindberg, B.D. Fluegel, S.W. Koch, F. Jarka, and N. Peyghambarian, "Coherent Effects in Femtosecond Pump-Probe Spectroscopy of Semiconductors," Post-deadline paper, XV International Quantum Electronics Conference IQEC'87, Baltimore/MD, April 27 - May 1, 1987. Published in: J. Opt. Soc. Am. B4, P242 (1987).
32. M.E. Warren, S.W. Koch, and H.M. Gibbs, "Modelling of GaAs Devices," Conference on Lasers and Electro-Optics CLEO'87, Baltimore/MD, April 27 - May 1, 1987.
33. S.H. Park, A. D. Jeffrey, R. A. Morgan, S.W. Koch, N. Peyghambarian, J.E. Potts, and H. Cheng, "Room-Temperature Excitonic Optical Nonlinearities of MBE Grown ZnSe Thin Films," Post-deadline paper, Conference on Lasers and Electro-Optics CLEO'87, Baltimore/MD, April 27 - May 1, 1987.
34. M.E. Warren, H.M. Gibbs, and S.W. Koch, "Modelling of Pulsed Operations and Cascading of GaAs Bistable Devices," SPIE OE-LASE'88 on Optical Computing and Nonlinear Materials, Los Angeles, CA, January 11 - 13, 1988. Published in: *Optical Computing and Nonlinear Materials*, Proceedings 881, p. 49, SPIE, Washington (1988).
35. S.H. Park, N. Peyghambarian, J.F. Morhange, R.A. Morgan, A.D. Jeffrey, A. Chavez-Pirson, H.M. Gibbs, S.W. Koch, M.W. Derstine, A.C. Gossard, J.H. English, and W. Wiegmann, "Comparison of Optical Nonlinearities of Bulk GaAs and GaAs-AlGaAs MQWs," SPIE OE-LASE'88 on Optical Computing and Nonlinear Materials, Los Angeles, CA, January 11 - 13, 1988. Published in: *Optical Computing and Nonlinear Materials*, Proceedings 881, p. 138, SPIE, Washington (1988).
36. L. Banyai, M. Lindberg, and S.W. Koch, "Third-Order Optical Nonlinearities in GaAs Microspheres" (in German), Spring Meeting of the German Physical Society DPG, Karlsruhe, FRG, March 14 - 18, 1988 (p. 80, Verhandlungen der DPG, 4/1988).
37. B. Fluegel, J. Sokoloff, N. Peyghambarian, S.W. Koch, M. Lindberg, M. Joffre, D. Hulin, A. Migus, A. Antonetti, and C. Benoit a la Guillaume, "Femtosecond Studies of Coherent Transients in Semiconductors," American Physical Society Meeting, New Orleans, LA, March 21 - 25, 1988.

38. L. Banyai, M. Lindberg, and S.W. Koch, "Two-Photon Optical Nonlinearities in Semiconductor Quantum Dots," Topical Meeting on Optical Bistability, Aussois, France, March 23 - 25, 1988.
39. S.H. Park, B.D. Fluegel, R. Morgan, M. Joffre, J. Sokoloff, S.W. Koch, N. Peyghambarian, J.E. Potts, and H. Cheng, "Steady-State and Time-Resolved Excitonic Optical Nonlinearities in MBE-Grown ZnSe," Topical Meeting on Optical Bistability, Aussois, France, March 23 - 25, 1988.
40. R. Jin, C. Hanson, H.M. Gibbs, N. Peyghambarian, G. Khitrova, M. Warren, D. Richardson, and S.W. Koch, "Room Temperature Single-Wavelength Optical Latching Circuits Using GaAs Bistable Devices as Logic Gates," Conference on Lasers and Electro-Optics CLEO'88, Anaheim, CA, April 25 - 29, 1988.
41. S.H. Park, B. Fluegel, R. Morgan, M. Joffre, S.W. Koch, J. Sokolof, N. Peyghambarian, J.E. Potts, and H. Cheng, "Femtosecond Dynamics of Excitonic Optical Nonlinearities of MBE Grown ZnSe Thin Films," Conference on Lasers and Electro-Optics CLEO'88, Anaheim, CA, April 25 - 29, 1988.
42. R. Jin, C.L. Chuang, H.M. Gibbs, S.W. Koch, J.N. Polky, and G.A. Pubanz, "Picosecond All-Optical Switching in GaAs/AlGaAs Strip-Loaded Nonlinear Directional Couplers," XVI International Quantum Electronics Conference IQEC'88, Tokyo, Japan, July 18 - 21, 1988.
43. C. Ell, S.W. Koch, H. Haug, and M. Sargent III, "Semiconductor Laser Theory with Many-Body Effects," Annual Meeting of the Optical Society of America, Santa Clara, CA, Oct. 31 - Nov. 4, 1988.
44. M. Lindberg, S. An, S.W. Koch, and M. Sargent III, "Pump Field Modulation of Resonance Fluorescence in Semiconductors," Annual Meeting of the Optical Society of America, Santa Clara, CA, Oct. 31 - Nov. 4, 1988.
45. M. Sargent III and S.W. Koch, "Multiwave Mixing in Semiconductor Media," Annual Meeting of the Optical Society of America, Santa Clara, CA, Oct. 31 - Nov. 4, 1988.
46. R. Jin, C.L. Chuang, H.M. Gibbs, and S.W. Koch, "All-Optical Switching in a GaAs/AlGaAs Strip-Loaded Nonlinear Directional Couplers," Annual Meeting of the Optical Society of America, Santa Clara, CA, Oct. 31 - Nov. 4, 1988.
47. L. Liu, S.H. Risbud, V.C. Esch, A. Chavez-Pirson, G. Khitrova, N. Peyghambarian, S.W. Koch, and H.M. Gibbs, "Preparation and Characterization of Glass Matrices Containing Semiconductor Quantum Dots," Meeting of the American Ceramic Society (1989).
48. R.A. Morgan, S.H. Park, S.W. Koch, N. Peyghambarian, D.W. Hall, and N.F. Borelli, "Nonlinear Optical Properties of Quantum-Confined CdSe Microcrystallites," Topical Meeting on Quantum Wells for Optics and Optoelectronics, Salt Lake City, Utah, March 6 - 8, 1989.
49. V.C. Esch, A. Chavez-Pirson, L.C. Liu, S. Risbud, G. Khitrova, S.W. Koch, and H.M. Gibbs, "Growth and Temperature-Dependent Absorption of CdS Microcrystallites in Glass," Paper ThNN5, Conference on Quantum Electronics and Laser Science QELS'89, Baltimore, April 24 - 28, 1989.

50. F. Zhou, M. Sargent III, and S.W. Koch, "Sidemode Generation in Semiconductor Lasers due to Population Pulsations," 6th Rochester Conference on Coherence and Quantum Optics, Rochester, N.Y., June 26 - 28, 1989. Published in: *Proceedings of the 6th Rochester Conference on Coherence and Quantum Optics*.
51. A.E. Paul, M. Lindberg, S. An, M. Sargent III, and S.W. Koch, "Quantum Theory of Nondegenerate Four-Wave Mixing in Semiconductor Media," 6th Rochester Conference on Coherence and Quantum Optics, Rochester, N.Y., June 26 - 28, 1989. Published in: *Proceedings of the 6th Rochester Conference on Coherence and Quantum Optics*.
52. S.W. Koch and N. Peyghambarian, "Coulomb Effects in Semiconductor Quantum Dots," 1989 Nonlinear Optics and Lasers Gordon Research Conference, Wolfeboro, NH, July 24 - 28, 1989.
53. G.R. Olbright, J. Klemm, G.R. Hadley, W.S. Fu, R. Binder, and S.W. Koch, "Large Optical Nonlinearities Arising from Space-Charge Layers in GaAs/AlAs Staggered Alignment Superlattices," postdeadline paper PD16, Optical Society of America 1989 Annual Meeting, Orlando, Florida, October 15 - 20, 1989.
54. M. Pereira, S.W. Koch, and S. Mazumdar, "Nonlinear Optical Response in Conjugated Polymers," 1989 Fall Meeting of the Materials Research Society, Boston, MA, Nov. 27 - Dec. 2, 1989.
55. R. Binder, S.W. Koch, and N. Peyghambarian, "Femtosecond Exciton Bleaching Recovery in the Optical Stark Effect," International Conference on Nonlinear Optical Materials and Devices for Photonic Switching, SPIE OE/LASE'90, Los Angeles, CA, Jan. 14 - 19, 1990. Published in: *Nonlinear Optical Materials and Devices for Photonic Switching*, SPIE Proceedings 1216, p. 74, Washington (1990).
56. Y.Z. Hu, M. Lindberg, S.W. Koch, and N. Peyghambarian, "Coulomb Effects in Semiconductor Quantum Dots," International Conference on Nonlinear Optical Materials and Devices for Photonic Switching, SPIE OE/LASE'90, Los Angeles, CA, Jan. 14 - 19, 1990. Published in: *Nonlinear Optical Materials and Devices for Photonic Switching*, SPIE Proceedings 1216, p. 88, Washington (1990).
57. B. Fluegel, M. Lindberg, S.W. Koch, N. Peyghambarian, D. Hulin, A. Migus, M. Joffre, and A. Antonetti, "Femtosecond Hole-Burning and Nonlinear Dynamics of Quantum Confined Semiconductor Glasses," International Conference on Nonlinear Optical Materials and Devices for Photonic Switching, SPIE OE/LASE'90, Los Angeles, CA, Jan. 14 - 19, 1990. Published in: *Nonlinear Optical Materials and Devices for Photonic Switching*, SPIE Proceedings 1216, p. 98, Washington (1990).
58. G.R. Olbright, W.S. Fu, J. Klem, T.E. Zipperian, S.W. Koch, and R. Binder, "Femtosecond Spectroscopy of GaAs/AlAs Type-II Superlattices in an Axial Electric Field," postdeadline paper, Seventh International Conference on Ultrafast Phenomena, Monterey, CA, May 14 - 18, 1990. Published as: "Femtosecond Nonlinear Optical Properties of GaAs/AlAs Type-II Superlattices" in: *Ultrafast Phenomena VII*, p. 277, eds. C.B. Harris *et al.*, Springer Verlag, Berlin (1990).

59. M. Pereira, S.W. Koch, S. Mazumdar, D. Guo, and S.N. Dixit, "Nonlinear Optical Response in Conjugated Polymers - A Theoretical Approach," 1990 March Meeting of the APS, Anaheim, CA, March 12 - 16, 1990.
60. J.P. Sokoloff, S.G. Lee, R. Jin, P. Harten, R. Binder, S.W. Koch, H.M. Gibbs, and N. Peyghambarian, "Femtosecond Recovery of Exciton Bleaching in the Optical Stark Effect," paper JTUC2, Conference on Lasers and Electron-Optics, CLEO'90, Anaheim, CA, May 21 - 25, 1990.
61. K. Henneberger, H. Haug, W. Schäfer, R. Binder and S.W. Koch, "Spectral Hole Burning in Active and Passive Semiconductors," XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
62. G.R. Olbright, J. Klem, A. Owyong, G.R. Hardley, W.S. Fu, R. Binder, S.W. Koch, and I. Galbraith, "Nonlinearities in the Absorption and Photoluminescence Spectra of GaAs/AlAs Type-II Heterostructures," paper QWA2, XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
63. I. Galbraith, R. Binder, S.W. Koch, G.R. Olbright, A. Owyong, J. Klem, and W.S. Fu, paper QWA3, "Many-Body Effects in Type-II Heterostructures," XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
64. M. Sargent III, S.W. Koch, and W. W. Chow, paper QThA1, "Onset of Sidemode Buildup in Semiconductor Lasers," XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
65. S.W. Koch, W.W. Chow, and M. Sargent III, paper QThA7, "Effects of Electron-Hole Coulomb Interactions in Semiconductor Lasers," XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
66. B.P. McGinnis, E.M. Wright, S.W. Koch, and N. Peyghambarian, paper QFD3, "Transverse Effects in Increasing Absorption Optical Bistability," XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
67. M.F. Pereira, I. Galbraith, S.W. Koch, and G. Duggan, "Anisotropic Medium Theory for Semiconductor Superlattices," postdeadline paper QPDP17-1, XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
68. G.R. Olbright, W.S. Fu, J. Klem, T.E. Zipperian, S.W. Koch, and R. Binder, "Femtosecond Spectroscopy of GaAs/AlAs Type-II Superlattices in an Axial Electric Field," postdeadline paper QPDP19-1, XVII International Quantum Electronics Conference IQEC'90, Anaheim, CA, May 21 - 25, 1990.
69. I. Galbraith, R. Binder, and S.W. Koch, "Many-Body Effects in Type-II Quantum Wells," Conference on Nonlinear Optical Processes in Semiconductor Materials, London, UK, May 25, 1990.
70. A. Uhrig, L. Banyai, Y.Z. Hu, S.W. Koch, C. Klingshirn, and N. Neuroth, "High and Low-Excitation Photoluminescence Studies of  $Cd_xSe_{1-x}$  Quantum Dots," paper ThP-50, 20th International Conference on the Physics of Semiconductors, Thessaloniki, Greece, August 6-10, 1990.

71. D. Richardson, H.M. Gibbs, and S.W. Koch, "Computer Simulations of Fully Cascadable, Picosecond All-Optical Logic Using Nonlinear Semiconductor Etalons," paper WB4, OSA 1990 Annual Meeting, Boston, MA, November 4 - 9, 1990.
72. W.S. Fu, G.E. Poirier, R.P. Bryan, J. Klem, G. Olbright, A. Paul, R. Binder, S.W. Koch, and J.S. Harris, "Femtosecond Gain Dynamics in Semiconductors," 1991 Quantum Optoelectronics Topical Meeting, paper TuC5, Salt Lake City, UT, March 11 - 13, 1991.
73. G.R. Olbright, W.S. Fu, A. Owyong, J. Klem, R. Binder, and S.W. Koch, "Optical Nonlinearities of Type-II Quantum Wells," 1991 Quantum Optoelectronics Topical Meeting, paper WA4, Salt Lake City, UT, March 11 - 13, 1991.
74. K. Kang, Sandalphon, B.P. McGinnis, Y.Z. Hu, S.W. Koch, N. Peyghambarian, A. Mysyrowicz, L.C. Liu, and S.H. Risbud, "Two-Photon Absorption of CdS Quantum Dots in Glass: Experiment and Theory," paper CTuE2, Conference on Lasers and Electro-Optics CLEO'91, Baltimore, MA, May 12 - 17, 1991.
75. M. Lindberg, M. Rose, W. Chow, M. Sargent III, and S.W. Koch, "Theory of Semiconductor Laser Feedback Instability," paper CTuJ2, Conference on Lasers and Electro-Optics CLEO'91, Baltimore, MA, May 12 - 17, 1991.
76. R. Binder, S.W. Koch, I. Galbraith, W.S. Fu, A. Owyong, G.R. Olbright, R. Pon, G. Khitrova, and H.M. Gibbs, "Optical Nonlinearities in Type-II and Type-I Semiconductor Quantum Wells," paper CTuJ6, Conference on Lasers and Electro-Optics CLEO'91, Baltimore, MA, May 12 - 17, 1991.
77. G.R. Olbright, W.S. Fu, G.E. Poirier, R.P. Bryan, J. Klem, A. Paul, R. Binder, S.W. Koch, and J.S. Harris, "Femtosecond Gain Spectroscopy of GaAs," paper QWD7, Quantum Electronics Laser Science Conference QELS'91, Baltimore, MA, May 12 - 17, 1991.
78. S.W. Koch, R. Binder, and M. Lindberg, "Many-Body Theory of Rabi Flopping and Photon Echo in Semiconductors," paper QThA5, Quantum Electronics Laser Science Conference QELS'91, Baltimore, MA, May 12 - 17, 1991.
79. G. Khitrova, B. Fluegel, K. Meissner, R. Pon, H.M. Gibbs, S.W. Koch, I. Galbraith, and N. Peyghambarian, "Coupled-Well Superlattices: Transition Crossing and Femtosecond Dynamics," paper QFA2, Quantum Electronics Laser Science Conference QELS'91, Baltimore, MA, May 12 - 17, 1991.
80. H.M. Gibbs, G. Khitrova, Xu Jiajin, C. Chuang, and S.W. Koch, "Nonlinear Directional Coupler Beam-Propagation Computations with Two Dimensions and Plasma Theory," paper CFO4, Conference on Lasers and Electro-Optics CLEO'91, Baltimore, MA, May 12 - 17, 1991.
81. K. Meissner, B. Fluegel, R. Binder, S.W. Koch, G. Khitrova, H.M. Gibbs, and N. Peyghambarian, "Comparison of Optical Nonlinearities of Type-I and Type-II Quantum Wells," Seventh Interdisciplinary Laser Science Conference ILS-VII, Monterey, CA, September 22 - 26, 1991. Published in: APS Bulletin 36, 1949 (1991).

82. L. Banyai, P. Gilliot, Y.Z. Hu and S. W. Koch, "Surface Polarization Instabilities of Electron-Hole States in Quantum Dots," International Meeting on Optics of Excitons in Confined Systems, Giardini Naxos, Sicily, Italy, Sept. 24 - 27, 1991. Published in *Optics of Excitons in Confined Systems*, Institute of Physics Conference Series 123, p. 155, Inst. of Physics, Bristol (1992).
83. K.I. Kang, B.P. McGinnis, Sandalphon, Y.Z. Hu, S.W. Koch, N. Peyghambarian, A. Mysyrowicz, L.C. Liu, and S.H. Risbud, "Two-Photon Spectroscopy of CdS Quantum Dots," International Meeting on Optics of Excitons in Confined Systems, Giardini Naxos, Sicily, Italy, Sept. 24 - 27, 1991. Published in *Optics of Excitons in Confined Systems*, Institute of Physics Conference Series 123, p. 245, Inst. of Physics, Bristol (1992).
84. M. Sargent III, S.W. Koch, and W. W. Chow, "Sidemode Gain in Semiconductor Lasers," paper TuTT3, 1991 OSA Annual Meeting, San Jose, CA, November 3 - 8, 1991.
85. R. Binder, K. Henneberger, F. Herzel, S.W. Koch, A.E. Paul, and D. Scott, "Optical Dephasing and Spectral Hole Burning in Semiconductor Lasers," paper TuTT4, 1991 OSA Annual Meeting, San Jose, CA, November 3 - 8, 1991.
86. K. Henneberger, F. Jahnke, S.W. Koch, R. Binder, and W. Schäfer, "Nonequilibrium and Many-Body Effects in Semiconductor Lasers," (in German), Spring Meeting of the German Physical Society DPG, Regensburg, FRG, March 16 - 20, 1992 [published in: *Verhandl. DPG (VI) 27*, 603 (1992)].
87. F. Herzel, K. Henneberger, W. Vogel, S.W. Koch, and R. Binder, "A Consistent Model for the Calculation of Carrier Distribution and Emission Spectrum of a Semiconductor Laser," (in German), Spring Meeting of the German Physical Society DPG, Regensburg, FRG, March 16 - 20, 1992 [published in: *Verhandl. DPG (VI) 27*, 605 (1992)].
88. D. Scott, R. Binder, K. ElSayed, S. W. Koch, "Analysis of Nonequilibrium Carrier Relaxation Dynamics and Optical Dephasing Using Quantum Boltzmann Equations," ACMS Worskhop on *Computational Optics: Its Links with Computational Fluid Dynamics*, Tucson, AZ, March 18 - 21, 1992.
89. A. Knorr, R. Binder, E. M. Wright, and S.W. Koch, "Resonant Ultrafast Pulse Propagation in Semiconductors," ACMS Worskhop on *Computational Optics: Its Links with Computational Fluid Dynamics*, Tucson, AZ, March 18 - 21, 1992.
90. M. Lindberg, Y.Z. Hu, R. Binder, and S.W. Koch, "Theory of the Semiconductor Photon Echo," paper QMC4, Quantum Electronics Laser Science Conference QELS'92, Anaheim, CA, May 10 - 15, 1992.
91. D. Scott, R. Binder, K. Henneberger, and S.W. Koch, "Optical Dephasing and Carrier-Carrier Scattering in Semiconductor Laser Media," paper CWG57, Conference on Lasers and Electro-Optics CLEO'92, Anaheim, CA, May 10 - 15, 1992.
92. P.A. Harten, A. Knorr, J.P. Sokoloff, F. de Colstoun, S.G. Lee, R. Jin, E.M. Wright, G. Khitrova, H.M. Gibbs, S.W. Koch, and N. Peyghambarian, "Coherent Pulse Propagation in GaAs Quantum Well Waveguides," paper ThC26, Ultrafast Phenomena, Antibes, France, June 8 - 12, 1992. [Published in *Ultrafast Phenomena VIII*, Springer Verlag, Berlin (1992).]



93. M.H. Rose, W.W. Chow, S.W. Koch, M. Lindberg, and M. Sargent, "Dynamics of a Coupled-Cavity Semiconductor Laser," paper MoE5, International Quantum Electronics Conference IQEC'92, Vienna, Austria, June 14 - 19, 1992.
94. D. Scott, R. Binder, and S.W. Koch, "Nonequilibrium Carrier Relaxation in Highly Excited Semiconductors," paper PTuO97, International Quantum Electronics Conference IQEC'92, Vienna, Austria, June 14 - 19, 1992.
95. K. Henneberger, F. Jahnke, S.W. Koch, R. Binder, and W. Schäfer, "Transient Nonequilibrium and Many-Body Effects in Semiconductor Lasers," paper ThH4, International Quantum Electronics Conference IQEC'92, Vienna, Austria, June 14 - 19, 1992.
96. P.A. Harten, A. Knorr, J.P. Sokoloff, F. de Colstoun, S.G. Lee, R. Jin, E.M. Wright, G. Khitrova, H.M. Gibbs, S.W. Koch, and N. Peyghambarian, "Coherent Pulse Propagation in a Semiconductor Waveguide," paper ThK5, International Quantum Electronics Conference IQEC'92, Vienna, Austria, June 14 - 19, 1992.
97. S.W. Koch, A. Knorr, M. Lindberg, and R. Binder, "Theory of Photon Echo and Self-Induced Transparency in Semiconductors," paper ThH6, International Quantum Electronics Conference IQEC'92, Vienna, Austria, June 14 - 19, 1992.
98. O. Hess, J.V. Moloney, and S.W. Koch, "Microscopic Theory of Semiconductor Laser Arrays," paper ThN3, International Quantum Electronics Conference IQEC'92, Vienna, Austria, June 14 - 19, 1992.
99. D. Boggavarapu, J.W. Grantham, Y.Z. Hu, H.M. Gibbs, G. Khitrova, S. W. Koch, M. Sargent, and W. W. Chow, "Injection Locking of Vertical-Cavity Surface-Emitting Laser," International Conference on Nonlinear Dynamics in Optical Systems, Alpbach, Austria, June 22 - 26, 1992.
100. P. Ru, J.V. Moloney, R. Indik, and S.W. Koch, "Many-Body Effects in a Semiconductor Laser Model," paper MPP7, OSA Annual Meeting, Albuquerque, NM, Sept. 20 - 25, 1992.
101. Y.Z. Hu, S.W. Koch, and W. W. Chow, "Role of the Gain Medium in Semiconductor Laser Instabilities," paper ThCC2, OSA Annual Meeting, Albuquerque, NM, Sept. 20 - 25, 1992.
102. R. Jin, D. Boggavarapu, J.W. Grantham, Y.Z. Hu, H.M. Gibbs, G. Khitrova, S. W. Koch, M. Sargent, F. de Colstoun, C. Lowry, and W. W. Chow, "Dynamics of a Microcavity Laser with Optical Injection," paper ThCC4, OSA Annual Meeting, Albuquerque, NM, Sept. 20 - 25, 1992.
103. P.A. Harten, A. Knorr, J.P. Sokoloff, F. de Colstoun, S.G. Lee, R. Jin, E.M. Wright, G. Khitrova, H.M. Gibbs, S.W. Koch, and N. Peyghambarian, "Propagation Induced Escape From Adiabatic Following in a Semiconductor Waveguide," paper WN4, 8th Interdisciplinary Laser Science Conference ILS-VIII, Albuquerque, NM, Sept. 20 - 25, 1992.

104. B.D. Fluegel, A. Paul, K. Meissner, R. Binder, S.W. Koch, N. Peyghambarian, F. Sasaki, T. Mishina, and Y. Masumoto, "Experimental and Theoretical Investigation of Femtosecond Nonequilibrium Carrier Relaxation in CdSe," paper WN5, 8th Interdisciplinary Laser Science Conference ILS-VIII, Albuquerque, NM, Sept. 20 - 25, 1992.
105. R. Binder, D.C. Scott, and S.W. Koch, "Ultrafast Dephasing and Carrier Relaxation in Nonequilibrium Electron-Hole Plasmas," paper ThKK4, 8th Interdisciplinary Laser Science Conference ILS-VIII, Albuquerque, NM, Sept. 20 - 25, 1992.
106. F. Jahnke, K. Henneberger, and S.W. Koch, "Dynamical Response of Short-Cavity Semiconductor Lasers," post-deadline paper, 8th Interdisciplinary Laser Science Conference ILS-VIII, Albuquerque, NM, Sept. 20 - 25, 1992.
107. F. de Colstoun, C.W. Lowry, G. Khitrova, H.M. Gibbs, A.E. Paul, S.W. Koch, T.M. Brennan, and B.E. Hammonds, "Asymmetric Gain in a Vertical-Cavity Surface-Emitting Laser," Quantum Optoelectronics Topical Meeting, Palm Springs, CA, March 17 - 19, 1993.

**Book reviews:**

1. S.W. Koch, IEEE Circuits and Devices (1988): *Nonequilibrium Phase Transitions in Semiconductors* by E. Schöll (Springer Verlag, Berlin, 1987).
2. S.W. Koch, Opt. News 15, 37 (June 1989): *Excitons in Confined Systems* by R. DelSole, A. D'Andrea and A. Lapicciarella (Springer Verlag, Berlin, 1987).
3. M. Lindberg and S.W. Koch, Opt. News 15, 52 (July 1989): *Semiconductor Interfaces: Formation and Properties* by G. LeLay, J. Derrien, and N. Boccara (Springer Verlag, Berlin, 1987).
4. S.W. Koch and M. Warren, Opt. News 15, 52 (July 1989): *Semiconductors and Semimetals, Vol 24* by R. Dingle (Academic Press, New York, 1987).